

# Surface Water Quality Monitoring Data Management Reference Guide

Water Quality Planning Division, Monitoring & Assessment Section, Data Management & Analysis Team

12/22/2016

<b>Chapter 1 – Introduction to the SWQM Data Management Reference Guide .....</b>	<b>1-1</b>
<b>Chapter 2 – Parameter and Constituent Code Requests .....</b>	<b>2-1</b>
Parameter Code Request - Description.....	2-1
Request Process .....	2-1
Parameter/Constituent Code Request Fields .....	2-1
Parameter Inventory Report.....	2-3
<b>Chapter 3 – SWQM Station Location (SLOC) Request .....</b>	<b>3-1</b>
Process for Requesting New Stations or Correcting Existing Stations.....	3-1
Expedited SLOC Requests.....	3-2
Batch Upload SLOC Requests .....	3-2
SLOC Maps .....	3-4
SLOC Request Field Descriptions.....	3-4
Monitoring Station Inventory Report .....	3-11
<b>Chapter 4 – Submitting Entity and Collecting Entity Codes .....</b>	<b>4-1</b>
Submitting Entity Codes.....	4-1
Collecting Entity Codes.....	4-3
<b>Chapter 5 – Tag Prefixes .....</b>	<b>5-1</b>
<b>Chapter 6 – Commonly Used Parameter Codes .....</b>	<b>6-1</b>
Field Data .....	6-1
Bacteria Data.....	6-2
Metals in Sediment Data.....	6-10
Organics in Sediment Data.....	6-11
EPA Species Numeric Code .....	6-20
EPA Anatomical Numeric Code .....	6-25
Biological Data.....	6-26
<b>Chapter 7 – Data Reporting.....</b>	<b>7-1</b>
TCEQ Region and Central Office Staff .....	7-1
Laboratory Information Management System (LIMS) .....	7-1
TCEQ Partners and Contractors .....	7-1
LIMS File Format .....	7-6
<b>Chapter 8 – Data Review.....</b>	<b>8-1</b>
SWQMIS Data Loading Report .....	8-1
Data Dictionary for the SWQMIS Data Loading Validator Report.....	8-1
Data Management Review.....	8-2
<b>Chapter 9 – Data Corrections.....</b>	<b>9-1</b>
SWQM Data Correction Request Description .....	9-1
Data Correction Process.....	9-1

Data Correction Required Information .....	9-1
Documentation .....	9-2
<b>Chapter 10 – Data Qualification</b> .....	10-1
SWQM Program Quality Control Sample Validation and Qualification .....	10-1
<b>Chapter 11 – Database Reports</b> .....	11-1
To access SWQMIS .....	11-1
Types of Reports .....	11-1
<b>Chapter 12 – Biological Data Recording and Reporting</b> .....	12-1
Introduction .....	12-1
Biological Data Specifics – All Providers.....	12-1
TCEQ Regional and Central Office Staff .....	12-2
TCEQ Partner Agencies and Contractors.....	12-4
Examples .....	12-5
<b>Chapter 13 – Monitoring Type Codes</b> .....	13-1
Choosing the Appropriate Monitoring Type Code.....	13-1
<b>Chapter 14 – Request for Analysis Form</b> .....	14-1
Life Cycle of an RFA .....	14-1
How Many RFAs are Needed?.....	14-1
Additional Information.....	14-4
<b>Appendix A – Maps</b> .....	A-1
<b>Appendix B – EPA Stream Station Types</b> .....	B-1
<b>Appendix C – Fish Tissue Data Reporting Guidance</b> .....	C-1
Tissue Samples—Recording Data on the RFA.....	C-2
Tissue Samples—Reporting Required Data .....	C-2
<b>Appendix D – Geographic Information Codes</b> .....	D-1
Codes for SLOC Requests .....	D-2
<b>Appendix E – Data Qualifiers</b> .....	E-1
<b>References</b> .....	R-1

# Chapter 1 – Introduction to the SWQM Data Management Reference Guide

---

The purpose of this guide is to assist the Texas Commission on Environmental Quality (TCEQ) Clean Rivers Program (CRP) partner agencies, Total Maximum Daily Load (TMDL) Program contractors, Surface Water Quality Monitoring (SWQM) Program staff, Water Quality Standards (WQS) Group staff and contractors, Non-Point Source (NPS) Program contractors, and any other TCEQ programs or external entities submitting data to the TCEQ Surface Water Quality Monitoring Information System (SWQMIS) database. This guide outlines the processes for requesting parameter codes, station ID numbers, submitting and collecting entity codes, tag prefixes, corrections to data in SWQMIS, and data reports. It also explains data review and data reporting (including data reporting formats) and contains reference maps, tables, and descriptions for use when submitting data to the TCEQ. Guidance is also provided for using SWQMIS tools to extract and interact with data in the database.

No substantive changes were made to the guide this year.

The original water monitoring program was established in 1967 with the purpose of collecting and analyzing the data necessary to describe the water quality of Texas streams, reservoirs and estuaries. Today, SWQMIS contains more than 45 years of physicochemical and biological data from up to 9,500 monitoring stations throughout Texas. This data is collected by the TCEQ, contributing river authorities, cities, and other local, state, and federal agencies.

The TCEQ maintains SWQMIS. This database serves as a repository for TCEQ surface water quality data. SWQMIS also provides data validation and reporting tools, a mapping interface, and modules for tracking information about projects and quality assurance documents. Forms related to the TCEQ's surface water quality programs data and SWQMIS are available in the Forms module of SWQMIS. These forms include the SWQMIS Change Request Template, the Data Correction Request, the Data Review Checklist, the Parameter/Constituent Request, and the Submitting Entity/Collecting Entity/Monitoring Type Request.

The Water Quality Planning Division, Monitoring and Assessment Section's Data Management and Analysis Team (DM&A) is responsible for the management of surface water quality data and metadata in cooperation with other TCEQ water programs and the Information Resources Division (IRD). This responsibility includes documentation and maintenance of records relating to the processes described in this document. Relationships between DM&A and other water program areas are documented in project-specific Quality Assurance Project Plans (QAPPs). Data not meeting quality objectives set forth in these QAPPs may be stored in SWQMIS with appropriate qualifiers (see Chapter 10).

The statewide water quality database has received data since 1967, allowing for the assessment of short- and long-term trends. This data may be used by TCEQ to characterize existing conditions, evaluate spatial and temporal trends, develop water quality standards, determine water quality standards compliance, identify emerging problems, and evaluate the effectiveness of water quality control programs.

For additional information contact:

Texas Commission on Environmental Quality

Water Quality Planning Division

P.O. Box 13087, MC-234

Austin, Texas 78711-3087

Phone: (512) 239-1678

Fax: (512) 239-4410

# Chapter 2 – Parameter and Constituent Code Requests

---

## Parameter Code Request - Description

All parametric data entered into the SWQMIS database is identified using a unique 5-digit parameter code. Each parameter is also associated with a constituent. A parameter is a given constituent measured in a specific media by a specified method. A constituent is an element, compound, organism, or water characteristic in its most basic form.

The [SWQMIS Parameter/Constituent Code Request Form](#), referred to as the Parameter Request Form, is to be used when adding a new parameter, a new constituent code, changing an existing parameter, or an existing constituent code in SWQMIS. This form is available from the hyperlink above, or SWQMIS users can access the Parameter Request Form in the SWQMIS module named 'Forms'.

For a current list of all existing parameter codes in the SWQMIS database, go to <http://www.tceq.texas.gov/waterquality/clean-rivers/data/storet.html>, or contact the [DM&A Team](#) directly.

SWQMIS users can use the SWQMIS Parameter Inventory Report to obtain a complete list of parameter codes stored in the database.

## Request Process

1. Submit SWQMIS parameter code requests on the Parameter Request Form located under the Forms Module in the [SWQMIS database](#) or from [TCEQ's external website](#). Submit the completed form by pressing the 'Submit Form' button located at the top right corner of the form. A pop-up window will appear asking for the email client in use. There are two options
  - i. If you select the Desktop Email Application option, an email will auto-generate with the completed form attached. Press 'Send' to submit your form to the DM&A Team at [wdma@tceq.texas.gov](mailto:wdma@tceq.texas.gov).
  - ii. If you select the Internet Mail option, your computer's browser window will open prompting you to save the form. Generate an email to [wdma@tceq.texas.gov](mailto:wdma@tceq.texas.gov) and attach the completed Parameter Request Form.
2. When the DM&A Team receives your request, a data manager will either contact you for more information or complete the request in about 10 business days.
3. Once your request is completed, DM&A will notify you via email and attach the completed [Parameter Request Form](#) with the new or modified Parameter/Constituent Code information.

## Parameter/Constituent Code Request Fields

### *Information Provided by the Requestor*

To request a new or revised parameter/constituent code, complete the shaded portion of the request form.

**Check Action Required**

Check the appropriate box —add a new code to the database or make changes to an existing code.

**Person Submitting Request**

Enter your name in the field.

**Agency or Contractor Name**

Enter the name of your agency or the contractor making the request.

**Program Area**

Enter the TCEQ program area with which the request is associated.

**QAPP Title**

Enter the title of the QAPP with which the request is associated.

**Contact Phone**

Enter a contact phone number in case any questions arise during the processing of the request.

**Explanation of Request**

Provide a brief explanation of why you are requesting the action.

**Parameter**

Provide a brief description of the parameter.

**Parameter Code**

If the request is for a change, enter the existing parameter code. Otherwise, leave this field blank.

**Media**

Enter the media in which the parameter is measured (water, sediment, tissue, etc.).

**Unit of Measure**

Enter the measurement units for the parameter. Enter NA if this field is not applicable.

**Analytical Method**

Enter the analytical method associated with the parameter. Indicate if this is an EPA approved method. Enter NA if this field is not applicable.

***Analytical Method Number***

Enter the number associated with the analytical method. Enter NA if this field is not applicable.

***Information Provided by DM&A Staff***

DM&A staff will complete the following form fields.

**Parameter Code**

DM&A assigns a unique 5-digit parameter code for new parameter requests, or they will use the code you provided.

**Constituent ID**

DM&A assigns the ID of the constituent for each parameter. For example, if the requested parameter were suspended organic carbon, DM&A would assign the parameter to the constituent ID for carbon.

### **CAS Number**

DM&A identifies the CAS (Chemical Abstracts Service) number associated with the constituent, if applicable.

### **Constituent Category**

DM&A assigns each constituent to a category in SWQMIS. These categories include Physical/Chemical, Algae, Habitat, Benthos, Phytoplankton, Zooplankton, Nekton, Macrophytes, and NS (Not Specified).

### **Parameter Description**

**DM&A develops a parameter description.**

### **Minimum Value**

DM&A sets a minimum threshold value for the parameter. This value sets a data quality control check.

### **Maximum Value**

DM&A sets a maximum threshold value for the parameter. This value sets a data quality control check. Results greater than this value require verification when data is manually entered or flat-file loaded into SWQMIS.

### **Entered in SWQMIS**

The DM&A Data Manager signs the completed form verifying the change in SWQMIS.

### **Date Entered**

The DM&A Data Manager provides the date the action was completed.

### **Parameter Inventory Report**

SWQMIS contains over 5,800 parameter codes used to report data to the TCEQ and should not be confused with the list of STORET codes maintained by the EPA. The SWQMIS Parameter Inventory Report lists parameter codes and associated parameter metadata. Data providers should review this report when planning new or different sampling or analyses. If an existing code does not accurately represent the planned sampling or analyses, a new code is requested using the Parameter Request Form.

The following fields are included in a Parameter Inventory Report.

- Parameter Code
- Parameter Description
- Units of Measure
- Media
- Method
- CAS Number



# Chapter 3 – SWQM Station Location (SLOC) Request

---

All parametric data entered into the sampling module of the SWQMIS database must be associated with a permanent monitoring station identified by a 5-digit Station Identification code (Station ID). A SWQM Station Location (SLOC) Request is submitted via the SWQMIS interface to:

- Create a new permanent Station ID, or
- Make a change to an existing permanent Station ID.

## Process for Requesting New Stations or Correcting Existing Stations

1. Review the inventory of existing stations in SWQMIS prior to requesting a new station. A station may already exist at or very near the desired sampling location. This can be done either by running a Station Inventory Report or by using the Map Viewer in SWQMIS. A new Station ID is not required if the proposed sampling location is within 400 meters up or downstream of an existing stream station, or within a 400 meter radius in reservoirs and bays and if the existing station is representative of the same hydrologic, biologic, or water quality conditions. If the existing station does not accurately represent conditions at the new sampling location, a new station is necessary. For example, if there are conditions such as discharge points, a confluence with an adjoining stream, restrictions of flow, dams, any construction that might affect the stream, or differences in water depth that could influence circulation, a SLOC Request accurately describing the new location should be submitted. If the specific sampling design requires stations closer together than 400 meters, please specify this in the Monitoring Stations “General Comments” section on the Attachments and Status page within the request.
2. The monitoring entity may submit a SLOC directly if they are authorized to log into SWQMIS. Alternatively, the submitting entity (TCEQ Program project managers in particular) may choose to do this on behalf of the monitoring entity. TCEQ Regional staff who perform SWQM monitoring submit SLOC requests directly. Anyone filling out a SLOC may choose to save the SLOC prior to submitting it, to continue editing the request later.
3. For new stations, all required fields in the SLOC Create screens must be filled out by the requestor: SWQMIS will not allow an incomplete SLOC to be submitted. To request changes to an existing station, the SLOC screen will open populated with the data already existing for that station. Make changes to any fields as appropriate. All other fields (where no changes are desired) should be left as they are. Fields are defined later in this chapter.
4. A map image with scale 1:24,000 or greater, clearly depicting any proposed new station location must accompany the SLOC request form. The map must unambiguously define any nearby major highways, roads, streams, or physiographic features to facilitate verification of the station location. All base maps must be a 1:24,000 scale (7.5-minute series) United States Geological Survey (USGS) topographic map and/or a spatially correct digital orthophoto quarter quadrangle (DOQQ) with resolution of at least 1 meter. The map image must include any major long description landmarks and must be labeled. More information and resources are included in the SLOC Maps section of this chapter.
5. The SLOC Request is entered into SWQMIS and submitted with a map attached. DM&A

verifies the entries made and the attached map follow the DMRG requirements for station locations before being elevated to the status of Pre-Production or Production.

6. The SLOC Request status will be Rejected and returned to the originator with comments if a map is not provided (for new stations or location changes to existing stations), if the request is incomplete, or if any other significant errors are identified.
7. When a SLOC Request is processed an electronic copy of the request is returned to the requestor and/or program project manager to be forwarded to the requestor. This acknowledgment includes the unique permanent Station ID to be used when submitting sample results collected at that station.
8. For expedited requests (less than 10 business days), please see the following section.

### Expedited SLOC Requests

If for any reason it is necessary to create or correct a station faster than the usual turnaround of 10 business days, please refer to the following steps:

1. Submit a SLOC as described in the preceding section.
2. E-mail the SLOC Coordinator for your program area, requesting expedited processing and explaining the circumstances. Include the SLOC ID.

### Batch Upload SLOC Requests

SLOC Request information may be uploaded to SWQMIS in ACSII pipe-delimited text file format instead of using the individual SLOC screens. All fields noted in the table below must be included in the text file whether the fields have values or are left blank. Required fields must contain a valid value. Optional fields may be left blank. Submit one or more request records per text file. Note that the “SWQMIS SLOC Batch Upload” screens also require that the user add a map attachment for each “Create SLOC”; there is a screen for this function.

Field	Data Type	Length	Required/Optional
Station ID	Number	5	Must be blank for create request. Required for a change request.
Long Description	Alphanumeric	500	Required for create request. Optional for change request.
Temporary ID	Alphanumeric	10	Optional for create request. Optional for change request.
Requester	Alphanumeric	75	Required.
Latitude	Number	(+)9	Required for create request. Optional for change request. Latitude must be a positive value with 6 numbers to the right of the decimal. Positive symbol not required.
Longitude	Number	(-)9	Required for create request. Optional for change request. Longitude must be a negative value with 6 numbers to the right of the decimal and a negative symbol preceding the degree value.
Segment ID	Alphanumeric	4-6	Required for create request. Optional for change request.

<b>Field</b>	<b>Data Type</b>	<b>Length</b>	<b>Required/Optional</b>
<b>Submitting Entity</b>	Alpha	2	Required for create request. Optional for change request.
<b>Collecting Entity</b>	Alpha	2	Required for create request. Optional for change request.
<b>Monitoring Type</b>	Alpha	2	Required for create request. Optional for change request.
<b>Permit Number</b>	Alphanumeric	25	Required for create request only if Monitoring Type is RW (Receiving Water Assessment). Optional for change request.
<b>USGS Gauge ID</b>	Integer	8-15	Optional for create request. Optional for change request.
<b>Stream Station Type Level</b>	Integer	1	Required for create request. Optional for change request.
<b>Stream Station Type Code</b>	Alpha	6	Required for create request. Optional for change request.
<b>Horizontal Organization</b>	Alpha	2	Required for create request. Required for change request if Lat/Long entered.
<b>Horizontal Reference</b>	Alpha	10	Required for create request. Required for change request if Lat/Long entered.
<b>Horizontal Description</b>	Alpha	500	Optional for create request. Optional for change request.
<b>Horizontal Date</b>	Text	10	Required for create request. Required for change request if Lat/Long entered.
<b>Horizontal Datum</b>	Text	7	Required for create request. Required for change request if Lat/Long entered.
<b>Horizontal Method</b>	Text	5	Required for create request. Required for change request if Lat/Long entered.
<b>Horizontal Accuracy</b>	Number	4,2	Required for create request. Required for change request if Lat/Long entered.
<b>Elevation Organization</b>	Alpha	2	Optional for create request. Required if an Elevation is provided. Optional for change request. Required if an Elevation is provided.
<b>Elevation</b>	Number	6	Optional for create request. Required if an Elevation is provided. Optional for change request. Required if an Elevation is provided.

Field	Data Type	Length	Required/Optional
Elevation Date	Text	10	Optional for create request. Required if an Elevation is provided. Optional for change request. Required if an Elevation is provided.
Elevation Datum	Text	7	Optional for create request. Required if an Elevation is provided. Optional for change request. Required if an Elevation is provided.
Elevation Method	Text	5	Optional for create request. Required if an Elevation is provided. Optional for change request. Required if an Elevation is provided.
Elevation Accuracy	Number	4,2	Optional for create request. Required if an Elevation is provided. Optional for change request. Required if an Elevation is provided.

Example of create request:

```
|OKRY CREEK 80 METERS DOWNSTREAM OF US HWY 259 IN MORRIS
COUNTY|08049565|tkirklan|32.86734948|-
97.03917507|0841C|GS|GS|RT||08049565|1|STREAM|GS|OTHER||04/01/2009|NAD27|UNKN
OWN|9999|||||
```

## SLOC Maps

As long as the scale and readability are not negatively impacted, submission of a single map showing multiple sampling sites is encouraged. While in many cases it is not necessary to create individual maps for each SLOC, each “Create SLOC” request submitted via SWQMIS is required to include a map attachment. Requesters using GIS software who have ready-made maps may use the SLOC interface to attach these files. Those without map-generation options outside SWQMIS can use the Map tool in the SLOC General Information screen to capture a map image to use as the attachment.

## SLOC Request Field Descriptions

**The following fields must be completed by the requestor:**

### *Station ID*

The station ID is a 5-digit code that is automatically generated when a new site is created in SWQMIS and is used when submitting sampling results from that site. A station ID is supplied by the requestor only when requesting changes to an existing station in SWQMIS.

### *Long Description*

A detailed description limited to 500 characters is required. The description must be adequate to describe the exact location of the station. The description should not include directions to the station relative to landmarks, but should be concise and include enough specific information to allow someone to locate the station on a map with 25-meter accuracy. The name of the water body must be noted first, followed by relative location such as river meters/kilometers downstream or upstream of a named or numbered road or tributary preferably followed by the distance to a city or named feature on a map. The permit number of the target facility must be

included in the long description for sites that are reporting data for a Receiving Water Assessment (RWA). See the “Helpful Hints on Completing SLOC Requests” section of this chapter for more information about station descriptions.

#### *Temporary ID*

Any identifier used by the submitter to track a station requested but not yet established should be noted here. If, for example, a SLOC map is marked with ATPWD 23" to illustrate the location of the proposed station, ATPWD 23" should be noted in the temporary ID field. This may also be the unique identifier used by the submitting entity in their own database.

#### *Requester*

The SWQMIS User ID of the person making the request. If the SWQMIS User ID is used both the Submitter and the Requester will have access to the SLOC Request. If the Requester is not a SWQMIS User, note instead the proper name and Organization (such as “Bruce Ridpath, H-GAC”).

#### *Latitude/Longitude*

Latitude and longitude in standard decimal degree format must be used. The accuracy of the latitude/longitude coordinates is governed by the [TCEQ’s Operating Policy and Procedure 8.11.02](#), Geographic Information Systems Positional Data, which requires accuracy of 25 meters. Latitude and longitude values in decimal degrees must be specified to the nearest 1/10,000th of a degree (four decimal places) to meet this accuracy requirement. Latitude and longitude coordinates are required and preferably determined by trained staff using a Global Positioning System (GPS) unit and appropriate post processing. Another accurate method is the interpolation of one meter resolution DOQQs or using the TCEQ Map Viewers. DOQQs for the entire state of Texas are available from the [Texas Natural Resources Information System](#) or via a [TCEQ web viewer](#) - see the SLOC Maps section of this chapter for more information on this viewer.

#### *Program*

Select the TCEQ program area the data reported from this station will be submitted through. The options to select from are CRP, CWQMN, NPS, SWQM, Standards, and TMDL.

#### *Submitting Entity*

This is a 2-character code for the organization that will be submitting monitoring data from this location to the TCEQ. See [Chapter 4](#) for a list of valid codes.

#### *Collecting Entity*

This is a 2-character code for the organization that will be collecting monitoring data at this location. See [Chapter 4](#) for a list of valid codes.

#### *Monitoring Type*

This is a 2- or 4-character code for the type of monitoring that will be performed at this location. See [Chapter 13](#) for a list of valid codes.

#### *Permit Number*

If the station is near or will be used to monitor discharge from a permitted facility, report the permit number. Do not use the number symbol (#); simply list the alphanumeric value (such as “123-7558-A”).

#### *Segment ID*

A Segment ID is a required 4, 5, or 6 character segment code determined from the Segment

Descriptions list as found in the [Texas Surface Water Quality Standards \(TSWQS\), Texas Administrative Code \(TAC\), Title 30, Part 1, Chapter 307, Appendix C.](#)

#### *USGS Gauge ID*

Submit the USGS gauge station ID for stations at the same location as a USGS gauge station. This number is obtained by reviewing USGS topographic maps or from the [USGS site inventory](#).

#### *Stream Station Level*

Note the Level (1 through 5) of the Stream Station Type Code used. See [Appendix B](#) for information on Stream Stations Levels. Only Levels 1 through 2 are required unless samples are collected at the pipe, in which case all 5 levels become required.

#### *Stream Station Code*

Stations must be identified using the coding scheme listed in Appendix B. For example, a station that is considered to be within a mixing zone must be coded with the Level 2 value “NONAMB”. The mixing zone is defined in the [SWQM Procedures Manual, Volume 1](#) (1).

#### *Horizontal Organization*

The organization that generated the horizontal coordinates (latitude and longitude) for this station. Often, this is the same as either the Submitting Entity or Collecting Entity for the stations. Any Submitting or Collecting entity code listed in [Chapter 4](#) may be used for this field.

#### *Horizontal Reference*

A code that specifically describes the precise location of the coordinate with reference to the facility, if applicable. For many ambient stations not associated with any facility, the code OTHER applies. Valid values are listed in [Appendix D](#).

#### *Horizontal Description*

Additional information about the site location, such as driving directions or specific references for locating the site within a facility.

#### *Horizontal Date*

The date on which the horizontal coordinates (latitude and longitude) were generated.

#### *Horizontal Datum*

The horizontal reference datum used when collecting the horizontal coordinates. Valid values are listed in [Appendix D](#). NAD83 is the most widely used since it is the datum used for DOQQ's and other popular mapping tools.

#### *Horizontal Method*

A code that defines the method used to generate the horizontal coordinates. Valid values are listed in [Appendix D](#). The method code may also allow determination of the Horizontal Accuracy value as well.

#### *Horizontal Accuracy*

Assessment of the horizontal accuracy of the reported latitude/longitude coordinates expressed in meters. Accuracy will depend on the method of collection, procedures and equipment used, and/or the results of any statistically valid test of similar points. For example, coordinates obtained using a 1-meter DOQQ (including Google Maps) have an assumed accuracy of 5 meters, while those determined using a 1:24,000 scale topographic map will have an assumed accuracy of 12 meters. A value of 9999 should be entered if accuracy cannot be determined.

The following fields may optionally be completed by the requestor:

**Note that if a value is reported for any of these fields, values for all six fields are then required.**

*Elevation Organization*

The organization that generated the horizontal coordinates (latitude and longitude) for this station. Often, this is the same as either the Submitting Entity or Collecting Entity for the stations. Any Submitting or Collecting entity code listed in Chapter 4 may be used for this field.

*Elevation*

A value expressing the measured height above (or depression below) mean sea level, in meters.

*Elevation Date*

The date on which the elevation value was generated.

*Elevation Datum*

The vertical reference datum used when collecting the elevation value. Valid values are listed in [Appendix D](#).

*Elevation Method*

A code that defines the method used to generate the elevation value. Valid values are listed in [Appendix D](#).

*Elevation Accuracy*

Assessment of the accuracy of the reported elevation expressed in meters. Accuracy will depend on the method of collection, procedures and equipment used, and/or the results of any statistically valid test of similar points. A value of 9999 should be entered if accuracy cannot be determined.

**The following fields are maintained by DM&A or automatically stored by SWQMIS:**

*Ambient Indicator*

This Y/N code is an indicator of whether the site is considered to be representative of ambient conditions in the water body.

*Authorizer ID*

SWQMIS captures the User ID of the data manager who promoted the station record to production status.

*Submitter ID*

SWQMIS captures the User ID of the individual submitting a SLOC.

*Established Date*

The date a station was originally given production status in SWQMIS.

*TCEQ Region*

The TCEQ administrative Region in which the station falls, automatically assigned based on the station coordinates.

*Basin*

The SWQM-defined river basin in which the station falls, automatically assigned based on the associated Segment ID.

*On-Segment Indicator*

This binary indicator (yes/no) denotes whether the station falls directly within the bounds of a TCEQ classified or unclassified segment. If no, the station falls on a water body flowing into the associated Segment ID.

*NHD Reach Code*

The 14-digit USGS National Hydrography Dataset code for the water body segment at the station location.

*County*

The name of the Texas county in which the station falls, automatically assigned based on the station coordinates. For out-of-state stations or stations out in the Gulf of Mexico, this is the closest Texas county.

*Level III Ecoregion*

The EPA Level III Ecoregion designation at the station location, automatically assigned based on the station coordinates. Ecoregions maps based on EPA data are included in Appendix A.

*Level III Ecoregion Reference Site Indicator*

This binary indicator (yes/no) denotes whether the station was established as a reference site for the Level III Ecoregion – a minimally impacted location most representative of the naturally occurring conditions within that Ecoregion.

*Level IV Ecoregion*

The EPA Level IV Ecoregion designation at the station location, automatically assigned based on the station coordinates. Ecoregions maps based on EPA data are included in Appendix A.

*Level IV Ecoregion Reference Site Indicator*

This binary indicator (yes/no) denotes whether the station was established as a reference site for the Level IV Ecoregion – a minimally impacted location most representative of the naturally occurring conditions within that Ecoregion.

*STORET Station Type Primary*

Analogous to the Stream Station Type Code (Level 1) also used to describe the station, this is a specific EPA code used in the national STORET database.

*STORET Station Type Secondary*

Analogous to the Stream Station Type Code (Levels 3-5) also used to describe the station, this is a specific EPA code used in the national STORET database.

*General Comments*

Any comments about the station, entered either by the Submitter or Authorizer.

*Status*

A station may exist in SWQMIS with one or more status designations at any given time. Stations available for data submission and reporting have a status of Production. When a SLOC is accepted for review by a data manager, it has a status of Pre-Production and is not yet available for use. SWQMIS station status options are Saved, Requested, Rejected, Pre-Production, and



Production.

### ***Inundated Stations***

Stations inundated by reservoir filling are given a status of Retired. The phrase "now inundated use #####" is added to the original station description to show the new reservoir station ID. The station is listed as off-segment if it is located above the normal pool elevation as identified in the [TSWQS Appendix C, Segment Descriptions](#). If monitoring is ongoing at the same location (now in a new reservoir segment), a new station is created for reporting the post-inundation data.

### ***Duplicate Stations***

Stations may have been created at locations where a station already existed, through errors in description or latitude/longitude. Where these co-located or "duplicate" stations are discovered, some simple analysis is performed to determine the appropriate action. If no data has been reported to SWQMIS at either station, the lowest numeric station ID is retained for reporting. The other station is given a status of Retired in SWQMIS and is no longer available for reporting data. If one station has data and the other does not, the station with no data is retired and annotated as above. If both stations have data, interested parties are consulted to choose an acceptable course of action. There are also cases where, for legitimate monitoring purposes, stations are created in close proximity. Documentation will be maintained regarding the necessity of the seemingly duplicate stations in these cases.

### ***Station Verbal Descriptions***

#### **Helpful Hints on Completing SLOC Requests**

The description must contain concise, specific information that allows the station to be located within a 25 meter radius on any map or in the field. The description must be adequate for locating the station on USGS topographic or other maps that meet requirements outlined in the SLOC Maps section of this chapter. Useful information may include a nearby town, for example, "TRINITY RIVER 37 METERS UPSTREAM OF US 57 NEAR COLUMBUS" or "... **IN COLUMBUS**". If a station is not located near a city or town, it must be referenced to some other named, mapped feature. For stations on unclassified tributaries, write the most characteristic identifier first, such as "CAGONA CREEK AT US 29" or "CLEAR CREEK 2.57 KILOMETERS DOWNSTREAM OF SH 439 NEAR SISTERDALE". Descriptions are limited to 500 characters.

Do:

- Use the metric system to convey measurements.
- Report any measurement over 1000 meters in kilometers.
- CAPITALIZE all station descriptions.
- Use "AT" rather than "@".
- Spell out "STREET", "AVENUE", "RAILROAD", "ROAD", and similar words whenever possible; use common abbreviations such as "ST", "AVE", "RR", and "RD" only when necessary to save space.
- Use the term "UNNAMED ROAD" if the name of a road crossing is not obtainable. Unnamed roads must be referenced to an upstream or downstream named road. If no road is available to reference, a named tributary may be used.
- Use "WWTP" for Wastewater Treatment Plant rather than "STP (for Sewage Treatment Plant)."
- Use "UPSTREAM" and "DOWNSTREAM" rather than "ABOVE" and "BELOW".
- Use the abbreviated format indicated in the following examples for numbered roads:

HAYS CR 450

IH LOOP 610

FM 2175  
SH LOOP 329  
US 377

SH SPUR 160  
IH 45  
RR 620

- Use the format indicated in the following examples for roads with more than one name, separating the names with a slash:

TELEPHONE ROAD/SH 35  
IH 45/US 75

SH 95/SH LOOP 230  
PITTS STREET/NORTH MAIN STREET

- Use the format indicated in the following example for different road names on either side of a bridge, separating the names with a dash:

WAUGH DRIVE-YALE STREET

- For County Roads (CR), include the full name of the county road in the description:

WILLIAMSOM CR 258  
CALDWELL CR 100

- Use “IMMEDIATELY” rather than “JUST” when distances are unknown, but less than 25 meters:  
... IMMEDIATELY UPSTREAM OF MAPLE STREET.
- Provide exact distances upstream or downstream in meters rather than feet when the distance is less than 1.00 Kilometer (such as 28 meters). Indicate the unit of measurement (meters, kilometers).
- Provide exact distances upstream or downstream in kilometers rounded to up to the nearest hundredth when the distance is greater than or equal to 1000 meters (1.07 kilometers).
- On reservoirs, provide distance from the center of a dam, a road crossing, or other named, mapped feature.
- Whenever possible, use only the four cardinal directions in descriptions. For example, use “100 METERS NORTH AND 200 METERS WEST FROM THE INTERSECTION OF IH 35 AND US 290” rather than “225 METERS NORTHWEST OF THE IH 35 US 290 INTERSECTION”. This triangulated reference format is more precise.
- Use “UNNAMED TRIBUTARY OF” rather than “UNNAMED CREEK”. Follow this with the name of the water body, “UNNAMED TRIBUTARY OF CANEY CREEK AT US 27”. Since there may be more than one unnamed tributary of Caney Creek that crosses US 27, further description may be necessary. For example, “UNNAMED TRIBUTARY OF CANEY CREEK AT US 27 CONFLUENT WITH CANEY CREEK 2.57 KILOMETERS UPSTREAM OF IH 35”, or “UNNAMED TRIBUTARY OF CANEY CREEK AT US 27 SOUTH OF ARAPAHO PARK”.
- Unnamed tributaries with a waste water treatment plant (WWTP) discharge may be named for the treatment plant as in “CITY OF COMMERCE WWTP DITCH 53 METERS UPSTREAM OF DISCHARGE TO APPLE CREEK”.
- WWTP effluent descriptions must identify the permit such as “CITY OF COLUMBUS WWTP PERMIT WQ 1857-02”. Do not include a “#” sign in the permit number.
- Sometimes there may be no road or other feature on the map that can be used to describe a stream station. When there are no roads, the distance upstream or downstream from a confluence can be used as the reference location. In describing tributary locations using the mainstream confluence as the reference location, use the format “BARTON CREEK 2.53 KILOMETERS UPSTREAM OF ITS CONFLUENCE WITH THE COLORADORIVER”.
- When describing mainstream locations using a tributary as the reference location, use the format “COLORADO RIVER 4.82 KILOMETERS UPSTREAM OF SANDY CREEK”.

Don't:

- Do not use station labels (letters and number, for example, "AA" or "D2") in long descriptions. If needed, alternate station names may be used in the Temporary ID field.
- Do not use the terms "CROSSING", "BRIDGE", or "HIGHWAY" unless it is an official, mappable part of the place or roadway name.
- Never use "AT" when the reference location used is a stream or WWTP outfall unless the station is specifically for sampling effluent (Stream Station Type Level 1 = PIPE). For monitoring the water body near the outfall, use "IMMEDIATELY UPSTREAM OF" or "IMMEDIATELY DOWNSTREAM OF"; for example, "ARROYO COLORADO IMMEDIATELY UPSTREAM OF THE DEWEYVILLE WWTP OUTFALL". Remember to report the permit number when monitoring adjacent to any permitted outflow.
- Do not use the pound sign (#), the ampersand symbol (&), parentheses, or any other special characters. Any punctuation used (commas, apostrophes, periods other than in numbers) may be removed from the verbal description by DM&A for consistency of format.

### **Monitoring Station Inventory Report**

The Station Inventory Report generates a list of monitoring stations in the SWQMIS database. The Station Inventory Report can be used to verify that details about a monitoring station location are correct, as it includes all of the metadata elements listed in the SLOC Request Field Definitions section above. Users of SWQMIS should review the Station Inventory Report and/or use the Map feature prior to submitting a SLOC to determine whether a station that meets their needs already exists at or near their intended monitoring site. For non-SWQMIS users, a [list of stations for each river basin](#) can be viewed online.

# Chapter 4 – Submitting Entity and Collecting Entity Codes

---

Submitting Entity and Collecting Entity Codes are assigned by DM&A at the request of TCEQ Programs—CRP, SWQM, TMDL, Standards, NPS. These codes are used to identify entities responsible for submitting data and conducting sampling. The Submitting Entity is a 2-character code that identifies the entity responsible for submitting the data to the TCEQ. The Collecting Entity is a 2-character code that identifies the entity responsible for conducting the actual sampling.

Request a new entity code by sending a [Submitting Entity/Collecting Entity/Monitoring Type/Tag Prefix Request and Review Checklist](#) to DM&A.

Existing codes are listed on the following pages.

## Submitting Entity Codes

The entity responsible for submitting the data to the TCEQ.

AB	City of Abilene
AC	Texas A&M College Station, Department of Wildlife & Fisheries Science
AD	Texas AgriLife Research and Extension - Dallas
AE	Texas A&M AgriLife Extension - Clear Lake
AG	Texas A&M University Galveston Seafood Safety Lab
AK	Texas A&M University - Kingsville
AM	Texas A&M University – Corpus Christi
AN	Angelina-Neches River Authority
AP	Alan Plummer Associates, Inc.
AQ	Edwards Aquifer Authority
AR	City of Arlington
AT	Texas A&M AgriLife Research - Stephenville
AU	City of Austin
BA	Bandera County River Authority and Groundwater District
BC	City of Boerne
BE	City of Beeville
BR	Brazos River Authority
BS	Barton Springs – Edwards Aquifer Conservation District
BU	Baylor University
BY	Bayou Preservation Association
CB	Conrad Blucher Institute for Surveying and Science
CC	City of Corpus Christi

CE	Corps of Engineers
CL	Caddo Lake Institute
CP	Coastal Bend Bays and Estuaries, Inc.
CR	Canadian River Municipal Water Authority
CY	Cypress Basin
DF	DFW Airport
EA	EA Engineering, Science, & Technology, Inc.
EI	Espey Consultants, Inc.
GA	City of Galveston
GB	Guadalupe-Blanco River Authority
GS	United States Geological Survey
HD	Texas Department of State Health Services
HG	Houston-Galveston Area Council
HO	City of Houston
IB	International Boundary & Water Commission
IR	City of Irving
JC	Jefferson County Environmental Control District
JM	J.M. Miertschin & Associates, Inc.
KI	City of Killeen
LC	Lower Colorado River Authority
LD	LEADS
LK	City of Lockhart
LN	Lavaca-Navidad River Authority
LV	Lower Neches Valley Authority
MC	Midland College
NE	Naismith Engineering, Inc.
NR	Nueces River Authority
NT	Northeast Texas Municipal Water District
PA	Patrick Bayou TMDL Lead Organization
PB	PBS&J
PE	Parsons Engineering Science
PT	University of Texas Pan-American
PW	Texas Parks and Wildlife Department
RC	Texas Railroad Commission
RI	City of Richardson
RR	Red River Authority
RU	Rice University

SA	San Antonio River Authority
SB	Senate Bill 835
SJ	San Jacinto River Authority
SN	San Antonio Metropolitan Health Department
SR	Sabine River Authority
SU	Sulphur River Basin Authority
TA	Texas Institute for Applied Environmental Research
TF	Texas Research Institute for Environmental Studies - SHSU
TH	Tetra Tech, Inc.
TI	The Meadows Center for Water and the Environment at Texas State University
TP	Texas Municipal Power Authority
TR	Trinity River Authority
TS	Texas Engineering Experimental Station -SERF
TT	Texas State Technological College
TW	Texas Watch
TX	Texas State Soil and Water Conservation Board
UA	University of Texas at Austin
UB	University of Texas Brownsville
UC	Upper Colorado River Authority
UG	Upper Guadalupe River Authority
UH	University of Houston
UI	University of Houston Clear Lake Environmental Institute of Houston
UM	University of Texas Marine Science Institute
UN	Upper Neches River Authority
UR	URS Corporation
US	University of Texas at San Antonio
WA	City of Waco
WC	Texas Commission on Environmental Quality
WM	Water Monitoring Solutions, Inc.
WS	Texas A&M University Corpus Christi Center for Water Supply Studies
WR	Texas Water Resources Institute
XX	Default Code for Unknown Sources

### **Collecting Entity Codes**

The entity responsible for sample collection.

AB	City of Abilene
AC	Texas A&M College Station, Department of Wildlife & Fisheries Science
AD	Texas AgriLife Research and Extension - Dallas
AE	Texas A&M Agrilife Extension – Clear Lake
AG	Texas A&M University Galveston Seafood Safety Lab
AK	Texas A&M University - Kingsville
AL	Al Amistad National Park Service
AM	Texas A&M University – Corpus Christi
AN	Angelina-Neches River Authority
AO	AECOM
AP	Alan Plummer Associates, Inc.
AQ	Edwards Aquifer Authority
AR	City of Arlington
AS	Water Quality Assessment Team
AU	City of Austin
BA	Bandera County River Authority and Groundwater District
BB	Big Bend National Park Service
BC	City of Boerne
BE	City of Beeville
BN	City of Brownsville
BO	Brownsville Public Utilities Board
BP	Big Thicket Preserve
BR	Brazos River Authority
BS	Barton Springs – Edwards Aquifer Conservation District
BT	Border Environmental Assessment
BU	Baylor University
CA	City of Corsicana
CB	Conrad Blucher Institute for Surveying and Science
CC	City of Corpus Christi
CE	Corps of Engineers
CL	Caddo Lake Institute
CO	TCEQ Central Office
CP	Coastal Bend Bays and Estuaries, Inc.
CR	Canadian River Municipal Water Authority

CW	Colorado River Municipal Water District
CY	Cypress Basin
DA	City of Dallas
DF	DFW Airport
DM	TCEQ SWQM Data Management
DR	City of Del Rio
DT	City of Dallas Trinity Watershed Management
EA	EA Engineering, Science, & Technology, Inc.
EC	Edwards Aquifer Research & Data Center
EI	Espey Consultants, Inc.
EK	Donald Macnair
EM	Ecological Communications Corporation - ECOMM
EP	El Paso Community College
FC	Franklin County Water District
FO	TCEQ Regional Office
FS	Town Lake Fish Study
FW	City of Fort Worth
GA	City of Galveston
GB	Guadalupe-Blanco River Authority
GC	Galveston County Health District
GF	Galveston Bay Foundation
GP	City of Grand Prairie
GS	United States Geological Survey
GW	Groundwater Protection Team
HC	Harris County Pollution Control
HD	Texas Department of State Health Services
HG	Houston-Galveston Area Council
HH	Houston Health & Human Services
HI	Hicks & Company, Inc.
HO	City of Houston
HP	City of Houston Department of Public Works & Engineering
HR	HDR Engineering Co.
HW	Houston Water Quality Control
HZ	Hays County
IB	International Boundary & Water Commission
IR	City of Irving



JM	J.M. Miertschin & Associates, Inc.
KG	City of Kilgore
KI	City of Killeen
LA	City of Laredo Health Department
LB	Texas Watch Little Bay Sentinels
LC	Lower Colorado River Authority
LD	LEADS
LE	City of Laredo Environmental Engineering Division
LK	City of Lockhart
LL	Trinity River Authority Lake Livingston Project
LN	Lavaca-Navidad River Authority
LR	Texas AgriLife Research - Vernon
LV	Lower Neches Valley Authority
LW	City of Longview
MB	Matagorda Bay Study
MC	Midland College
MF	Tetra Tech/MFG, Inc.
MG	Texas A&M University Galveston Lab of Oceanographic and Environmental Research
NE	Naismith Engineering, Inc.
NM	North Texas Municipal Water District
NR	Nueces River Authority
NT	Northeast Texas Municipal Water District
NW	North Water District Laboratory Services, Inc.
PB	PBS&J
PE	Parsons Engineering Science
PL	City of Pearland
PP	Paul Price Associates
PT	University of Texas Pan-American
PW	Texas Parks and Wildlife Department
RC	Texas Railroad Commission
RI	City of Richardson
RN	Rio Grande International Study Center
RR	Red River Authority
RU	Rice University
SA	San Antonio River Authority
SC	Friends of Sulphur Creek

SF	Stephen F. Austin State University
SG	City of San Angelo
SH	City of Sherman
SI	Standards Implementation Team
SJ	San Jacinto River Authority
SL	Sul Ross University
SM	San Marcos River Rangers
SN	San Antonio Metropolitan Health Department
SP	Sabal Palms Audubon Center and Sanctuary
SQ	SWQM Water Quality Monitoring Team
SR	Sabine River Authority
ST	Water Quality Standards Team
SU	Sulphur River Basin Authority
SV	Salado Creek Volunteer Monitors
SW	SWCA, Inc.
TA	Texas Institute for Applied Environmental Research
TC	Texarkana College
TD	Tarrant Regional Water District
TE	Texas Eastman
TF	Texas Research Institute for Environmental Studies - SHSU
TH	Tetra Tech, Inc.
TI	The Meadows Center for Water and the Environment at Texas State University
TK	Texarkana Water Utilities
TL	Texas A&M University Trace Element Research Laboratory
TM	Total Maximum Daily Load Team
TQ	TRC Environmental Consulting
TR	Trinity River Authority
TS	Texas Engineering Experimental Station -SERF
TT	Texas State Technological College
TU	Texas Tech University Llano River Field Station
TW	Texas Watch
TX	Texas State Soil and Water Conservation Board
TY	City of Tyler
UA	University of Texas at Austin

UB	University of Texas Brownsville
UC	Upper Colorado River Authority
UE	University of Texas at El Paso Department of Biological Sciences
UF	US Fish and Wildlife Service
UG	Upper Guadalupe River Authority
UH	University of Houston
UI	University of Houston Clear Lake Environmental Institute of Houston
UM	University of Texas Marine Science Institute
UP	Upper Pecos Soil and Water Conservation District
UR	URS Corporation
US	University of Texas at San Antonio
UT	University of North Texas
WA	City of Waco
WL	Wendy Lopez and Associates
WM	Water Monitoring Solutions, Inc.
WR	Texas Water Resources Institute
WS	Texas A&M University Corpus Christi Center for Water Supply Studies
WV	Wimberley Valley Watershed Association
WX	City of Waxahachie
XX	Default Code for Unknown Sources
ZP	Zapata County
01	Boy Scouts of America Sam Houston Chapter
43	Colorado River Watch

## Chapter 5 – Tag Prefixes

---

The Tag Prefix is the first one or two digits of the Tag ID and is used to identify the entity reporting data to the TCEQ. SWQMIS is capable of identifying a sample with a unique Tag ID of up to 9 characters. If it is necessary for a dataset to use more than 7-digit Tag IDs, please contact DM&A to get approval. To request a Tag Prefix from DM&A, submit the [Submitting Entity/Collecting Entity/Monitoring Type Code/Tag Prefix Request and Review Checklist](#). The existing Tag Prefixes for submitting data are listed Table 5.1.

**Table 5.1.** Tag prefixes.

Tag Prefix	Agency	Associated Submitting Entity Code
A	TEXAS A&M UNIVERSITY	AM
AC	TEXAS A&M COLLEGE STATION, DEPT. OF WILDLIFE AND FISHERIES SCIENCES	AC
AD	TEXAS AGRILIFE RESEARCH AND EXTENSION - DALLAS	AD
AE	TEXAS AGRILIFE EXTENSION – CLEAR LAKE	AE
AG	TAMUG SEAFOOD SAFETY LAB	AG
AK	TEXAS A&M UNIVERSITY KINGSVILLE	AK
AP	ALAN PLUMMER ASSOCIATES, INC.	AP
AQ	EDWARDS AQUIFER AUTHORITY	AQ
AT	TEXAS A&M AGRILIFE RESEARCH - STEPHENVILLE	AT
AU	CITY OF AUSTIN	AU
B	IBWC	IB
BA	IBWC AMISTAD OFFICE	IB
BC	CITY OF BOERNE	BC
BD	IBWC AMERICAN DAM	IB
BF	IBWC FALCON OFFICE	IB
BL	IBWC LAREDO OFFICE	IB
BM	IBWC MERCEDES OFFICE	IB
BP	IBWC PRESIDIO OFFICE	IB

**Table 5.1.** Tag prefixes.

Tag Prefix	Agency	Associated Submitting Entity Code
BR	BRAZOS RIVER AUTHORITY	BR
BS	BARTON SPRINGS – EDWARDS AQUIFER CONSERVATION DISTRICT	BS
BU	BAYLOR UNIVERSITY	BU
BY	BAYOU PRESERVATION ASSOCIATION	BY
C	CRMWA CHEMICAL	CR
CB	CONRAD BLUCHER INSTITUTE FOR SURVEYING & SCIENCE	CB
CL	CADDO LAKE INSTITUTE	CL
CY	NORTHEAST TEXAS MUNICIPAL WATER DISTRICT	NT
D	CORPS OF ENGINEERS	CE
EA	EA ENGINEERING	EA
EC	ESPEY CONSULTANTS, INC.	EI
GB	GUADALUPE-BLANCO RIVER AUTHORITY	GB
H	TEXAS DEPARTMENT OF HEALTH	HD
HP	CITY OF HOUSTON	HO
I	HOUSTON-GALVESTON AREA COUNCIL	HG
J	SABINE RIVER AUTHORITY	SR
JM	JAMES MIERTSCHIN AND ASSOCIATES	JM
K	ANGELINA-NECHES RIVER AUTHORITY	AN
KI	CITY OF KILLEEN	KI
L	LOWER COLORADO RIVER AUTHORITY	LC
LK	CITY OF LOCKHART	LK
LN	LAVACA NAVIDAD RIVER AUTHORITY	LN

**Table 5.1.** Tag prefixes.

Tag Prefix	Agency	Associated Submitting Entity Code
M	LOWER NECHES VALLEY AUTHORITY	LV
N	UPPER NECHES RIVER MUNICIPAL WATER AUTHORITY	UN
NE	NAISMITH ENGINEERING, INC.	NE
O	NUECES RIVER AUTHORITY/NUECES COASTAL	NR
P	TEXAS PARKS & WILDLIFE	PW
PA	PATRICK BAYOU TMDL LEAD ORGANIZATION	PA
PB	PBS&J	PB
PE	PARSONS ENGINEERING SCIENCE	PE
PF	TCEQ PROFILE TAG IDs BEFORE TRACS	WC
PR	TCEQ PROFILE TAG IDs AFTER TRACS	WC
Q	TCEQ QUALITY ASSESSMENT (Central Office field)	WC
R	TCEQ REGIONAL FIELD DATA	WC
RC	TEXAS RAILROAD COMMISSION	RC
RR	RED RIVER AUTHORITY	RR
SA	SAN ANTONIO RIVER AUTHORITY	SA
T	THE MEADOWS CENTER FOR WATER AND THE ENVIRONMENT AT TEXAS STATE UNIVERSITY	TW
TA	TEXAS INSTITUTE FOR APPLIED ENVIRONMENTAL RESEARCH	TA
TG	TRINITY RIVER AUTHORITY/GRAPEVINE (not active)	TR
TH	TETRA TECH, INC.	TH
TI	THE MEADOWS CENTER FORMERLY KNOWN AS THE TEXAS RIVER SYSTEMS INSTITUTE – TEXAS STATE UNIVERSITY	TI
TR	TRINITY RIVER AUTHORITY	TR

**Table 5.1.** Tag prefixes.

Tag Prefix	Agency	Associated Submitting Entity Code
TS	TEXAS ENGINEERING EXPERIMENTAL STATION (SERF)	TS
TT	TEXAS STATE TECHNOLOGICAL COLLEGE	TT
TX	TEXAS STATE SOIL AND WATER CONSERVATION BOARD	TX
U	UNITED STATES GEOLOGICAL SURVEY (USGS)	GS
UA	UNIVERSITY OF TEXAS AT AUSTIN	UA
UC	UPPER COLORADO RIVER AUTHORITY	UC
UG	UPPER GUADALUPE RIVER AUTHORITY	UG
UH	UNIVERSITY OF HOUSTON	UH
UI	UNIVERSITY OF HOUSTON CLEAR LAKE – ENVIRONMENTAL INSTITUTE OF HOUSTON (EIH)	UI
UM	UNIVERSITY OF TEXAS MARINE SCIENCE INSTITUTE	UM
UR	URS CORPORATION	UR
US	UNIVERSITY OF TEXAS AT SAN ANTONIO	US
W	SULPHUR RIVER AUTHORITY	SU
WR	TEXAS WATER RESOURCES INSTITUTE	WR
WS	TEXAS A&M UNIVERSITY CORPUS CHRISTI CENTER FOR WATER SUPPLY STUDIES	WS
X	TCEQ WHITE DATA FORMS (HISTORICAL)	WC
Z	TCEQ OLD DATA	WC

# Chapter 6 – Commonly Used Parameter Codes

The most common parameter codes reported for various types of sampling are provided in this chapter. Due to the evolving nature of SWQM, the parameter codes listed are subject to change. Any entity collecting or submitting data to the TCEQ must verify they are using the most current [TCEQ parameter collecting codes](#).

## Field Data

Refer to the [SWQM Procedures Manual, Volume I: Physical and Chemical Monitoring Methods for Water, Sediment, and Tissue \(most current version\), Chapter 3](#), for the sampling procedures specific to field and flow data.

**Table 1: Field parameters and Parameter Codes**

FIELD	Parameter Code
WATER TEMPERATURE (°C)	00010
PH (standard units)	00400
DISSOLVED OXYGEN (mg/L)	00300
SPECIFIC CONDUCTANCE (µmhos/cm @ 25 °C)	00094
TRANSPARENCY, SECCHI DISC (meters) <b>**Important parameter for reservoir ranking</b>	00078
DAYS SINCE PRECIPITATION EVENT (days)	72053
SALINITY - ppt (tidal waters only)	00480
CHLORINE, TOTAL RESIDUAL (mg/L) (downstream of WWTPs)	50060
FLOW SEVERITY:1=No Flow, 2=Low, 3=Normal, 4=Flood, 5=High, 6=Dry	01351
INSTANTANEOUS STREAM FLOW (cfs)	00061
FLOW METHOD 1=Flow Gage, 2=Electronic, 3=Mechanical, 4=Weir/Flume, 5=Doppler	89835
RESERVOIR STAGE (feet above mean sea level)	00052
RESERVOIR PERCENT FULL (%)	00053
EVIDENCE OF PRIMARY CONTACT RECREATION (1 = OBSERVED, 0 = NOT OBSERVED)	89979
PRIMARY CONTACT, OBSERVED ACTIVITY (# OF PEOPLE OBSERVED)	89978



## Bacteria Data

Refer to the [SWQM Procedures Manual, Volume I, Chapter 4](#), for the sampling procedures specific to bacteria data.

**Table 2: Bacteria Parameters and Parameter Codes**

BACTERIA	Parameter Code
FECAL COLIFORM (colonies/100 mL)	31613
FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, (#/100ML)	31616
E. COLI, mTec ( #/100 mL) (freshwater only)	31648
E. COLI, IDEXX-Colilert (MPN/100 mL) Note: If reporting 31699, also report value for 31704	31699
E. COLI, COLILERT, IDEXX, HOLDING TIME (hours)	31704
E. COLI, NA + MUG OR EA + MUG, 24 HRS, 35 DEGREE ( #/100 mL) (freshwater only)	31700
ENTEROCOCCI (#/100 mL) (marine only)	31649
ENTEROCOCCI, IDEXX-Enterolert (MPN/100 mL)	31701

## 24 Hour Field Data

Refer to the [SWQM Procedures Manual, Volume I, Chapter 3](#), for the sampling procedures specific to 24-hour field data.

**Table 3: 24 Hour Field Parameters and Parameter Codes**

24HR	Parameter Code
DISSOLVED OXYGEN, 24-HOUR AVG (mg/L)	89857
DISSOLVED OXYGEN, # MEASUREMENTS DURING 24-HR	89858
DISSOLVED OXYGEN, 24-HOUR MAX.(mg/L)	89856
DISSOLVED OXYGEN, 24-HOUR MIN. (mg/L)	89855
WATER TEMPERATURE, 24-HR AVERAGE (°C)	00209
WATER TEMPERATURE, # OF MEASUREMENTS DURING 24-HRS	00221
WATER TEMPERATURE, MAXIMUM 24-HR (°C)	00210
WATER TEMPERATURE, MINIMUM 24-HR (°C)	00211
SPECIFIC CONDUCTANCE, 24-HR AVERAGE (µS/cm)	00212
SPECIFIC CONDUCTANCE, # OF MEASUREMENTS DURING 24-HRS	00222
SPECIFIC CONDUCTANCE, MAXIMUM 24-HR (µS/cm)	00213
SPECIFIC CONDUCTANCE, MINIMUM 24-HR (µS/cm)	00214

**Table 3: 24 Hour Field Parameters and Parameter Codes (continued)**

24HR	Parameter Code
pH, # OF MEASUREMENTS DURING 24-HRS	00223
pH, MAXIMUM 24-HR (s.u.)	00215
pH, MINIMUM 24-HR (s.u.)	00216
SALINITY, 24-HR AVERAGE (ppt)	00218
SALINITY, # OF MEASUREMENTS DURING 24-HRS	00220
SALINITY, MAXIMUM 24-HR (ppt)	00217
SALINITY, MINIMUM 24-HR (ppt)	00219

**Conventional Data (Inorganics and Nutrients)**

Refer to the [SWQM Procedures Manual, Volume I, Chapter 5](#), for the sampling procedures specific to routine water chemistry data.

**Table 4: Conventional Parameters and Parameter Codes**

CONVENTIONAL PARAMETERS - INORGANIC	Parameter Code
ALKALINITY, TOTAL (mg/L as CaCO <sub>3</sub> )	00410
RESIDUE, TOTAL NONFILTRABLE (mg/L)	00530
RESIDUE, VOLATILE NONFILTRABLE (mg/L)	00535
RESIDUE, TOTAL FILTRABLE (DRIED AT 180° C) (mg/L)	70300
CHLORIDE (mg/L as Cl)	00940
SULFATE (mg/L as SO <sub>4</sub> )	00945
TOTAL ORGANIC CARBON(mg/L as C)	00680
CONVENTIONAL PARAMETERS - NUTRIENTS	Parameter Code
NITRATE NITROGEN, TOTAL (mg/L as N)	00620
NITRITE NITROGEN, TOTAL (mg/L as N)	00615
NITRITE + NITRATE, TOTAL ONE LAB DETERMINED VALUE (mg/L as N)	00630
AMMONIA-NITROGEN TOTAL (mg/L as N)	00610
ORTHOPHOSPHATE PHOSPHORUS FLDFLT <15MIN (mg/L as P)	00671
ORTHOPHOSPHATE PHOSPHORUS FILTER >15MIN (mg/L as P)	70507
TOTAL PHOSPHORUS (mg/L as P)	00665
TOTAL KJELDAHL NITROGEN (mg/L as N)	00625
CHLOROPHYLL-A, SPECTROPHOTOMETRIC (µg/L)	32211

**Table 4: Conventional Parameters and Parameter Codes (continued)**

CONVENTIONAL PARAMETERS - NUTRIENTS	Parameter Code
CHLOROPHYLL-A, FLUOROMETRIC (µg/L)	70953
PHEOPHYTIN-A, SPECTROPHOTOMETRIC (µg/L)	32218
PHEOPHYTIN-A, FLUOROMETRIC (µg/L)	32213

### Routine Metals in Water Data

Refer to the [SWQM Procedures Manual, Volume I, Chapter 5](#), for the sampling procedures specific to metals in water data.

**Table 5: Routine Metals in Water Parameters and Parameter Codes**

METALS IN WATER	Parameter Code
<b>Dissolved</b>	
ALUMINUM, DISSOLVED (µg/L as Al)	01106
ARSENIC, DISSOLVED (µg/L as As)	01000
CADMIUM , DISSOLVED (µg/L as Cd)	01025
CALCIUM, DISSOLVED (µg/L as Ca)	00915
CHROMIUM, DISSOLVED (µg/L as Cr)	01030
COPPER, DISSOLVED (µg/L as Cu)	01040
DISSOLVED HARDNESS, calc. (mg/L as CaCO <sub>3</sub> )	46570
IRON, DISSOLVED (µg/L as Fe)	01046
LEAD, DISSOLVED (µg/L as Pb)	01049
MAGNESIUM, DISSOLVED (µg/L as Mg)	00925
MANGANESE, DISSOLVED (µg/L as Mn)	01056
NICKEL, DISSOLVED (µg/L as Ni)	01065
POTASSIUM, DISSOLVED (µg/L as K)	00935
SILVER, DISSOLVED (µg/L as Ag)	01075
SODIUM, DISSOLVED (mg/L as Na)	00930
ZINC, DISSOLVED (µg/L as Zn)	01090
<b>Total</b>	
ALUMINUM, TOTAL (µg/L as Al)Total	01105
ARSENIC, TOTAL (µg/L as As)Total	01002
CADMIUM, TOTAL (µg/L as Cd)	01027
CALCIUM, TOTAL (mg/L as Ca)	00916

**Table 5: Routine Metals in Water Parameters and Parameter Codes (continued)**

METALS IN WATER	Parameter Code
<b>Total</b>	
CHROMIUM, TOTAL ( $\mu\text{g/L}$ as Cr)	01034
COPPER, TOTAL ( $\mu\text{g/L}$ as Cu)	01042
IRON, TOTAL ( $\mu\text{g/L}$ as Fe)	01045
LEAD, TOTAL ( $\mu\text{g/L}$ as Pb)	01051
MAGNESIUM, TOTAL (mg/L as Mg)	00927
MANGANESE, TOTAL ( $\mu\text{g/L}$ as Mn)	01055
MERCURY, TOTAL, EPA 1631 ( $\mu\text{g/L}$ as Hg)	71959
NICKEL, TOTAL ( $\mu\text{g/L}$ as Ni)	01067
POTASSIUM, TOTAL ( $\mu\text{g/L}$ as K)	00937
SELENIUM, TOTAL ( $\mu\text{g/L}$ as Se)	01147
SILVER, TOTAL ( $\mu\text{g/L}$ as Ag)	01077
SODIUM, TOTAL (mg/L as Na)	00929
TOTAL HARDNESS, calc. (mg/L as $\text{CaCO}_3$ )	82394
TOTAL HARDNESS, by titration (mg/L as $\text{CaCO}_3$ )	00900
ZINC, TOTAL ( $\mu\text{g/L}$ as Zn)	01092

### Organics in Water Data

Refer to the [SWQM Procedures Manual, Volume I, Chapter 5](#), for the sampling procedures specific to organics in water data.

**Table 6: Organics in Water Parameters and Parameter Codes**

ORGANICS IN WATER ( $\mu\text{g/L}$ )	Parameter Code
<b>Semivolatile</b>	
PHENOL (C <sub>6</sub> H <sub>5</sub> O <sub>2</sub> )-SINGLE COMPOUND	34694
2-CHLOROPHENOL	34586
2-NITROPHENOL	34591
2,4-DICHLOROPHENOL	34601
PARACHLOROMETA CRESOL	34452
2,4,5-TRICHLOROPHENOL	77687
2,4,6-TRICHLOROPHENOL	34621
2,4-DIMETHYLPHENOL	34606

**Table 6: Organics in Water Parameters and Parameter Codes (continued)**

ORGANICS IN WATER ( $\mu\text{g/L}$ )	Parameter Code
<b>Semivolatile</b>	
2,4-DINITROPHENOL	34616
4-NITROPHENOL	34646
DNOC (4,6-DINITRO-ORTHO-CRESOL)	34657
PCP (PENTACHLOROPHENOL)	39032
N-NITROSODIMETHYLAMINE	34438
BIS (2-CHLOROETHYL) ETHER	34273
1,3-DICHLOROBENZENE	34566
1,4-DICHLOROBENZENE	34571
1,2-DICHLOROBENZENE	34536
BIS (2-CHLOROISOPROPYL) ETHER	34283
HEXACHLOROETHANE	34396
N-NITROSO-DI-N-PROPYLAMINE	34428
NITROBENZENE	34447
ISOPHORONE	34408
BIS (2-CHLOROETHOXY) METHANE	34278
1,2,4-TRICHLOROBENZENE	34551
NAPHTHALENE	34696
HEXACHLOROBUTADIENE	34391
HEXACHLOROCYCLOPENTADIENE	34386
2-CHLORONAPHTHALENE	34581
ACENAPHTHYLENE	34200
DIMETHYL PHTHALATE	34341
2,6-DINITROTOLUENE	34626
ACENAPHTHENE	34205
2,4-DINITROTOLUENE	34611
FLUORENE	34381
4-CHLOROPHENYL PHENYL ETHER	34641
DIETHYL PHTHALATE	34336
N-NITROSODIPHENYLAMINE	34433

**Table 6: Organics in Water Parameters and Parameter Codes (continued)**

ORGANICS IN WATER ( $\mu\text{g/L}$ )	Parameter Code
<b>Semivolatile</b>	
1,2-DIPHENYLHYDRAZINE	34346
4-BROMOPHENYL PHENYL ETHER	34636
PHENANTHRENE	34461
ANTHRACENE	34220
DI-N-BUTYL PHTHALATE	39110
FLUORANTHENE	34376
PYRENE	34469
BENZIDINE	39120
N-BUTYL BENZYL PHTHALATE	34292
CHRYSENE	34320
BENZO(A)ANTHRACENE (1,2-BENZANTHRACENE)	34526
3,3'-DICHLOROBENZIDINE	34631
BIS(2-ETHYLHEXYL) PHTHALATE	39100
DI-N-OCTYL PHTHALATE	34596
BENZO(B)FLUORANTHENE	34230
BENZO(K)FLUORANTHENE	34242
BENZO-A-PYRENE	34247
INDENO (1,2,3-CD) PYRENE	34403
1,2,5,6-DIBENZANTHRACENE	34556
BENZO(GHI)PERYLENE (1,12-BENZOPERYLENE)	34521
CRESOL	79778
HEXACHLOROPHENE	88813
ETHANAMINE (N-ETHYL-N-NITROSO)	73611
N-NITROSODI-N-BUTYL AMINE	73609
PYRIDINE	77045
1,2,4,5-TETRACHLOROBENZENE	77734
<b>Volatile</b>	
CHLOROMETHANE	30201
BROMOMETHANE	30202

**Table 6: Organics in Water Parameters and Parameter Codes (continued)**

ORGANICS IN WATER ( $\mu\text{g/L}$ )	Parameter Code
<b>Volatile</b>	
VINYL CHLORIDE	39175
CHLOROETHANE	34311
ACRYLONITRILE	34215
CHLOROFORM	32106
METHYLENE CHLORIDE	34423
1,1-DICHLOROETHYLENE	34501
1,1-DICHLOROETHANE	34496
TRANS-1,2-DICHLOROETHENE	34546
1,2-DICHLOROETHANE	34531
CARBON TETRACHLORIDE	32102
BROMODICHLOROMETHANE	32101
BENZENE , HEXADECONE EXTR.	34030
DIBROMOCHLOROMETHANE	32105
1,1,1-TRICHLOROETHANE	34506
1,2-DICHLOROPROPANE	34541
TRANS-1,3-DICHLOROPROPENE	34699
CIS-1,3-DICHLOROPROPENE	34704
1,1,2-TRICHLOROETHANE	34511
2-CHLOROETHYL VINYL ETHER	34576
TRICHLOROETHYLENE	39180
BROMOFORM	32104
TOLUENE, HEXADECONE EXTR.	34010
ETHYLBENZENE	34371
1,1,2,2-TETRACHLOROETHANE	34516
TETRACHLOROETHYLENE	34475
CHLOROBENZENE	34301
XYLENE	81551
BIS (CHLOROMETHYL) ETHER	34268
1,2-DIBROMOETHANE	77651

**Table 6: Organics in Water Parameters and Parameter Codes (continued)**

ORGANICS IN WATER ( $\mu\text{g/L}$ )	Parameter Code
<b>Volatile</b>	
METHYL-TERT-BUTYL ETHER (MTBE)	46491
<b>Pesticides (In whole water)</b>	
DDT	39370
DDD	39360
DDE	39365
ALDRIN	39330
DIELDRIN	39380
ENDRIN	39390
CHLORDANE, (TECH MIX & METABS)	39350
ALACHLOR	77825
HEPTACHLOR	39410
HEPTACHLOR EPOXIDE	39420
METHOXYCHLOR	39480
METOLACHLOR	82612
GAMMA-BHC (LINDANE)	39782
TOXAPHENE	39400
SIMAZINE	39055
ATRAZINE (AA TREX)	39630
CYANAZINE (dissolved)	04041
HEXACHLOROBENZENE	39700
ALPHA BENZENE HEXACHLORIDE (ALPHA-BHC)	39337
BETA BENZENE HEXACHLORIDE (BETA-BHC)	39338
DELTA BENZENE HEXACHLORIDE (DELTA-BHC)	34259
DICOFOL (KELTHANE)	39780
MIREX	39755
PENTACHLOROBENZENE	77793
MALATHION	39530
PARATHION	39540
DIAZINON	39570



**Table 6: Organics in Water Parameters and Parameter Codes (continued)**

ORGANICS IN WATER ( $\mu\text{g/L}$ )	Parameter Code
<b>Pesticides (In whole water)</b>	
2,4-D	39730
2,4,5-T	39740
SILVEX	39760
DIURON (KARMEX)	39650
DURSBAN (CHLOROPYRIFOS)	81403
ENDOSULFAN (ALPHA)	34361
ENDOSULFAN (BETA)	34356
ENDOSULFAN SULFATE	34351
DEMETON	39560
GUTHION	39580
SEVIN	39750
PCB-1242	39496
PCB-1254	39504
PCB-1221	39488
PCB-1232	39492
PCB-1248	39500
PCB-1260	39508
PCB-1016	34671
TOTAL PCBS	39516
BENZENE HEXACHLORIDE (BHC)	20464

### **Metals in Sediment Data**

Refer to the [SWQM Procedures Manual, Volume I, Chapter 6](#), for the sampling procedures specific to metals in sediment data.

**Table 7: Metals in Sediment Parameters and Parameter Codes**

METALS IN SEDIMENT (mg/kg-dry weight)	Parameter Code
ALUMINUM (Al)	01108
ARSENIC (As)	01003
BARIUM (Ba)	01008
CADMIUM (Ca)	01028
CHROMIUM (Cr)	01029
COPPER (Cu)	01043
LEAD (Pb)	01052
MANGANESE (Mn)	01053
MERCURY (Hg)	71921
NICKEL (Ni)	01068
SELENIUM (Se)	01148
SILVER (Ag)	01078
ZINC (Zn)	01093
<b>Sediment Conventionals</b>	
OIL & GREASE, FREON EXTR-GRAV METH (mg/kg)	00557
OIL & GREASE, FREON EXTR-IR METH (mg/kg)	00561
PERCENT SOLIDS IN SEDIMENT, DRY WEIGHT	81373
TOTAL ORGANIC CARBON, DRY WEIGHT (mg/kg)	81951
SEDIMENT PARTICLE SIZE <0.0039 CLAY % DRY WT	82009
SEDIMENT PARTICLE SIZE 0.0039-0.0625 SILT % DRY WT	82008
SEDIMENT PARTICLE SIZE 0.0625-2MM SAND % DRY WT	89991
SEDIMENT PARTICLE SIZE >2.0MM GRAVEL % DRY WT	80256

**Organics in Sediment Data**

Refer to the [SWQM Procedures Manual, Volume I, Chapter 6](#), for the sampling procedures specific to organics-in-sediment data.

**Table 8: Organics in Sediment Parameters and Parameter Codes**

ORGANICS IN SEDIMENT ( $\mu\text{g}/\text{kg}$ -dry weight)	Parameter Code
<b>Semivolatile</b>	
PHENOL(C <sub>6</sub> H <sub>5</sub> OH)-SINGLE COMPOUND	34695
2-CHLOROPHENOL	34589
2-NITROPHENOL	34594
2,4-DICHLOROPHENOL	34604
PARACHLOROMETA CRESOL	34455
2,4,5-TRICHLOROPHENOL	78401
2,4,6-TRICHLOROPHENOL	34624
2,4-DIMETHYLPHENOL	34609
2,4-DINITROPHENOL	34619
4-NITROPHENOL	34649
DNOC (4,6-DINITRO-ORTHO-CRESOL)	34660
PCP (PENTACHLOROPHENOL )	39061
N-NITROSODIMETHYLAMINE	34441
BIS (2-CHLOROETHYL) ETHER	34276
1,3-DICHLOROENZENE	34569
1,4-DICHLOROENZENE	34574
1,2-DICHLOROENZENE	34539
BIS (2-CHLOROISOPROPYL) ETHER	34286
HEXACHLOROETHANE	34399
N-NITROSODI-N-PROPYLAMINE	34431
NITROBENZENE	34450
ISOPHORONE	34411
BIS (2-CHLOROETHOXY) METHANE	34281
1,2,4-TRICHLOROENZENE	34554
NAPHTHALENE	34445
HEXACHLOROBUTADIENE	39705
HEXACHLOROCYCLOPENTADIENE	34389
2-CHLORONAPHTHALENE	34584
ACENAPHTYLENE	34203
DIMETHYL PHTHALATE	34344

**Table 8: Organics in Sediment Parameters and Parameter Codes (continued)**

ORGANICS IN SEDIMENT ( $\mu\text{g}/\text{kg}$ -dry weight)	Parameter Code
<b>Semivolatile</b>	
2,6-DINITROTOLUENE	34629
ACENAPHTHENE	34208
2,4-DINITROTOLUENE	34614
FLUORENE	34384
4-CHLOROPHENYL PHENYL ETHER	34644
DIETHYL PHTHALATE	34339
N-NITROSODIPHENYLAMINE	34436
1,2-DIPHENYLHYDRAZINE	34349
4-BROMOPHENYL PHENYL ETHER	34639
PHENANTHRENE	34464
ANTHRACENE	34223
DI-N-BUTYL PHTHALATE	39112
FLUORANTHENE	34379
PYRENE	34472
BENZIDINE	39121
N-BUTYL BENZYL PHTHALATE	34295
CHRYSENE	34323
BENZO(A)ANTHRACENE (1,2-BENZANTHRACENE)	34529
3,3'-DICHLOROBENZIDINE	34634
BIS(2-ETHYLHEXYL) PHTHALATE	39102
DI-N-OCTYL PHTHALATE	34599
BENZO(B)FLUORANTHENE	34233
BENZO(K)FLUORANTHENE	34245
BENZO-A-PYRENE	34250
INDENO (1,2,3-CD) PYRENE	34406
1,2,5,6-DIBENZANTHRACENE	34559
BENZO(GHI)PERYLENE (1,12-BENZOPERYLENE)	34524
CRESOL	88811
HEXACHLOROPHENE	73120

**Table 8: Organics in Sediment Parameters and Parameter Codes (continued)**

ORGANICS IN SEDIMENT ( $\mu\text{g}/\text{kg}$ -dry weight)	Parameter Code
<b>Semivolatile</b>	
N-NITROSODIETHYLAMINE	88817
N-NITROSO-DI-N-BUTYLAMINE	73159
PYRIDINE	88823
1,2,4,5-TETRACHLOROBENZENE	88826
<b>Pesticides (In bottom deposits)</b>	
DDT	39373
DDD	39363
DDE	39368
ALDRIN	39333
DIELDRIN	39383
ENDRIN	39393
CHLORDANE (TECH MIX & METABS)	39351
ALACHLOR	75050
HEPTACHLOR EPOXIDE	39413
METHOXYCHLOR	39481
GAMMA-BHC (LINDANE)	39783
TOXAPHENE	39403
HEXACHLOROBENZENE	39701
BHC, ALPHA ISOMER	39076
B-BHC-BETA	34257
DELTA BENZENE HEXACHLORIDE (DELTA-BHC)	34262
DICOFOL (KELTHANE)	79799
MIREX	79800
PENTACHLOROBENZENE	39118
MALATHION	39531
PARATHION	39541
DIAZINON	39571
2,4-D	39731
2,4,5-T	39741

**Table 8: Organics in Sediment Parameters and Parameter Codes (continued)**

ORGANICS IN SEDIMENT ( $\mu\text{g}/\text{kg}$ -dry weight)	Parameter Code
<b>Pesticides (In bottom deposits)</b>	
SILVEX	39761
DIURON (KARMEX)	73030
DURSBAN	81404
ENDOSULFAN (ALPHA)	34364
ENDOSULFAN (BETA)	34359
ENDOSULFAN SULFATE	34354
DEMETON (SYSTOX)	82400
GUTHION	39581
SEVIN	81818
PCB-1242	39499
PCB-1254	39507
PCB-1221	39491
PCB-1232	39495
PCB-1248	39503
PCB-1260	39511
PCB-1016	39514
TOTAL PCBS	39519
BENZENE HEXACHLORIDE (BHC)	81323

### **Fish Tissue Analysis Data**

Refer to the [SWQM Procedures Manual, Volume I, Chapter 7](#), for the sampling procedures specific to fish tissue analysis data.

**Table 9: Fish Tissue Analysis Parameters and Parameter Codes**

FISH TISSUE ANALYSIS (mg/kg-wet weight)	Parameter Code
<b>Tissue</b>	
FISH SPECIES, USE EPA 3-DIGIT SPECIES CODE	74990
ANATOMICAL PART, EPA STORET NUMERIC CODE	74995
NUMBER OF INDIVIDUALS IN COMPOSITE TISSUE SAMPLE	81614
NUMBER OF SPECIES IN COMPOSITE TISSUE SAMPLE (ALWAYS REPORT A 1)	81615
MINIMUM SAMPLE LENGTH IN A COMPOSITE, MILLIMETERS	00280
MAXIMUM SAMPLE LENGTH IN A COMPOSITE, MILLIMETERS	00281
SAMPLE LENGTH IN MILLIMETERS (IF ONE FISH)	00039
SAMPLE WEIGHT IN GRAMS (IF ONE FISH)	00019
SEX (1-MALE, 2-FEMALE, 3-MIXED, 4-UNKNOWN)	84100
<b>Metals in Tissue</b>	
ARSENIC	01004
CADMIUM	71940
CHROMIUM	71939
COPPER	71937
LEAD	71936
MERCURY	71930
SELENIUM	01149
<b>Semivolatile Organics in Tissue</b>	
PERCENT FAT HEXANE EXTRACTION (LIPIDS)	39105
PHENOL	34468
2-CHLOROPHENOL	34590
2-NITROPHENOL	34595
2,4-DICHLOROPHENOL	34605
PARACHLOROMETA CRESOL	34456
2,4,5,-TRICHLOROPHENOL	88809
2,4,6-TRICHLOROPHENOL	34625
2,4-DIMETHYLPHENOL	34610
2,4-DINITROPHENOL	34620
4-NITROPHENOL	34650

**Table 9: Fish Tissue Analysis Parameters and Parameter Codes (continued)**

FISH TISSUE ANALYSIS (mg/kg-wet weight)	Parameter Code
<b>Semivolatile Organics in Tissue</b>	
DNOC (4,6-DINITRO-ORTHO-CRESOL)	34661
PCP (PENTACHLOROPHENOL)	39060
N-NITROSODIMETHYLAMINE	34442
BIS (2-CHLOROETHYL) ETHER	34277
1,3-DICHLOROBENZENE	34570
1,4-DICHLOROBENZENE	34575
1,2-DICHLOROBENZENE	34540
BIS (2-CHLOROISOPROPYL) ETHER	34287
HEXACHLOROETHANE	34400
N-NITROSODI-N-PROPYLAMINE	34432
NITROBENZENE	34451
ISOPHORONE	34412
BIS (2-CHLOROETHOXY) METHANE	34282
1,2,4-TRICHLOROBENZENE	34555
NAPHTHALENE	34446
HEXACHLOROBUTADIENE	34395
HEXACHLOROCYCLOPENTADIENE	34390
2-CHLORONAPHTHALENE	34585
ACENAPHTHYLENE	34204
DIMETHYL PHTHALATE	34345
2,6-DINITROTOLUENE	34630
ACENAPHTHENE	34209
2,4-DINITROTOLUENE	34615
FLUORENE	34385
4-CHLOROPHENYL PHENYL ETHER	34645
DIETHYL PHTHALATE	34340
N-NITROSODIPHENYLAMINE	34437
1,2-DIPHENYLHYDRAZINE	34350
4-BROMOPHENYL PHENYL ETHER	34640



**Table 9: Fish Tissue Analysis Parameters and Parameter Codes (continued)**

FISH TISSUE ANALYSIS (mg/kg-wet weight)	Parameter Code
<b>Semivolatile Organics in Tissue</b>	
PHENANTHRENE	34465
ANTHRACENE	34224
DI-N-BUTYL PHTHALATE	34683
FLUORANTHENE	34380
PYRENE	34473
BENZIDINE	34241
N-BUTYL BENZYL PHTHALATE	34296
CHRYSENE	34324
BENZO(A)ANTHRACENE (1,2-BENZANTHRACENE)	34530
3,3'-DICHLOROBENZIDINE	34635
BIS(2-ETHYLHEXYL)PHTHALATE	39099
DI-N-OCTYL PHTHALATE	34600
BENZO(B)FLUORANTHENE	34234
BENZO(K)FLUORANTHENE	34246
BENZO-A-PYRENE	34251
INDENO(1,2,3-CD) PYRENE	34407
1,2,5,6-DIBENZANTHRACENE	34560
BENZO(GHI)PERYLENE (1,12-BENZOPERYLENE)	34525
CRESOL	88812
HEXACHLOROPHENE	88815
N-NITROSODIETHYLAMINE	88818
N-NITROSO-DI-N-BUTYLAMINE	88821
PYRIDINE	88824
1,2,4,5-TETRACHLOROBENZENE	88827
DIOXINS/FURANS TOTAL TEC	20463
BROMOCHLOROMETHANE	20465
DIBROMOMETHANE	20466
<b>Pesticides in Tissue</b>	
DDT, SUM ANALOGS IN TISSUE	39376
DDD	81897

**Table 9: Fish Tissue Analysis Parameters and Parameter Codes (continued)**

FISH TISSUE ANALYSIS (mg/kg-wet weight)	Parameter Code
<b>Pesticides in Tissue</b>	
DDE	81896
ALDRIN	34680
DIELDRIN	39406
ENDRIN	34685
CHLORDANE (TECH MIX & METABS)	34682
HEPTACHLOR	34687
HEPTACHLOR EPOXIDE	34686
METHOXYCHLOR (UG/G)	81644
GAMMA-BHC (LINDANE)	39785
TOXAPHENE	34691
HEXACHLOROBENZENE	34688
BHC-ALPHA ISOMER (UG/G)	39074
B-BHC-BETA	34258
DELTA BENZENE HEXACHLORIDE	34263
DICOFOL (KELTHANE)	85684
MIREX	81645
PENTACHLOROBENZENE	85679
MALATHION	39534
PARATHION	81810
DIAZINON	81806
2,4-D	88830
2,4,5-T	88833
SILVEX (2,4,5-TP)	39764
DIURON (KARMEX)	88844
DURSBAN	81807
ENDOSULFAN, ALPHA	34365
ENDOSULFAN SULFATE	34355
DEMETON (SYSTOX)	82401
GUTHION	81802

**Table 9: Fish Tissue Analysis Parameters and Parameter Codes (continued)**

FISH TISSUE ANALYSIS (mg/kg-wet weight)	Parameter Code
<b>Pesticides in Tissue</b>	
SEVIN (CARBARYL)	81899
PCB-1242	34689
PCB-1254	34690
PCB-1221	34664
PCB-1232	34667
PCB-1248	34669
PCB-1260	34670
PCB-1016	34674
TOTAL PCBs	39515
PCB-1268	20467
BENZENE HEXACHLORIDE (BHC)	81826

**EPA Species Numeric Code**

For use with parameter code 74990, Fish Species: enter the EPA Species Code as the value.

**Table 10: EPA Species Names, Code, and TCEQ Parameter Code**

Common Name	Scientific Name	EPA Species Code	TCEQ Parameter Code
Alligator gar	<i>Lepisosteus spatula</i>	1	98344
American eel	<i>Anguilla rostrata</i>	76	98361
Arkansas River shiner	<i>Notropis girardi</i>	361	98472
Atlantic stingray	<i>Dasyatis sabina</i>	144	98318
Banded pygmy sunfish	<i>Elassoma zonatum</i>	418	99113
Bantam sunfish	<i>Lepomis symmetricus</i>	416	99102
Bay anchovy	<i>Anchoa mitchilli</i>	166	98412
Bayou killifish	<i>Fundulus pulvereus</i>	682	98699
Bigmouth buffalo	<i>Ictiobus cyprinella</i>	3	98508
Bigscale log perch	<i>Percina macrolepida</i>	580	99069
Black buffalo	<i>Ictiobus niger</i>	105	98509
Black bullhead	<i>Ameiurus melas</i>	4	98563
Black crappie	<i>Pomoxis nigromaculatus</i>	5	99109
Black drum	<i>Pogonias cromis</i>	199	98970

**Table 10: EPA Species Names, Code, and TCEQ Parameter Code (continued)**

Common Name	Scientific Name	EPA Species Code	TCEQ Parameter Code
Blackside darter	<i>Percina maculata</i>	436	98540
Blackspot shiner	<i>Notropis atrocaudalis</i>	451	98462
Blackspotted topminnow	<i>Fundulus olivaceus</i>	406	98678
Blackstripe topminnow	<i>Fundulus notatus</i>	404	98677
Blacktail redhorse	<i>Moxostoma poecilurum</i>	391	98515
Blacktail shiner	<i>Cyprinella venustus</i>	377	98487
Blue catfish	<i>Ictalurus furcatus</i>	67	98562
Bluegill sunfish	<i>Lepomis macrochirus</i>	8	99097
Blue sucker	<i>Cycleptus elongatus</i>	386	98505
Bluntnose darter	<i>Etheostoma chlorosomum</i>	547	99075
Bowfin	<i>Amia calva</i>	68	98347
Brook silverside	<i>Labidesthes sicculus</i>	88	98734
Bullhead minnow	<i>Pimephales vigilax</i>	384	98498
Chain pickerel	<i>Esox niger</i>	14	98405
Channel catfish	<i>Ictalurus punctatus</i>	16	98561
Chesnut lamprey	<i>Icthyomyzon castaneus</i>	330	99297
Common carp	<i>Cyprinus carpio</i>	12	98437
Common shiner	<i>Notropis cornutus</i>	89	98470
Common stoneroller	<i>Campostoma anomalum</i>	335	98502
Creek chub	<i>Semotilus atromaculatus</i>	90	98443
Creek chubsucker	<i>Erimyzon oblongus</i>	387	98519
Cypress darter	<i>Etheostoma proeliare</i>	426	99083
Cypress minnow	<i>Hybognathus hayi</i>	339	98493
Dollar sunfish	<i>Lepomis marginatus</i>	414	99098
Dusky darter	<i>Percina sciera</i>	440	98541
Emerald shiner	<i>Notropis atherinoides</i>	77	98461
Fathead minnow	<i>Pimephales promelas</i>	382	98497
Flathead catfish	<i>Pylodictus olivaris</i>	489	98570
Flathead chub	<i>Platygobio gracilis</i>	345	98447
Flier	<i>Centrarchus macropterus</i>	412	99111

**Table 10: EPA Species Names, Code, and TCEQ Parameter Code (continued)**

Common Name	Scientific Name	EPA Species Code	TCEQ Parameter Code
Freckled madtom	<i>Noturus nocturnus</i>	400	98575
Freshwater drum	<i>Aplodinotus grunniens</i>	20	98958
Gafftopsail catfish	<i>Bagre marinus</i>	200	98557
Ghost shiner	<i>Notropis buchanani</i>	354	98467
Gizzard shad	<i>Dorosoma cepedianum</i>	21	98430
Golden redhorse	<i>Moxostoma erythrurum</i>	390	98514
Golden shiner	<i>Notemigonus crysoleucas</i>	22	98441
Golden topminnow	<i>Fundulus chrysotus</i>	403	98694
Goldfish	<i>Carassius auratus</i>	24	98439
Goldstripe darter	<i>Etheostoma parvipinne</i>	425	99082
Grass carp	<i>Ctenopharyngodon idellus</i>	337	98528
Green sunfish	<i>Lepomis cyanellus</i>	25	99094
Harlequin darter	<i>Etheostoma histrio</i>	420	99080
Hogchoker	<i>Trinectes maculatus</i>	522	99218
Ironcolor shiner	<i>Notropis chalybaeus</i>	356	98468
Ladyfish	<i>Elops saurus</i>	486	98352
Lake chubsucker	<i>Erimyzon sucetta</i>	387	98520
Largemouth bass	<i>Micropterus salmoides</i>	31	99090
Log perch	<i>Percina caprodes</i>	433	99068
Longear sunfish	<i>Lepomis megalotis</i>	72	99099
Longnose dace	<i>Rhinichthys cataractae</i>	108	98455
Longnose gar	<i>Lepisosteus osseus</i>	32	98341
Mimic shiner	<i>Notropis volucellus</i>	378	98488
Mosquitofish	<i>Gambusia affinis</i>	407	98713
Mozambique tilapia	<i>Tilapia mossambica</i>	54	98565
Mud darter	<i>Etheostoma asprigene</i>	544	99074
Northern pike	<i>Esox lucius</i>	36	98406
Orangebelly darter	<i>Etheostoma radiosum</i>	428	99084
Orangespotted sunfish	<i>Lepomis humilus</i>	413	99096
Orangethroat darter	<i>Etheostoma spectabile</i>	429	99085

**Table 10: EPA Species Names, Code, and TCEQ Parameter Code (continued)**

Common Name	Scientific Name	EPA Species Code	TCEQ Parameter Code
Paddlefish	<i>Polyodon spathula</i>	106	98335
Pallid shiner	<i>Notropis amnis</i>	350	98460
Pinfish	<i>Lagodon rhomboides</i>	207	99153
Pirate perch	<i>Aphredoderus sayanus</i>	410	98773
Plains killifish	<i>Fundulus zebrinus</i>	455	98729
Plains minnow	<i>Hybognathus placitus</i>	341	98495
Pugnose minnow	<i>Opsopoeodus emiliae</i>	358	98452
Rainwater killifish	<i>Lucania parva</i>	539	98689
Redbreast sunfish	<i>Lepomis auritus</i>	70	99093
Red drum	<i>Sciaenops ocellata</i>	202	98962
Redear sunfish	<i>Lepomis microlophus</i>	40	99100
Redfin pickerel	<i>Esox americanus</i>	168	98404
Redfin shiner	<i>Lythrurus umbratilis</i>	376	98486
Red River shiner	<i>Notropis bairdi</i>	351	98463
Red shiner	<i>Cyprinella lutrensis</i>	363	98474
Redspotted sunfish	<i>Lepomis miniatus</i>		99101
Ribbon shiner	<i>Lythrurus fumeus</i>	359	98471
Rio Grande cichlid	<i>Cichlasoma cyanoguttatum</i>	686	98953
River carpsucker	<i>Carpionodes carpio</i>	42	98511
River darter	<i>Percina shumardi</i>	441	99168
River shiner	<i>Notropis blennius</i>	352	98464
Rock bass	<i>Ambloplites rupestris</i>	43	99106
Sabine shiner	<i>Notropis sabinae</i>	371	98481
Sand seatrout	<i>Cynoscion arenarius</i>	134	98973
Sand shiner	<i>Notropis stramineus</i>	452	98484
Sauger	<i>Stizostedion canadense</i>	559	99057
Scaly sand darter	<i>Ammocrypta vivax</i>	542	99072
Sheepshead	<i>Archosargus probatocephalus</i>	78	99155
Shortnose gar	<i>Lepisosteus platostomus</i>	107	98342
Shovelnose sturgeon	<i>Scaphirynchus platyrhynchus</i>	102	98337
Silverband shiner	<i>Notropis shumardi</i>	372	98482

**Table 10: EPA Species Names, Code, and TCEQ Parameter Code (continued)**

Common Name	Scientific Name	EPA Species Code	TCEQ Parameter Code
Silver chub	<i>Macrhybopsis storeriana</i>	346	98448
Silver perch	<i>Bairdiella chrysoura</i>	485	98960
Silvery minnow	<i>Hybognathus nuchalis</i>	340	98494
Skipjack herring	<i>Alosa chrysochloris</i>	26	98418
Slough darter	<i>Etheostoma gracile</i>	176	99078
Smallmouth bass	<i>Micropterus dolomieu</i>	47	99091
Smallmouth buffalo	<i>Ictiobus bubalus</i>	48	98507
Southern flounder	<i>Paralichthys lethostigma</i>	201	99246
Speckled chub	<i>Macrhybopsis aestivalis</i>	342	98449
Spot	<i>Leiostomus xanthurus</i>	181	98964
Spotted bass	<i>Micropterus punctulatus</i>	49	99089
Spotted gar	<i>Lepisosteus oculatus</i>	50	98340
Spotted seatrout	<i>Cynoscion nebulosus</i>	142	98974
Spotted sucker	<i>Minytrema melanops</i>	51	98517
Starhead topminnow	<i>Fundulus dispar</i>	405	98693
Striped anchovy	<i>Anchoa hepsetus</i>	532	98410
Striped bass	<i>Morone saxatilis</i>	52	99165
Striped killifish	<i>Fundulus similis</i>	526	98700
Striped mullet	<i>Mugil cephalus</i>	53	98793
Suckermouth minnow	<i>Phenacobius mirabilis</i>	380	98457
Swamp darter	<i>Etheostoma fusiforme</i>	176	99077
Tadpole madtom	<i>Noturus gyrinus</i>	397	98574
Threadfin shad	<i>Dorosoma petenense</i>	333	98429
Walleye	<i>Stizostedion vitreum</i>	55	99058
Warmouth	<i>Lepomis gulosus</i>	56	99095
Weed shiner	<i>Notropis texanus</i>	375	98485
Western sand darter	<i>Ammocrypta clara</i>	542	99071
White bass	<i>Morone chrysops</i>	57	99163
White crappie	<i>Pomoxis annularis</i>	59	99108

**Table 10: EPA Species Names, Code, and TCEQ Parameter Code (continued)**

Common Name	Scientific Name	EPA Species Code	TCEQ Parameter Code
Yellow bass	Morone mississippiensis	93	99164
Yellow bullhead	Ameiurus natalis	62	98564
Yellow perch	Perca flavescens	63	99062

**EPA Anatomical Numeric Code**

For use with parameter code 74995, Anatomical Part: enter the EPA Anatomical Part Code as the value.

**Table 11: EPA Anatomical Parts, Codes, and Alpha Codes**

Anatomy	Anatomical Part Code	EPA Alpha Code (84007)
Stomach	5	STOM
Liver	6	LIVER
Intestine	7	INTST
Gall Bladder	8	GLBDR
Heart	11	HEART
Kidney	32	KIDNY
Bladder	37	BLADR
Spleen	43	SLPN
Scales	57	SCALE
Skin	58	SKIN
Whole Organism	59	WHORG
Brain	61	BRAIN
Male	68	MALE
Female	69	FMALE
Ovary	70	OVARY
Gills	72	GILLS
Filet	86	FILET
Edible Portion	87	EAT
Headless Whole Fish	88	HDLS
Eviscerated Whole Fish	89	EVISC
Lipid Tissue	91	LIPID
Eggs	93	EGGS
Larvae	115	LARVA



## Biological Data

Refer to the [SWQM Procedures, Volume II](#), for the monitoring procedures specific to biological data. Parenthetical information for each sampling category below dictates how to report the biological data as a composite record as well as the composite category, composite type, and parameter code that the composite should be based on when possible.

**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values**

BIOLOGICAL	Parameter Code
<b>Nekton Texas Regional Index Summary &amp; Metadata</b> (Composite, Both, CN)	
<b>BIOLOGICAL DATA (report value of 1011 for Nekton Texas Regional Index Summary &amp; Metadata)</b>	89888
ECOREGION LEVEL III (TEXAS ECOREGION CODE)	89961
NEKTON ORGANISMS-NONE PRESENT	98005
NUMBER OF SPECIES, FISH	98003
TOTAL NUMBER OF NATIVE CYPRINID SPECIES	98032
TOTAL NUMBER OF BENTHIC INVERTIVORE SPECIES	98052
TOTAL NUMBER OF BENTHIC FISH SPECIES	98053
TOTAL NUMBER OF SUNFISH SPECIES	98008
TOTAL NUMBER OF INTOLERANT SPECIES, FISH	98010
PERCENT INDIVIDUALS AS TOLERANT FISH SPECIES(EXCLUDING WESTERN MOSQUITOFISH)	98070
PERCENT OF INDIVIDUALS AS OMNIVORES, FISH	98017
PERCENT OF INDIVIDUALS AS INVERTIVORES, FISH	98021
PERCENT OF INDIVIDUALS AS PISCIVORES, FISH	98022
TOTAL NUMBER OF INDIVIDUALS SEINING	98039
TOTAL NUMBER OF INDIVIDUALS ELECTROFISHING	98040
NUMBER OF INDIVIDUALS PER SEINE HAUL	98062
NUMBER OF INDIVIDUALS PER MINUTE ELECTROFISHING	98069

**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values (continued)**

BIOLOGICAL	Parameter Code
<b>Nekton Electrofishing (Composite, Both, CN 89944)</b>	
<b>BIOLOGICAL DATA (report value of 1012 for Nekton Electrofishing)</b>	89888
NEKTON ORGANISMS-NONE PRESENT	98005
ELECTROFISHING METHOD 1=BOAT 2=BACKPACK 3=TOTEBARGE	89943
ELECTROFISH EFFORT, DURATION OF SHOCKING (SEC)	89944
<b>Nekton Seining (Composite, Both, CN 89947)</b>	
<b>BIOLOGICAL DATA (report value of 1013 for Nekton Seining)</b>	89888
NEKTON ORGANISMS-NONE PRESENT	98005
SEINING EFFORT (# OF SEINE HAULS)	89947
COMBINED LENGTH OF SEINE HAULS (METERS)	89948
SEINING EFFORT, DURATION (MINUTES)	89949
AREA SEINED (SQ METERS)	89976
SEINE, MINIMUM MESH SIZE, AVERAGE BAR, NEKTON,IN	89930
SEINE, MAXIMUM MESH SIZE, AVG BAR, NEKTON,INCH	89931
NET LENGTH (METERS)	89941
<b>Nekton Observation Not Captured (Composite, Both, CN)</b>	
<b>BIOLOGICAL DATA (report value of 1014 for Nekton Observation Not Captured)</b>	89888
NUMBER OF SPECIES, FISH	98003

**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values (continued)**

<b>Nekton Hoop Net (Composite, Both, CN, 98077)</b>	
<b>BIOLOGICAL DATA (report value of 1015 for Nekton Hoop Net)</b>	89888
NEKTON ORGANISMS-NONE PRESENT	98005
DURATION OF DEPLOYMENT (HRS)	98077
NUMBER OF SPECIES, FISH	98003
HOOP NET WIDTH (METERS)	98124
<b>Nekton Hook and Line (Composite, Both, CN, 89942)</b>	
<b>BIOLOGICAL DATA (report value of 1016 for Nekton Hook and Line)</b>	89888
NEKTON ORGANISMS-NONE PRESENT	98005
NET OR HOOKLINE EFFORT,DURATION IN WATER (HRS)	89942
NUMBER OF SPECIES, FISH	98003
<b>Nekton Castnet (Composite, Both, CN, 89945)</b>	
<b>BIOLOGICAL DATA (report value of 1017 for Nekton Castnet)</b>	89888
NEKTON ORGANISMS-NONE PRESENT	98005
CASTNETTING EFFORT (# OF CASTS)	89945
NUMBER OF SPECIES, FISH	98003
<b>Nekton Trawl (Composite, Both, CN, 89907)</b>	
<b>BIOLOGICAL DATA (report value of 1018 for Nekton Trawl)</b>	89888
NEKTON ORGANISMS-NONE PRESENT	98005
TRAWL, OTTER, DURATION (MINUTES)	89907
TRAWL, OTTER, WIDTH (M)	89953
NUMBER OF SPECIES, FISH	98003
<b>Nekton Water Intake Screen (Composite, Both, CN, 89940)</b>	
<b>BIOLOGICAL DATA (report value of 1019 for Nekton Water Intake Screen)</b>	89888
NEKTON ORGANISMS-NONE PRESENT	98005

**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values  
(continued)**

<b>Nekton Water Intake Screen (Composite, Both, CN, 89940)</b>	
INTAKE SCREEN COLLECTION, DURATION IN MINUTES	89940
COOLING WATER INTAKE SCREEN(1=REVOLVNG,2=STATIC)	89951
NUMBER OF SPECIES, FISH	98003
<b>Nekton Gill Net (Composite, Both, CN, 98077)</b>	
<b>BIOLOGICAL DATA (report value of 10111 for Nekton Gill Net)</b>	89888
NEKTON ORGANISMS-NONE PRESENT	98005
DURATION OF DEPLOYMENT (HRS)	98077
NUMBER OF SPECIES, FISH	98003
GILL NET MESH SIZE (INCHES)	98078
<b>Benthic Macroinvertebrates Rapid Bioassessment Qualitative (Composite, Both, CN, 89904)</b>	
<b>BIOLOGICAL DATA (report value of 2011 for Benthic Macroinvertebrates Rapid Bioassessment Qualitative)</b>	89888
BENTHIC DATA REPORTING UNITS (1=NUMBER OF INDIVIDUALS IN SUB-SAMPLE, 2=NUMBER OF INDIVIDUALS/FT2, 3=NUMBER OF INDIVIDUALS/M2, 4=TOTAL NUMBER OF INDIVIDUALS IN SAMPLE)	89899
BENTHIC SAMPLE COLLECTION METHOD (1=SURBER, 2=EKMAN, 3=KICKNET, 4=PETERSON, 5=HESTER DENDY, 6=SNAG, 7=HESS)	89950
MESH SIZE, ANY NET OR SIEVE, AVERAGE BAR (CM)	89946
KICKNET EFFORT,AREA KICKED (SQ.METER)	89903
KICKNET EFFORT,MINUTES KICKED (MIN.)	89904
DIP NET EFFORT,AREA SWEEPED (SQ.METER)	89902
NUMBER OF INDIVIDUALS IN BENTHIC SAMPLE	89906
DEBRIS/SHORELINE SAMPLING EFFORT, MINUTES	89905
ECOREGION LEVEL III (TEXAS ECOREGION CODE)	89961
BENTHOS ORGANISMS -NONE PRESENT	90005
TOTAL TAXA RICHNESS, BENTHOS	90055
NUMBER OF EPT INDEX	90008
HILSENHOFF BIOTIC INDEX (HBI)	90007

**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values  
(continued)**

<b>Benthic Macroinvertebrates Rapid Bioassessment Qualitative (Composite, Both, CN, 89904)</b>	
CHIRONOMIDAE, PERCENT OF INDIVIDUALS	90062
DOMINANT TAXON, BENTHOS PERCENT OF INDIVIDUALS	90042
DOMINANT BENTHIC FUNCTIONAL FEEDING GRP, % OF INDIVIDUALS	90010
BENTHIC PREDATORS, PERCENT OF INDIVIDUALS	90036
RATIO OF INTOLERANT TO TOLERANT TAXA, BENTHOS	90050
PERCENT OF TOTAL TRICHOPTERA INDIVIDUALS AS HYDROPSYCHIDAE	90069
NUMBER OF NON-INSECT TAXA	90052
BENTHIC GATHERERS, PERCENT OF INDIVIDUALS	90025
ELMIDAE, PERCENT OF INDIVIDUALS	90054
RAPID BIOASSESSMENT PROTOCOLS BENTHIC MACROINVERTEBRATE IBI SCORE	90081
BENTHIC DATA REPORTING UNITS (1=NUMBER OF INDIVIDUALS IN SUB-SAMPLE, 2=NUMBER OF INDIVIDUALS/FT2, 3=NUMBER OF INDIVIDUALS/M2, 4=TOTAL NUMBER OF INDIVIDUALS IN SAMPLE)	89899
<b>Benthic Macroinvertebrates Quantitative Protocol (Composite, Both, CN, 89934, 89901, or 89935)</b>	
<b>BIOLOGICAL DATA (report value of 2012 for Benthic Macroinvertebrates Quantitative Protocol)</b>	89888
BENTHIC DATA REPORTING UNITS (1=NUMBER OF INDIVIDUALS IN SUB-SAMPLE, 2=NUMBER OF INDIVIDUALS/FT2, 3=NUMBER OF INDIVIDUALS/M2, 4=TOTAL NUMBER OF INDIVIDUALS IN SAMPLE)	89899
BENTHIC SAMPLE COLLECTION METHOD (1=SURBER, 2=EKMAN, 3=KICKNET, 4=PETERSON, 5=HESTER DENDY, 6=SNAG, 7=HESS)	89950
MESH SIZE, ANY NET OR SIEVE, AVERAGE BAR (CM)	89946
AREA OF SNAG SURFACE SAMPLED (SQ.MT)	89975
HESTER-DENDY DURATION (DAYS)	89933
PETERSEN SAMPLER EFFORT, AREA SAMPLED (SQ. MTR.)	89934
EKMAN SAMPLER EFFORT, AREA SAMPLED (SQ.METER)	89935

**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values (continued)**

<b>Benthic Macroinvertebrates Quantitative Protocol (Composite, Both, CN, 89934, 89901, or 89935)</b>	
SURBER SAMPLER EFFORT, AREA SAMPLED (SQ. METER)	89901
ECOREGION LEVEL III (TEXAS ECOREGION CODE)	89961
BENTHOS ORGANISMS -NONE PRESENT	90005
TOTAL TAXA RICHNESS, BENTHOS	90055
NUMBER OF DIPTERA TAXA	90056
NUMBER OF EPHEMEROPTERA TAXA	90057
TOTAL NUMBER OF INTOLERANT TAXA, BENTHOS	90058
EPT, PERCENT OF INDIVIDUALS	90060
CHIRONOMIDAE, PERCENT OF INDIVIDUALS	90062
TOLERANT BENTHOS, PERCENT OF INDIVIDUALS	90066
BENTHIC GRAZERS, PERCENT OF INDIVIDUALS	90020
BENTHIC GATHERERS, PERCENT OF INDIVIDUALS	90025
BENTHIC FILTERERS, PERCENT OF INDIVIDUALS	90030
DOMINANT 3 TAXA, PERCENT OF INDIVIDUALS	90067
QUANTITATIVE PROTOCOLS REGIONAL BENTHIC MACROINVERTEBRATE IBI SCORE	90085
<b>Benthic Macroinvertebrates Other Protocol (Composite, Both, CN, 89904)</b>	
<b>BIOLOGICAL DATA (report value of 2013 for Benthic Macroinvertebrates Other Protocol)</b>	89888
DEBRIS/SHORELINE SAMPLING EFFORT, MINUTES	89905
BENTHIC SAMPLE COLLECTION METHOD (1= SURBER, 2=EKMAN, 3=KICKNET, 4=PETERSON, 5=HESTER DENDY, 6=SNAG, 7=HESS)	89950
KICKNET EFFORT, MINUTES KICKED (MIN.)	89904
ECOREGION LEVEL III (TEXAS ECOREGION CODE)	89961
BENTHOS ORGANISMS -NONE PRESENT	90005

**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values  
(continued)**

<b>Habitat TCEQ Parts 1, 2, and 3 Protocol (Composite, Both, CN)</b>	
<b>BIOLOGICAL DATA (report value of 3011 for Habitat TCEQ Parts 1, 2, and 3 Protocol)</b>	89888
STREAM TYPE; 1=PERENNIAL 2=INTERMITTENT S/PERENNIAL POOLS 3=INTERMITTENT 4=UNKNOWN	89821
STREAMBED SLOPE (M/KM)	72051
DRAINAGE AREA ABOVE MOST DOWNSTREAM TRANSECT	89859
STREAM ORDER	84161
REACH LENGTH OF STREAM EVALUATED (M)	89884
NUMBER OF LATERAL TRANSECTS MADE	89832
AVERAGE STREAM WIDTH (METERS)	89861
AVERAGE STREAM DEPTH (METERS)	89862
FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)	00061
FLOW MTH 1=GAGE 2=ELEC 3=MECH 4=WEIR/FLU 5=DOPPLER	89835
HABITAT FLOW STATUS, 1=NO FLOW, 2=LOW,3=MOD,4=HIGH	89848
MAXIMUM POOL WIDTH AT TIME OF STUDY (METERS)	89864
MAXIMUM POOL DEPTH AT TIME OF STUDY(METERS)	89865
TOTAL NUMBER OF STREAM BENDS	89839
NUMBER OF WELL DEFINED STREAM BENDS	89840
NUMBER OF MODERATELY DEFINED STREAM BENDS	89841
NUMBER OF POORLY DEFINED STREAM BENDS	89842
TOTAL NUMBER OF RIFFLES	89843
DOMINANT SUBSTRATE TYPE(1=CLAY,2=SILT,3=SAND,4=GRAVEL,5=COBBLE,6=BOULDER,7=BEDROCK,8=OTHER)	89844
AVERAGE PERCENT OF SUBSTRATE GRAVEL SIZE OR LARGER	89845
AVERAGE PERCENTAGE INSTREAM COVER	84159
NUMBER OF STREAM COVER TYPES	89929
AVERAGE STREAM BANK EROSION (%)	89846
AVERAGE STREAM BANK SLOPE (DEGREES)	89847

**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values  
(continued)**

<b>Habitat TCEQ Parts 1, 2, and 3 Protocol (Composite, Both, CN)</b>	
AVERAGE WIDTH OF NATURAL RIPARIAN VEGETATION (M)	89866
AVERAGE WIDTH OF NATURAL RIPARIAN BUFFER ON LEFT BANK (M)	89872
AVERAGE WIDTH OF NATURAL RIPARIAN BUFFER ON RIGHT BANK (M)	89873
AVERAGE PERCENT TREES AS RIPARIAN VEGETATION	89849
AVERAGE PERCENT SHRUBS AS RIPARIAN VEGETATION	89850
AVERAGE PERCENT GRASS AS RIPARIAN VEGETATION	89851
AVERAGE PERCENT CULTIVATED FIELDS AS RIPARIAN VEGETATION	89852
AVERAGE PERCENT OTHER AS RIPARIAN VEGETATION	89853
AVERAGE PERCENTAGE OF TREE CANOPY COVERAGE	89854
AESTHETICS OF REACH (1=WILD 2=NAT. 3=COMM. 4=OFF.)	89867
LAND DEVELOP IMPACT (1=UNIMP,2=LOW,3=MOD,4=HIGH)	89962
RIPARIAN VEGETATION %; LEFT BANK - TREES	89822
RIPARIAN VEGETATION %; RIGHT BANK - TREES	89823
RIPARIAN VEGETATION %; LEFT BANK SHRUBS	89824
RIPARIAN VEGETATION %; RIGHT BANK - SHRUBS	89825
RIPARIAN VEGETATION %: LEFT BANK - GRASSES OR FORBS	89826
RIPARIAN VEGETATION %; RIGHT BANK - GRASSES OR FORBS	89827
RIPARIAN VEGETATION %: LEFT BANK - CULTIVATED FIELDS	89828
RIPARIAN VEGETATION %: RIGHT BANK - CULTIVATED FIELDS	89829
RIPARIAN VEGETATION %: LEFT BANK - OTHER	89830
RIPARIAN VEGETATION %: RIGHT BANK - OTHER	89871
AVAILABLE INSTREAM COVER HQI SCORE: 4=ABUNDANT 3=COMMON 2=RARE 1=ABSENT	89874
BOTTOM SUBSTRATE STABILITY HQI SCORE: 4=STABLE 3=MODERATELY STABLE 2=MODERATELY UNSTABLE 1=UNSTABLE	89875



**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values  
(continued)**

<b>Habitat TCEQ Parts 1, 2, and 3 Protocol (Composite, Both, CN)</b>	
NUMBER OF RIFFLES HQI SCORE: 4=ABUNDANT 3=COMMON 2=RARE 1=ABSENT	89876
DIMENSIONS OF LARGEST POOL HQI SCORE: 4=LARGE 3=MODERATE 2=SMALL 1=ABSENT	89877
CHANNEL FLOW STATUS HQI SCORE: 3=HIGH 2=MODERATE 1=LOW 0=NO FLOW	89878
BANK STABILITY HQI SCORE: 3=STABLE 2=MODERATELY STABLE 1=MODERATELY UNSTABLE 0=UNSTABLE	89879
CHANNEL SINUOSITY HQI SCORE: 3=HIGH 2=MODERATE 1=LOW 0=NONE	89880
RIPARIAN BUFFER VEGETATION HQI SCORE: 3=EXTENSIVE 2=WIDE 1=MODERATE 0=NARROW	89881
AESTHETICS OF REACH HQI SCORE: 3=WILDERNESS 2=NATURAL AREA 1=COMMON SETTING 0=OFFENSIVE	89882
HQI TOTAL SCORE	89883
NO FLOW ISOLATED POOL: LARGEST POOL MAX WIDTH (METERS)	89908
NO FLOW ISOLATED POOL: LARGEST POOL MAX LENGTH (METERS)	89909
NO FLOW ISOLATED POOL: LARGEST POOL MAX DEPTH (METERS)	89910
NO FLOW ISOLATED POOL: SMALLEST POOL MAX DEPTH (METERS)	89911
NO FLOW ISOLATED POOL: SMALLEST POOL MAX WIDTH (METERS)	89912
NO FLOW ISOLATED POOL: SMALLEST POOL MAX LENGTH (METERS)	89913
NO FLOW ISOLATED POOLS: NUMBER OF POOLS EVALUATE	89914
<b>Habitat EPA EMAP Protocol (Composite, Both, CN)</b>	
<b>BIOLOGICAL DATA (report value of 3012 for Habitat EPA EMAP Protocol)</b>	89888

**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values (continued)**

<b>Algae Diatoms (Composite, Both, CN, 93308)</b>	
<b>BIOLOGICAL DATA (report value of 4011 for Algae Diatoms)</b>	89888
ALGAE SUBSTRATE TYPE (1=ROCKY 2=WOODY 3=SILT/SAND 4=COMPOSITE 5=ARTIFICIAL 6=NUTRIENT DIFFUSING)	93304
ALGAE SAMPLE TYPE (1=QUALITATIVE SINGLE SUBSTRATE 2=QUALITATIVE COMPOSITE 3=QUANTITATIVE 4=PERCENT SUBSTRATE COVERAGE)	93303
ALGAE HABITAT TYPE SAMPLED (1=RIFFLE 2=RUN 3=GLIDE 4=POOL 5=MULTIPLE HABITAT TYPES SAMPLED)	93307
ALGAE AREA SAMPLED, QUANTITATIVE (M2)	93308
ALGAL DATA REPORTING UNITS (1=CELLS/ML 2=CELLS/M2 3=CELLS/SAMPLE 4=OBSERVED)	93314
NUMBER OF DIATOM AND SOFT ALGAE GENERA IN SAMPLE	93301
NUMBER OF ALGAL DIVISIONS IN SAMPLE	93302
NUMBER DIATOM VALVES COUNTED	93316
NUMBER DIATOM TAXA	93318
DIATOM SHANNON DIVERSITY	93320
DIATOM POLLUTION TOLERANCE INDEX	93323
DIATOM SENSITIVE/INTOLERANT, %	93343
ALGAE, DOMINANT 3 TAXA, %	93333
ALGAE MOTILE TAXA, %	93335
ALGAE TOLERANT TAXA, %	93337
CYMBELLA GROUP RICHNESS	93340
FRAGILARIA GROUP RICHNESS	93344
<b>Algae Soft Benthic Not Diatoms (Composite, Both, CN, 93308)</b>	
<b>BIOLOGICAL DATA (report value of 4012 for Algae Soft Benthic Not Diatoms)</b>	89888
ALGAE SUBSTRATE TYPE (1=ROCKY 2=WOODY 3=SILT/SAND 4=COMPOSITE 5=ARTIFICIAL 6=NUTRIENT DIFFUSING)	93304
ALGAE SAMPLE TYPE (1=QUALITATIVE SINGLE SUBSTRATE 2=QUALITATIVE COMPOSITE 3=QUANTITATIVE 4=PERCENT SUBSTRATE COVERAGE)	93303

**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values  
(continued)**

<b>Algae Soft Benthic Not Diatoms (Composite, Both, CN, 93308)</b>	
ALGAE HABITAT TYPE SAMPLED (1=RIFFLE 2=RUN 3=GLIDE 4=POOL 5=MULTIPLE HABITAT TYPES SAMPLED)	93307
ALGAE AREA SAMPLED, QUANTITATIVE (M2)	93308
ALGAL DATA REPORTING UNITS (1=CELLS/ML 2=CELLS/M2 3=CELLS/SAMPLE 4=OBSERVED)	93314
NUMBER OF DIATOM AND SOFT ALGAE GENERA IN SAMPLE	93301
NUMBER OF ALGAL DIVISIONS IN SAMPLE	93302
NUMBER OF CELLS/UNITS COUNTED, BENTHIC ALGAE	93346
CHLOROPHYLL A, BENTHIC	93347
ASH FREE DRY WEIGHT	93348
ALGAL CELL/UNIT DENSITY	93349
<b>Algae Phytoplankton (Composite, Both, CN, 93403, 93400)</b>	
<b>BIOLOGICAL DATA (report value of 4013 for Algae Phytoplankton)</b>	89888
ALGAL DATA REPORTING UNITS (1=CELLS/ML 2=CELLS/M2 3=CELLS/SAMPLE 4=OBSERVED)	93314
NUMBER OF DIATOM AND SOFT ALGAE GENERA IN SAMPLE	93301
NUMBER OF ALGAL DIVISIONS IN SAMPLE	93302
PLANKTON SAMPLE TYPE (1=TOW 2=GRAB 3=DEPTH INTEGRATED)	93390
PLANKTON SAMPLE VOLUME COLLECTED	93392
TOW TYPE (1=VERT., 2=HORIZ.)	89938
PLANKTON SAMPLE TOW LENGTH (METERS)	93400
PLANKTON SAMPLE TOW TIME (MINUTES)	93403
PHYTOPLANKTON DENSITY, TOTAL (CELLS/ML)	95999
DIVERSITY--MACROPHYTES	99300
PHYTOPLANKTON SAMPLED--NO ORGANISMS PRESENT	93305
PHYTOPLANKTON--UNKNOWN ORGANISM (#/SAMPLE)	93306

**Table 12: Biological Parameters & Parameter Codes, Sampling Categories & Values  
(continued)**

<b>Algae Visual Algal Assessment (Composite, Both, CN)</b>	
<b>BIOLOGICAL DATA (report value of 4014 for Algae Visual Algal Assessment)</b>	89888
ALGAE SUBSTRATE TYPE (1=ROCKY 2=WOODY 3=SILT/SAND 4=COMPOSITE 5=ARTIFICIAL 6=NUTRIENT DIFFUSING)	93304
ALGAE HABITAT TYPE SAMPLED (1=RIFFLE 2=RUN 3=GLIDE 4=POOL 5=MULTIPLE HABITAT TYPES SAMPLED)	93307
ALGAL DATA REPORTING UNITS (1=CELLS/ML 2=CELLS/M2 3=CELLS/SAMPLE 4=OBSERVED)	93314
ALGAL MAT (1=ABSENT 2=SLIME 3=VISIBLE 4=MEASUREABLE)	93405
ALGAL MAT THICKNESS	93407
BENTHIC ALGAE, PERCENT COVER	93409
GREEN FILAMENTOUS ALGAE, PERCENT COVER	93422
BLUEGREEN, PERCENT COVER	93424
DIATOM, PERCENT COVER	93426
RED ALGAE, PERCENT COVER	93429
FLOATING MAT/SCUM PERCENT COVER	93463
<b>Zooplankton (Composite, Both, CN, 93403, 93400)</b>	
<b>BIOLOGICAL DATA (report value of 501 for Zooplankton)</b>	89888
PLANKTON SAMPLE TYPE (1=TOW 2=GRAB 3=DEPTH INTEGRATED)	93390
PLANKTON SAMPLE VOLUME COLLECTED	93392
TOW TYPE (1=VERT., 2=HORIZ.)	89938
PLANKTON SAMPLE TOW LENGTH (METERS)	93400
PLANKTON SAMPLE TOW TIME (MINUTES)	93403

# Chapter 7 – Data Reporting

---

Surface water quality monitoring data are reported to the Texas Commission on Environmental Quality by two methods: manual data entry and flat-file datasets. This chapter defines the method and formats used when submitting data to TCEQ for upload into the SWQMIS database.

## **TCEQ Region and Central Office Staff**

The TCEQ staff authorized to enter sample data into the database use the data entry screens in the Sampling Module of the SWQMIS database. The creation of Sample Events and Sample Sets along with the entry of field parameter data are required to be reported electronically to the DM&A Data Manager via SWQMIS within 45 days of the sampling event. When data is entered and published by TCEQ staff, SWQMIS assigns the data the status of “pre-production data management” (PREDM).

## **Laboratory Information Management System (LIMS)**

The TCEQ Houston Laboratory and other contracted laboratories perform laboratory analyses requested by TCEQ Regional Office staff. Surface water quality monitoring samples are sent to the laboratories with SWQMIS-generated Request for Analysis (RFA) forms. The laboratory reports this data to DM&A using the LIMS file format provided in Appendix A, and DM&A loads the data into the database. Upon loading, the data are assigned PREDM status in SWQMIS. DM&A staff review the lab report and the electronic data for completeness, appropriateness, and metadata accuracy (including codes, depth, date, time, tag number, and station ID), before publishing the data as Production (PROD) data in the SWQMIS database. Please see the “LIMS File Format” section of this chapter (p. 6) for information on how to structure the data files for LIMS Loader data.

## **TCEQ Partners and Contractors**

### **Data Deliverables**

Two ASCII (DOS) pipe-delimited text files must be provided to the TCEQ Project Manager for inclusion in SWQMIS. These two files must follow the format described below (examples are provided later in this chapter). These files are related to each other through the Tag ID, which is described in Chapter 6. There is a one-to-many relationship between the Event file and the Results file with multiple records in the Results file for each Event (monitoring/sampling event). For purposes of the upload files, an Event record is defined as a unique sampling regime conducted at a specific date, place (station ID and depth), and time. For example, an Event record describes the collection of a “metals in sediment” sample at station 12049 on 5 February 2014, 13:00 hours. Water, tissue, sediment, and distinct types of biological (nekton, habitat, benthic) samples are all considered separate Event records in the Event file of the flat-file loader, even when collected at the same time and location (i.e., during the same Sample Event). Each Event record must have a unique Tag ID. Instantaneous field measurements (grabs) collected immediately before or after 24-hour monitoring are also considered separate Event records and the submitting entity may not report it under the same Tag ID as the 24-hour data. Fields marked as Data Value Required = “Y” must be completed prior to data submission.

### **Sample/Event File Format**

Each record in the Events File consists of the fourteen fields described below; fields may or may not contain data. Fields must be in the order listed in the table below. For a grab sample, if a field is only appropriate for composite sample (noted with a "C" in the Data Value Required column), the field should still be present for that record in the Events file, but left blank. The fields marked with a "Y" in the Data Value Required column must contain either a text or numeric value for every sample collected. Except for the ‘Comment’ field, these fields must contain only

numeric or alpha characters, as designated in field descriptions. No punctuation (such as quotation marks, commas, periods, etc.) can be accepted.

Field Name	Data Field Required	Length	Data Value Required	Description
Tag ID	Y	7 <sup>1</sup>	Y	Key field that is common to both the Events and Results file. Each Tag ID is unique in the Events file. The first 1- or 2-digits must match the Tag Prefix assigned to the submitting agency.
Station ID	Y	5	Y	A unique 5-digit code that identifies each sampling station. This number is generated by the database in response to the submission of a SLOC Request to DM&A (see SWQM DMRG Chapter 3). Data collected at new stations cannot be loaded into SWQMIS until the station ID has been assigned by TCEQ DM&A.
End date	Y	10	Y	Date the sample was collected. Reported as MM/DD/YYYY. Leading zeros are required for month and day. For composite samples this is the last date a sample or measurement was collected.
End time	Y	5	Y	The time the sample was collected. Reported in military (24-hour, MM:HH) format. For composite samples, this is the time the last sample was collected. Leading zeros are required where applicable (for example, 09:30).
End depth	Y	6	Y	The depth in meters at which the sample was collected. For composite samples, the deepest depth at which the sample was collected.
Start date	Y	10	C	This field requires a value for composite samples only and is the sample collection start date. If this field is not blank, then Start time, Start depth, Category, and Type must also contain a data value. If a sample is not a composite, this field should be blank. Reported as MM/DD/YYYY.
Start time	Y	5	C	This field requires a value for composite samples only and is the sample collection start time. If this field is not blank, then Start date, Start depth, Category, and Type must also contain a data value. If a sample is not a composite, this field should be blank. Leading zeros are required where applicable (for example, 09:30).

Field Name	Data Field Required	Length	Data Value Required	Description
Start depth	Y	6	C	This field requires a value for composite samples only and is the depth nearest the surface for sample collection (in meters). If this field is not blank, Start time, Category, and Type must also contain a data value. If a sample is not a composite, this field should be blank.
Category	Y	1	C	This field requires a value for composite samples only and should correspond to the following codes: T=time, S=space, B=both, and F=flow weight. If this field is not blank, then Start date, Start time, Start Depth, and Type must also contain a data value. If a sample is not a composite, this field should be blank.
Type	Y	2	C	This field requires a value for composite samples only and should correspond to the following codes: ## = number of grabs in composite, CN = continuous, GB = number of grabs is unknown. If the data value is a single digit, a leading zero is required (for example, 3 = "03"). If a sample is not a composite, this field should be left blank.
Comment	Y	135	N	This is the text field for any observational data available for the event. If there is no observational data, this field should be left blank.
Submitting Entity	Y	2	Y	The code that indicates the entity responsible for submitting data to the TCEQ, usually the QAPP holder. Valid codes are assigned by the TCEQ, and presented in the SWQM DMRG Chapter 4. (Formerly known as Source Code 1).
Collecting Entity	Y	2	Y	The code that indicates the entity actually collecting samples in the field. Valid codes are assigned by the TCEQ. This document lists these codes in the SWQM DMRG Chapter 4. (Formerly known as Source Code 2).
Monitoring Type	Y	2	Y	The code used to identify the type of sampling that is being reported in the dataset for a unique tag. TCEQ assigns valid codes, and they are listed in the SWQM DMRG Chapter 4. (Formerly known as Program Code).

<sup>1</sup> Tag ID can accept up to nine characters. However, seven characters is the norm.

**The generic format of the Sample/Event file:**

Tag|Station Id|End Date|End Time|End Depth|Start Date|Start Time|Start Depth|Category|Type|Comment|Submitting Entity|Collecting Entity|Monitoring Type

**Example records for a Sample/Event file:**

*Grab:*

0012345|16789|10/11/2013|14:30|0.3|||||Water green|LC|LC|RT

*Composite:*

0012345|16789|10/11/2013|09:45|0.6|10/11/2013|10:00|0.3|S||Sunny and warm|LC|LC|RT

*Profile:*

L150001|15301|01/05/2014|14:15|0.3|||||LC|LC|RT

L150002|15301|01/05/2014|14:16|6|||||LC|LC|RT

L150003|15301|01/05/2014|14:17|9|||||LC|LC|RT

*24 Hour:*

R150001|15301|01/15/2013|14:15|0.3|01/14/2013|14:00|0.3|T|24||LC|LC|CS

*Tissue:*

0012345|13270|12/12/2003|11:15|2|12/12/2003|14:15|0.3|B|04|Coots feeding|LC|LC|RT

**Results File Format**

The Results file may have one or multiple records for each Event record. Each record consists of the nine fields described below; fields may or may not contain data. Fields must be in the order listed in the table below. If a value for the field is not appropriate, the blank field must still be present for the record in the Results file. These fields must contain only numeric or alpha characters, as designated in field descriptions. No punctuation (such as quotation marks, commas, periods, etc.) can be accepted.

Field Name	Data Field Required	Length	Data Value Required	Description
Tag ID	Y	7 <sup>1</sup>	Y	Unique code connecting the water quality sample results to a Tag ID in the Events file. The same code is assigned to all results that came from the same water quality sample. Therefore, there will be many results with the same Tag ID, which all match a single record in the Events file.
End date	Y	10	Y	The date the sample was collected. Reported as MM/DD/YYYY. This date needs to match the End date in the Events file for the specified Tag ID. Leading zeros are required for month and day.
Parameter Code	Y	5	Y	The 5-digit parameter code that identifies the substance being measured. Leading zeros are required where applicable (for example, 00400).
GT/LT	Y	1	N	If the value determined is a "<" value, report "<" in this field. If the value determined is a ">" value, then report a ">" in this field. Otherwise, leave blank.



Field Name	Data Field Required	Length	Data Value Required	Description
Value	Y	8	Y	This is the level or test result of the substance being measured and is reported in the units defined in the parameter code description found in SWQMIS.
LOD	Y	8	N	This is the Limit of Detection for this parameter.
LOQ	Y	8	N	This is the Limit of Quantitation for this parameter.
Qualifier Code	Y	2	N	Formerly referred to as Remark Code. See the SWQM DMRG Chapter 10 for a list of codes and their definitions.
Verify Flag	Y	1	N	If Value is outside the minimum/maximum range defined in SWQMIS (SWQM DMRG Chapter 2), the data submitter must place a "1" in this field to indicate that s/he has verified the data value. If the value cannot be verified, the submitting entity must add a qualifier code (SWQM DMRG Chapter 10) in the Qualifier Code field.

<sup>1</sup> Tag ID can accept up to nine characters. However, seven characters is the norm.

**The generic format of the Results file:**

Tag|End Date|Parameter|GT/LT|Value|LOD|LOQ|Qualifier Code|Verify Flag

**Example records for a Results file:**

*Grab:*

0012345|10/11/2013|00061|<|1|||

0012345|10/11/2013|00940||53||BL|

*Composite:*

0012345|10/11/2013|00221||24|||

0012345|10/11/2013|00209||18|||

0012345|10/11/2013|00210||22|||

0012345|10/11/2013|00211||14||PE|1

*Profile:*

L150001|01/14/2014|00010||18.3|||

L150002|01/14/2014|00010||17.6||J|1

*24 Hour:*

R150001|01/02/2014|00216||7.9|||

R150001|01/02/2014|00220||24|||

R150001|01/02/2014|00218||11.5|||

*Tissue:*

0012345|12/12/2013|74990||016|||

0012345|12/12/2013|74995||59|||

0012345|12/12/2013|81615||1|||

0012345|12/12/2013|00039||92|||1

0012345|12/12/2003|84100||2||SP|

### LIMS File Format

- This file format is specifically for laboratories (the Houston TCEQ Lab as well as other contract labs) that submit data directly to a DM&A Data Manager. *All TCEQ partners and contractors should submit data in the event and results file format previously described in this chapter.*
- Fields are pipe (“|”) delimited.
- Alpha fields do *not* contain quotation marks.
- Fields cannot contain the pipe character.
- Fields must be in the order specified.
- Files do not contain a header row.

### LIMS File Format Example

#### LIMS Sample/Event File

Field Name	Data Field Required	Length	Data Value Required	Description
Sample Number/Lab ID	Y	Up to 10 characters	Y	This is the ID assigned to the sample by the lab.
Station ID	Y	Consistent with station IDs	Y	Must be a valid existing station ID in SWQMIS.
Tag ID	Y	Up to 30 characters	Y	This is the RFA number.
Sample Date/Time	Y	Exactly 17 characters	Y	DD-MON-YYYY HH:MM (e.g. 10-DEC-2005 20:05)
Sample Collected By (Name)	Y	Up to 40 characters	Y	This is the SWQMIS user ID for the SWQM FO who collected the sample.
Region ID	Y	Up to 2 characters	Y	This must be a number. Region ID should be provided on RFA by collector. Valid region numbers are: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, or 99 (99=Central Office staff).

Field Name	Data Field Required	Length	Data Value Required	Description
End Collection Depth	Y	Up to 10 characters	Y	The depth in meters at which the sample was collected. For composite samples, the deepest depth at which the sample was collected. Must be a number.
Composite Type	Y	Up to 2 characters	Composite Samples Only	The number of grabs that comprise a composite sample. May be 00-99, or GB (for unknown number of grabs). If leading zero isn't included (e.g., "2"), the system will still accept it.
Composite Category	Y	Exactly 1 character	Composite Samples Only	Use one of the following codes that represent the category of composite sampling (only used for composite samples): "T" (time), "S" (space), "B" (both time and space), or "F" (flow weighted).
Start Date/Time	Y	Exactly 17 characters	Composite Samples Only	DD-MON-YYYY HH:MM (e.g. 10-DEC-2005 20:05) This is the start date/time of composite samples.
Start Sample Collection Depth	Y	Up to 10 characters	Composite Samples Only	This is the start depth (only used for composite samples). It must be a number.

Field Name	Data Field Required	Length	Data Value Required	Description
Submitting Entity	Y	Exactly 2 characters	Y	This is the entity submitting the data. Valid codes are assigned by the TCEQ, and presented in the SWQM DMRG Chapter 4.
Collecting Entity	Y	Exactly 2 characters	Y	This is the entity collecting the data. Valid codes are assigned by the TCEQ, and presented in the SWQM DMRG Chapter 4.
Monitoring Type		Exactly 2 – 4 characters	Yes	This indicates the type of sampling being conducted. Valid codes are assigned by the TCEQ, and presented in the SWQM DMRG Chapter 4.
Quality Control Type		Exactly 1 character	No	Code indicating the type of QC sample, if applicable.

**The generic format of the LIMS Sample/Event file:**

Sample Number/Lab ID |Station Id|Tag ID|End Date End Time|Collector|End Depth|Composite Type|Composite Category|Start Date Start Time| Start Depth|Submitting Entity|Collecting Entity|Monitoring Type|Quality Control Type

## LIMS Results File

Field Name	Data Field Required	Length	Data Value Required	Description
Sample Number/Lab ID		Up to 10 characters	Yes	This is the ID assigned to the sample by the lab. This field must match the associated Sample Number/Lab ID provided in the Event File.
Parameter Code		Exactly 5 characters	Yes	Leading zeros are kept by the system. Include the leading zeros in the submitted Results File.
Result		Up to 10 characters	Yes	Must be either all numeric, "<" followed by a number, or ">" followed by a number.
Data Qualifier Code		Exactly 2 characters	No	Valid data qualifier code
MDL		Up to 8 digits	No	This is the Method Detection Limit. The values may range from 0 to 99,999,999.
RL		Up to 8 digits	No	This is the Reporting Limit. The values may range from 0 to 99,999,999.
Note/Comment		Up to 4000 characters	No	Notes/comments are required if there was a note/comment necessitated by the laboratory
Person Doing Analysis		Up to 50 characters	Yes	This is the first initial and the full last name of the laboratory analyst

### The generic format of the LIMS Results file:

Sample Number/Lab ID | Parameter| Result| Qualifier Code|MDL|RL| Comment|Lab Analyst

# **Chapter 8 – Data Review**

---

All data must be verified prior to its submittal to the SWQMIS database. An example checklist that may assist with data verification is provided [here](#).

Contractors submitting data through TCEQ water programs must use the procedures, checklists, and/or forms required by their contracts (for example, TMDL data review checklists, CRP data summaries, or NPS data review checklists) to document data review.

## **SWQMIS Data Loading Report**

The DM&A Team assists in data verification and validation prior to loading into SWQMIS. The SWQMIS data loader is a tool that performs checks of data flat files. The SWQMIS data loader in the Test environment of SWQMIS can be used by contract data submitters to test their data deliverables prior to submitting the data to their TCEQ project manager. This data loader tool helps the data provider confirm that the dataset is correct in format and complete in content. The data checks also ensure that DM&A can upload the data to the Production environment of SWQMIS without errors. The loading tool also produces a summary report used for further diagnostics of any errors. Project managers can use this report for secondary data review.

## **Data Dictionary for the SWQMIS Data Loading Validator Report**

### **Submitting and Collecting Entities and Monitoring Types**

This section of the report identifies all the combinations of Submitting Entity, Collecting Entity, and Monitoring Type Codes reported in the dataset, and descriptions of the codes are provided.

### **Frequency of Parameter Occurrence**

This section of the report identifies the parameter codes, parameter descriptions, and the number of times the parameter appears in the dataset. Also includes the minimum “less-than” value, maximum “less-than” value, minimum “greater-than” value, maximum “greater-than” value, minimum quantifiable value, maximum quantifiable value, and mean values from the dataset.

### **Stations in Dataset**

This section of the report identifies sampled station IDs. Descriptions are provided for each station, along with the Basin ID and number of sampling events for each station.

### **Outliers (Requires verification prior to loading.)**

This section of the report identifies the tag IDs, station descriptions, end dates, parameter codes, less than/greater than symbols, and values reported in the dataset that fall outside the predefined screening levels. The screening levels are listed in this section of the report as the minimum and maximum. If the minimum and/or maximum screening values need to be revised, complete a Parameter Code Request and submit to DM&A according to the process outlined in Chapter 2 in the SWQM DMRG.

### **Historical Basin Comparison**

This section of the report provides each measurement that does not fall between the historical minimum and maximum value for a parameter in a basin. Dataset values outside the historical data levels for the basin-parameter code combination along with Tag ID, basin ID, station ID, parameter code, less-than/greater-than symbol, and the reported value are retrieved from the provided dataset. Historical minimum value, historical maximum value, historical mean value, and historical number of samples reported for the basin-parameter code combination are calculated using the most recent data (5-year period) currently in SWQMIS in that basin for that parameter.

### **Historical Station Comparison**

This section of the report provides each measurement that does not fall between the historical minimum and maximum value for a parameter at that station. Tag ID, station ID, station description, parameter code, less-than/greater-than symbol, and the reported value are retrieved from the provided dataset. Historical minimum value, historical maximum value, historical mean value, and historical number of samples reported for the station-parameter code combination are calculated using the most recent data (5-year period) currently in SWQMIS at that station for that parameter.

### **Highest Values per Parameter**

This section of the report provides the top ten highest values for each parameter code within the data set. Reported fields include station ID, station description, end date, end time, parameter code, less-than/greater-than symbols, value, and end depth.

### **Lowest Values per Parameter**

This section of the report provides the top ten lowest values for each parameter code within the data set. Reported fields include station ID, station description, end date, end time, parameter code, less-than/greater-than symbols, value, and end depth.

### **Data Management Review**

In addition to the verification checks automatically performed by the SWQMIS data loading tool, TCEQ data managers also perform verification and validation checks using output from the Data Loading Validator Report. Using the report as a guide, data managers compare the quality assurance (QA) document associated with the data load (QAP, QAPP) to the report output. The data manager verifies that the data are intended to be stored in SWQMIS and that the proper signatures appear on the QA document. The data manager then verifies that the sampling dates coincide with the effective date of the QA document. The use of the correct Tag Prefix is verified, as well as the use of proper Submitting Entity, Collecting Entity, and Monitoring Type codes. The data managers also verify all station IDs and parameter codes in the Data Loading Validator Report against stations and parameters described in the project QA document. Finally, the data managers ensure that the data submitter has verified all outliers in the data set. In the event that the data managers find discrepancies between the data set and the quality assurance document, the data managers will contact the TCEQ Project Manager for resolution.

### **Data Not Adhering to QA Documents**

If submitted data is identified as not meeting the project's data quality objectives as stated in the project QAPP, the data manager will return the data set to the TCEQ Project Manager. The data manager will provide a Water Quality Planning Division (WQPD) Data Resubmittal Form to the project manager. It is the project manager's responsibility to complete the form detailing any excursions of the report from the QA document. The project manager will work with the TCEQ QA Specialist to decide on a course of action that addresses the excursion. The project manager will also submit to data management any relevant documentation detailing the excursion from the QA document; often this documentation is recorded directly on the Data Resubmittal Form. When the agreed-to course of action is complete, the project manager, QA specialist, and data manager all sign the form. The project manager resubmits the data set, the Data Resubmittal Form, and any necessary documentation to the data manager. Once the data has been successfully loaded into SWQMIS, the Data Resubmittal Form will also be stored in the database to accompany the project's QA document(s). The Data Resubmittal process may also be initiated by the project manager upon preliminary review of submitted data.

# **Chapter 9 – Data Corrections**

---

For corrections to data in the SWQMIS database, a [SWQM Data Correction Request \(DCR\) form](#) is submitted to DM&A. The data correction procedures in this chapter have been developed to maintain and document the integrity and reliability of the data in the SWQMIS.

## **SWQM Data Correction Request Description**

To request a data correction in SWQMIS, TCEQ staff submit a SWQM Data Correction Request form to the DM&A data managers. Omissions of information on the form may delay completion of a request and/or require a DM&A data manager to contact the requestor for more information. Requests may be submitted either by standard mail or e-mail. See the Documentation section below for additional information about specific types of requests.

## **Data Correction Process**

In general, it is the responsibility of the individual or program that submitted the data to prepare a Data Correction Request form when necessary.

Submitting entities (contractors or cooperators) should complete and submit a DCR form to their TCEQ project manager for corrections to their own data. They may also work cooperatively with their TCEQ project manager to request corrections to data other groups have submitted. The project manager forwards DCR forms to the DM&A data managers for processing.

TCEQ staff who discover errors in their own data should submit a completed DCR form directly to their program's DM&A data manager. TCEQ staff should contact the appropriate TCEQ project manager to inquire about other data they believe to be incorrect.

Upon receipt of the DCR form, DM&A data managers review the request and perform any necessary impact analysis. The impact analysis may require obtaining further information from the requestor or other affected parties.

Once the analysis is complete and a course of action selected, a DM&A data manager either completes the data correction manually or replies to the DCR submitter if an alternative decision is made.

The DM&A data manager sends a confirmation of the DCR completion to the requestor via e-mail.

## **Data Correction Required Information**

### **Action Code**

Record in the Action Code column the appropriate code for either 'Add', 'Flag', or 'Correct' (A, F, or C).

A = Add; use this code to add information to a sample existing in the database.

F = Flag; use this code to qualify data with a Data Qualifier Code (see App. E).

C = Correction; use this code to correct a value existing in the database. If a correction is required, all fields on the Existing line and the necessary fields on the Correction line must be filled out.

### **Tag ID**

Record in the Tag ID column the Tag ID or Sample Set ID of the sample to be corrected.

### **Station ID**

Record in the Station ID column the Station ID that identifies the location of the sample.



**End Date**

Record in the End Date column the End Date of the sample in mm/dd/yyyy format.

**End Time**

Record in the End Time column the End Time of the sample in 24-hour format.

**End Depth**

Record in the End Depth column the End Depth of the sample.

**Data Source**

Record in the Data Source columns the data source of the sample: Submitting Entity, Collecting Entity, and Monitoring Type.

**Parameter Code**

Record in the Parameter Code column the parameter code for the sample.

**Value**

Record in the Value column the measured value in the sample.

**Data Qualifier**

Provide any data qualifier code applicable to the value.

**Verify Flag**

If the value is outside the database minimum-maximum range for this parameter code, verify that the value is accurate by entering a "1".

**Documentation****Lab Errors**

When the analyzing laboratory reports errors or necessary corrections, documentation from the lab will be considered sufficient documentation to proceed with a correction without an explicit request from the FOD sample collector.

**Large-Volume Data Correction Requests**

When requesting corrections to large numbers of records (more than 25), DM&A requires that requestors submit an electronic list of the records to be updated in addition to the DCR form. This is to protect data integrity and to document the intent of the request with complete clarity. This electronic list should include all fields on the DCR form (Tag ID, Station ID, End Date, End Time, End Depth, Data Source information, plus Parameter Code, and Value if applicable). Spreadsheets (such as Excel files) and pipe-delimited text files are acceptable formats. Contact [DM&A](#) with any questions regarding these instructions or the data correction process.

# Chapter 10 – Data Qualification

---

Data stored in SWQMIS must be collected or acquired under a TCEQ-approved Quality Assurance Plan (QAP) or Quality Assurance Project Plan (QAPP). Each quality assurance (QA) document sets forth Data Quality Objectives (DQOs) for the data generated by the monitoring project. These DQOs establish the minimum data quality acceptable for the project. However, because SWQMIS is an archival repository for the agency's surface water quality data, any data stored may be used by a variety of users with diverse purposes. Because of this, it is strongly encouraged that all data is stored in SWQMIS, and any data not meeting the DQOs set forth in the quality assurance document be qualified accordingly<sup>1</sup>. Data then becomes readily available in SWQMIS for all system users. The system users may then determine whether the data are of sufficient quality for their intended use.

Data Management and Analysis (DM&A) qualifies data that has not met DQOs using the data qualifier codes listed in Appendix E of this document. If a program area discovers data stored in SWQMIS that should be qualified, a [Data Correction Request](#) should be submitted to DM&A so that the qualifier can be added in SWQMIS. DM&A will consult with the program area that originally submitted the data before qualifying that data.

Instructions for qualifying records associated with Field Blank, Equipment Blank and Field Split QC failures are provided on the following page. A list of Data Qualifier Codes is provided in Appendix E of the DMRG.

<sup>1</sup> Data should be submitted to SWQMIS in accordance with the quality assurance document under which the data is collected. Not all QA documents allow qualified data to be submitted to SWQMIS.

## SWQM Program Quality Control Sample Validation and Qualification

The Quality Assurance Advisory Committee has adopted new validation procedures for Field and Equipment Blank Quality Control (QC) failures and Field Split QC failures. DM&A staff will use this procedure when validating laboratory data submitted from the SWQM Program.

### Field Blank QC Failure

1. At time of validation, the data manager identifies the type of analysis that was performed on the Field Blank (FB).

Note: Field Blanks are required for total metals in water samples and are optional for other types of monitoring (per [SWQM Procedures Manual: Vol I](#)).

2. If the sample is a total metals in water sample, the data manager identifies the associated ambient sample for each FB QC failure and qualifies the parametric results in the associated ambient sample's Sample Set.
3. If the sample is not a total metals in water sample, the data manager determines the date the sample was collected.
4. The data manager then requests a copy of the field notebook for that day from the appropriate region.
5. Once the data manager receives the copy of the field notebook, parametric values are qualified in the Sample Sets for ambient samples collected the same day as the failure with the appropriate data qualifier.

### Equipment Blank QC Failure

1. At time of validation, the data manager identifies the type of analysis that was performed on the Equipment Blank (EB).

Note: Equipment Blanks are required for dissolved and total metals in water samples and optional for other types of monitoring (per [SWQM Procedures Manual: Vol I](#)).

2. If the sample is a dissolved or total metal in water sample, the data manager determines the associated ambient sample for each EB QC failure and qualifies the failed parametric values in the associated ambient Sample Set. If the sample is not a dissolved or total metals in water sample, the data manager identifies the date the sample was collected.
3. The data manager then requests a copy of the field notebook for that day from the appropriate region.
4. Once the data manager receives the copy of the field notebook copy, the parametric values are qualified for samples that are associated with the sample whose equipment blank failed QC. The ambient sample's parametric data for each of those associated samples is also qualified with the appropriate qualifier.

### **Field Split QC Failure**

In the event that a parametric value for a Field Split fails QC, the data manager qualifies the same parametric values in the one Sample Set that is associated with the Field Split.

# **Chapter 11 – Database Reports**

---

SWQMIS is capable of generating several types of reports, details of which are provided in this chapter.

Most reports are available in three formats: HTML (formatted report viewed in Internet Explorer), CSV (Comma Separated Values - opens in Excel), and PIPE delimited (ASCII flat text for importing into other applications). All report outputs can be saved to your own computer. Most reports will print from HTML on letter-size paper although you may have to use landscape setting. Reports are generated using Query Builder which allows you to build your query criteria using 'And/Or' logic.

## **To access SWQMIS:**

<https://www80.tceq.texas.gov/SwqmisWeb/> (For users inside and outside the TCEQ firewall to access the Production environment of SWQMIS)

<https://www8tst0.tceq.texas.gov/SwqmisWeb/> (For users inside and outside the TCEQ firewall to access the Test/UAT environment of SWQMIS)

## **Types of Reports**

### **Comparison Information Report**

The Comparison Information Report is used to view information such as assessment screening levels, flow statistics, narrative criteria, numeric criteria, outlier screening values, reference values, or water effect ratios. The report is also useful for checking for site-specific standards or as a general reference tool.

### **Full Raw Data Export**

This report is for extracting ALL data in SWQMIS in a PIPE delimited text format. This report is used by TCEQ staff primarily for posting data to the CRP web site. Once posted to the web, this information is used by CRP and other contractors to update their databases. Users should be aware that this report utilizes a lot of memory and may cause some systems to crash.

### **Monitoring Station Inventory Report**

The Monitoring Station Inventory Report displays any or all attributes of any or all monitoring stations. This is useful for simple viewing or creating reference documents. This report limits output to 1,000 stations.

### **Parameter Inventory Report**

The Parameter Inventory Report allows you to query any number of water quality parameters and their attributes. This is useful for creating reference documents or just viewing parameter attributes like units of measurement, media, or methods used to analyze the parameter.

### **Raw Data Report**

The Raw Data Report generates only a PIPE delimited text file of data from any number of stations in either the traditional two-file Event/Result format or a one-file combined format (Event metadata included on every line with the Result data). This report is primarily for data requests for contractors or cooperators familiar with TCEQ data formats.

### **RFA Status Report**

This report was designed to aid data managers in validating data collected by TCEQ Regional Staff. Generally only data managers use this report.

### **Sampling History Report**

The Sampling History Report generates counts of parameters collected at any number of stations during a specified time period. The report bases the counts on certain parameters that are representative of the type of sampling being counted. For instance, the presence of a result for Aluminum in Water might indicate a 'Metals in Water' sampling event. This report is good for tracking monitoring activities through time. It might also be useful for checking the completeness of a monitoring effort.

### **Selective Data Report**

The Selective Data Report allows retrieval of monitoring data at any number of stations for any number of parameters. The report allows for retrieving data in a 'horizontal' format for easier use in spreadsheets. The report also has a summary function that will provide counts of exceedances (where screening criteria exist) and basic statistics. This report limits output to 100 stations, 1,000 parameters, and 50,000 rows of results.

### **Single Parameter Report**

The Single Parameter Report provides a statistical analysis of measurement results for a single parameter (there are also a few hierarchical parameter sets) at up to 20 stations. The report will display the measurement values, count exceedances of criteria for parameters with numeric criteria (Standards), and provide statistical summaries of the data. There are also several options for marking data by season and month. The data can be easily imported into Excel for graphing.

### **Upload Tracking Info Report**

This report is used to track the various datasets that are loaded by data managers into SWQMIS. Generally only data managers use this report.

### **Biological Raw Data Report**

The Biological Raw Data report allows you to create a text file of event data, results data, or a combination of the two for monitoring stations according to the criteria you specify. If the sample event has at least one biological sample set then the event is treated as a biological event and all the data from this sample event will be generated in the report output. The physical and chemical data associated with the biological event will also be reported in the biological raw data report.

### **Sampling Advanced Search**

This report is available for data managers to use in validating data collected by TCEQ Regional Staff. The report is also available for TCEQ Regional Staff to search for data already manually entered into SWQMIS and available at Pre-Production status levels Pre-RG and Pre-DM. The report has three checkboxes that allow the user to select for “Only Unvalidated Sample Sets”, “Only Outliers” or “Only Acquired Data Sample Sets”.

### **Data Requests**

In the event that none of these database reports are appropriate, you can contact the data manager of your program area via email to [request data](#). Please include as much detail about your target dataset as possible in the e-mail. Please use the [Standard Data Request Form](#) or [Non-Standard Data Request Form](#) when submitting your request. Complete and submit the form using the appropriate [instructions](#).

# Chapter 12 – Biological Data Recording and Reporting

---

## Introduction

This chapter describes the methods used to report biological data to the SWQMIS database. Prior to sampling for biological data, a Quality Assurance Project Plan (QAPP) or Quality Assurance Plan (QAP) must be in place. The QAPP or QAP must include specific details about scheduled biological monitoring. The QAPP or QAP must include language that communicates that the data deliverable will be submitted only in an electronic format (no paper packets can be submitted). SWQMIS uses the Sample Event and Sample Set structure. This structure is a one-to-many relationship with one Sample Event (the entire biological monitoring event) containing multiple Sample Sets. Each Sample Set represents an individual biological Sampling Category, such as Nekton Electrofishing, Nekton Seining, or Benthic Macroinvertebrates Rapid Bioassessment Qualitative. The sample trip, made up of these individual Sample Sets, is the Sample Event. The following sections provide detail on reporting biological data through manual data entry ([TCEQ Regional and Central Office Staff](#)) or through flat file loading ([TCEQ Partner Agencies and Contractors](#)).

## Biological Data Specifics – All Providers

Each biological Sample Event is composed of Sample Sets. Some of these Sample Sets are biological (Nekton Electrofishing, Nekton Seining, etc) and some are non-biological (24 Hour Data and Routine Chemistry), but all are included in the Sample Event. Each biological Sample Set must include the Parameter Code 89888 which identifies that Sample Set as containing biological data. The value selected for Parameter Code 89888 will be determined by the Sampling Category (see Table 12.1).

To see how parameters are grouped under each sampling category, refer to [Chapter 6 of the DMRG Commonly Reported Parameter Codes for Biological Data](#).

Parameter Code 89888

Biological Data Reporting	
Values for Sampling Category Parameter Code 89888	
Value	Value Description
1011	Nekton Summary and Metadata
1012	Nekton Electrofishing
1013	Nekton Seining
1014	Nekton Observation
1015	Nekton Hoop Net
1016	Nekton Hook and Line
1017	Nekton Castnet
1018	Nekton Trawl
1019	Nekton Water Intake Screen
10111	Nekton Gill Net
2011	Benthic Macroinvertebrates Rapid Bioassessment Qualitative

Biological Data Reporting	
Values for Sampling Category Parameter Code 89888	
Value	Value Description
2012	Benthic Macroinvertebrates Quantitative Protocol
2013	Benthic Macroinvertebrates Other Protocol
3011	Habitat TCEQ Parts 1, 2, and 3 Protocol
3012	Habitat EPA EMAP Protocol
4011	Algae Diatoms
4012	Algae Soft Benthic Not Diatoms
4013	Algae Phytoplankton
4014	Algae Visual Algal Assessment
501	Zooplankton
601	Macrophytes
6011	Macrophytes Seagrass
6012	Macrophytes Freshwater
6013	Macrophytes Other

Data providers must record and report biological data in adherence to the QAPP/QAP under which the data was collected.

Careful attention must be given to the reporting of each data type or sampling category, and the list of parameters expected for each data type and sampling category. See [Chapter 6 for the Commonly Reported Parameter Codes and Table 12.1 for specific values used to report for Parameter Code 89888 for each sampling category.](#)

Biological data must be reported by the end of the fiscal year following the year it was collected, or as specified in the data provider’s contract. Data providers must record and report biological data in a specific manner, as described in this chapter.

### **TCEQ Regional and Central Office Staff**

TCEQ staff report their biological data via manual data entry into SWQMIS and select the data type and sampling category on the Sample Set metadata screen.

TCEQ staff is required to create Sample Events and Sample Sets, and report biological data electronically through SWQMIS within the fiscal year following the year that the data were collected. When TCEQ staff enters and publishes data, SWQMIS assigns the data the status of pre-production data management (PREDM).

Note that when reporting biological data via manual data entry, data are reported with a Sample Type of ‘C’ for Composite, a Composite Category of ‘B’ for both Time and Space, and a Composite Type of ‘CN’ for Continuous. All of these fields are required when submitting biological data to SWQMIS (see Chapter 7).

### **BLOB Files**

Reporting biological monitoring data also requires attaching Binary Large Object (BLOB) files to the SWQMIS Sample Event and/or Sample Sets. BLOB files reported with the biological data include site maps, the [Stream Physical Characteristics Worksheet](#) with the transect data, fish voucher photos, or other biological data-related images. The BLOB file attachment must be named



in a format that includes the station ID, water body name, sample end date, and type of file (e.g., 13486-GreensCreek-24May2013-HabitatTransectWorksheets).

BLOB files can be attached at the Sample Event and Sample Set levels in SWQMIS by all TCEQ staff permitted to enter field data into SWQMIS. The maximum size for each attachment is 15 MB and a maximum of 5 attachments can be added to each Sample Event and/or Sample Set. The maximum allowed length of the required attachment description is 250 characters.

TCEQ data validators typically expect five BLOB files for each Sample Event for biological data. These are shown in Table 12.2 below.

Table 12.2 Typical BLOB Files

<b>BLOB</b>	<b>Form/Description</b>	<b>Attached To</b>
ALM checklist*	Aquatic Life Monitoring and Habitat Assessment Checklist	Sample Event
Site map*	A map of the area where biological data collection has occurred; samples were collected	Sample Event
Voucher photos	See SWQM Procedures Manual, Volume 2, for guidance on vouchering that applies to the entire biological Sample Event	Nekton Summary and Metadata Sample Set
Habitat transect photos	File that contains photos	TCEQ Habitat Protocol Sample Set
Habitat transect worksheet	Stream Physical Characteristics Worksheet with the transect data	TCEQ Habitat Protocol Sample Set
Other	Any other file discussed between the collector and the TCEQ project manager and specified in the QA document	Sample Event or Sample Set as discussed with TCEQ project manager

\*The ALM Checklist and Site Map are often combined into a single BLOB.

For individual Sample Sets, there can be more than one attachment. Each attachment, when open, should display the Monitoring Station ID, Collection Date and where possible, the Station Short Description. All voucher photos for a single SWQMIS Sample Event should be combined into one document whether or not several different collection methods were used (shocking, seining, etc.); please include species names next to voucher photos. Likewise, all habitats transect photos for a single Sample Set should be combined into one document; please include the view orientation next to these photos. These attachments may be in a PDF format, Microsoft Word format, or PowerPoint format. BLOB examples are provided at the end of this chapter.

### **Laboratory Information Management System (LIMS)**

If a Sample Event involves TCEQ staff collecting biological data as well as water samples for analysis, a Request for Analysis (RFA) form is required. In addition, staff must create a Sample Set within the biological Sample Event for the lab data (one Sample Set per RFA). See [Chapter 14](#) for details on RFAs. The laboratory then reports these data to DM&A, and they are loaded into SWQMIS by a TCEQ data manager.

## **TCEQ Partner Agencies and Contractors**

### **Biological Data Contractor Deliverables**

Partners and contracted monitoring entities report biological data via pipe delimited flat files. A separate Tag ID should be assigned for each type of data collected during a biological sampling event. Each Tag ID represents a SWQMIS Sample Set and must include a record for parameter code 89888 if the Sample Set is reporting one of the Sampling Categories listed in Table 12.1.

There is no difference in format between biological data flat files and routine surface water quality monitoring data flat files that are delivered by a TCEQ partner agency or contractor (see [Chapter 7 of the DMRG](#) for the flat file format). [Chapter 6 of the DMRG](#) references biological data Sampling Categories and indicates the Sampling Category value, Composite Type and Category, and parameter descriptions with codes the TCEQ project managers anticipate to be reported. Each record should be assigned a Tag ID such that related parameters are grouped together into Sample Sets based on the value that is entered for parameter code 89888. The preferred method of delivery of biological data is in an electronic format as data deliverables; TCEQ project managers will accept hard-copies of biological data forms in addition to, rather than in lieu of, electronically formatted data. The electronic files submitted should consist of the ASCII pipe-delimited flat files, plus any additional files specified by the project manager or contract. BLOB files would be included as additional files. The additional files will be loaded as attachments to the electronic data in SWQMIS at the SWQMIS Sample Event and Sample Set levels by TCEQ. Electronic data provided by partner or contract entities should include a README.txt file that lists each BLOB submitted. Each line or record in this list includes three elements: 1) the BLOB file name, 2) a description of the BLOB, and 3) the Sample Event or Sample Set ID to which the BLOB should be attached. Providing this information helps the TCEQ staff attach BLOB files to the correct Sample Event or Sample Set in the Production environment of SWQMIS.

The partner or contractor-collected data is provided to the TCEQ following a test upload by the partner or contractor into the Test environment of SWQMIS. If the test upload is successful, the data deliverable will then be provided to the TCEQ Project Manager.

### **Required Files for Biological Data Submissions:**

- ASCII Pipe-Delimited EVENT Text File
- ASCII Pipe-Delimited RESULT Text File
- README.txt File
- BLOB Files

## **Event File Format**

The generic format of the Sample/Event file is shown below:

```
TagID|StationID|EndDate|EndTime|EndDepth|StartDate|StartTime|StartDepth|
Category|Type|Comment|SubmittingEntity|CollectingEntity|
MonitoringType
```

## **Results File Format**

The generic format of the Results file is shown below:

```
TagID|EndDate|ParameterCode|GT/LT|Value|LOD|LOQ|QualifierCode|VerifyFlag
```

The Results file will have one or more records associated with each Event record. Please remember to include one record for parameter 89888 in each biological Sample Set.

## **README File Format**

The generic format of the README file is shown below:

```
File|Description|Tag ID
```

If the file will be attached to a Sample Event, please enter 'Sample Event Level' in the Tag ID field.

## **Examples**

The following examples are provided:

1. README file
2. ALM Summary Report and Site Map
3. Voucher Photos
4. Habitat Photos
5. Habitat Worksheet

**EXAMPLE 1: README File**

File|Description|Tag ID

17471-LlanoRiver-2013-ALMSummaryReport.pdf|Summary, ALM checklist, site map, precipitation and flow graph for the Llano River sampling event.|Sample Event Level

17471-LlanoRiver-21May2013-FishVoucherPhotos.pdf|Voucher photos for May 21, 2013 Llano River fish collection.|L109655

17471-LlanoRiver-21May2013-HabitatTransectPhotos.pdf|Habitat transect photos for the May 21, 2013 Llano River sampling event.|L109644

17471-LlanoRiver-21May2013-HabitatTransectWorksheets.pdf|Habitat transect data and map for the May 21, 2013 Llano River sampling event.|L109644

17471-LlanoRiver-2013-ALMSummaryReport.pdf|Summary, ALM checklist, site map, precipitation and flow graph for the Llano River sampling event.|Sample Event Level

17471-LlanoRiver-10Jul2013-FishVoucherPhotos.pdf|Voucher photos for the July 10, 2013 Llano River fish collection.|L109623

17471-LlanoRiver-10Jul2013-HabitatTransectPhotos.pdf|Habitat transect photos for the July 10, 2013 Llano River sampling event.|L109669

17471-LlanoRiver-10Jul2013-HabitatTransectWorksheets.pdf|Habitat transect data and map for the July 10, 2013 Llano River sampling event.|L109669

17472-PedernalesRiver-2013-ALMSummaryReport.pdf|Summary, ALM checklist, site map, precipitation and flow graph for the Pedernales River sampling event.|Sample Event Level

17472-PedernalesRiver-30Mar2013-FishVoucherPhotos.pdf|Voucher photos for the March 30, 2013 Pedernales River fish collection.|L109629

17472-PedernalesRiver-30Mar2013-HabitatTransectPhotos.pdf|Habitat transect photos for the March 30, 2013 Pedernales River sampling event.|L109628

17472-PedernalesRiver-30Mar2013-HabitatTransectWorksheets.pdf|Habitat transect data and map for the March 30, 2013 Pedernales River sampling event.|L109628

17472-PedernalesRiver-2013-ALMSummaryReport.pdf|Summary, ALM checklist, site map, precipitation and flow graph for the Pedernales River sampling event.|Sample Event Level

17472-PedernalesRiver-09Jul2013-FishVoucherPhotos.pdf|Voucher photos for the July 9, 2013 Pedernales River fish collection.|L109636

17472-PedernalesRiver-09Jul2013-HabitatTransectPhotos.pdf|Habitat transect photos the for the July 9, 2013 Pedernales River sampling event.|L109635

17472-PedernalesRiver-09Jul2013-HabitatTransectWorksheets.pdf|Habitat transect data and map for the July 9, 2013 Pedernales River sampling event.|L109635

20641-ColoradoRiver-2013-ALMSummaryReport.pdf|Summary, ALM checklist, site map, precipitation and flow graph for the Colorado River sampling event.|Sample Event Level

20641-ColoradoRiver-26Mar2013-FishVoucherPhotos.pdf|Voucher photos for the March 26, 2013 Colorado River fish collection.|L109656

20641-ColoradoRiver-26Mar2013-HabitatTransectPhotos.pdf|Habitat transect photos for the March 26, 2013 Colorado River sampling event.|L109654

20641-ColoradoRiver-26Mar2013-HabitatTransectWorksheets.pdf|Habitat transect data and map for the March 26, 2013 Colorado River sampling event.|L109654

20641-ColoradoRiver-2013-ALMSummaryReport.pdf|Summary, ALM checklist, site map, precipitation and flow graph for the Colorado River sampling event.|Sample Event Level

20641-ColoradoRiver-31Jul2013-FishVoucherPhotos.pdf|Voucher photos for the July 31, 2013 Colorado River fish collection.|L109662

20641-ColoradoRiver-31Jul2013-HabitatTransectPhotos.pdf|Habitat transect photos for the July 31, 2013 Colorado River sampling event.|L109653

20641-ColoradoRiver-31Jul2013-HabitatTransectWorksheets.pdf|Habitat transect data and map for the July 31, 2013 Colorado River sampling event.|L109653

20662-SanSabaRiver-2013-ALMSummaryReport.pdf|Summary, ALM checklist, site map, precipitation and flow graph for the San Saba River sampling event.|Sample Event Level

20662-SanSabaRiver-27Mar2013-FishVoucherPhotos.pdf|Voucher photos for the March 27, 2013 San Saba River fish collection.|L109642

## Aquatic Life Monitoring and Habitat Assessment Checklist

### Background Information

Name of water body: San Saba River  
 Segment number: 1416 Station ID: 20662  
 On segment:  Yes  No  
 Permit number, if applicable: N/A Circle monitoring objective:  ALM  ALU  UAA  RWA  
 Historic stream characterization:  
 Intermittent  Intermittent with perennial pools  Perennial  Unknown  
 sufficient to support significant aquatic life use

Basis for historic stream characterization (describe): **Observation and historical flow records**

Current aquatic life use designation (if classified segment or site specific standard determined):  
 Exceptional   High  Intermediate  Limited

Current assessment on the 2010 Water Quality Inventory, 305(b) Report: Bacteria  
 Supported  Partially Supported   Not Supported  Concern  Not Assessed

Field data entry (FDE) information: N/A Date entered into FDE: N/A RTAG#: N/A  
 (TCEQ regional biologists only)

Field data (CRP partners only): Tag#: Index: N/A  
 Critical: N/A

### Objective for Aquatic Life Use Assessment

Is the water body supporting its designated uses?  Yes  No Reason:

Known or potential causes of aquatic life use impairment:

Identify sources of pollution:  
 Point source:  Yes  No Identify:  
 Nonpoint source:  Yes  No Identify: wildlife, agriculture, human activity

Ambient toxicity tests in water body? Yes   No

Results	Sediment Chronic	Sediment Acute	Water Chronic	Water Acute
Significant effect				
No significant effect				

### Monitoring Information

Biological monitoring conducted during index period (03/15 to 06/30 and 10/01 to 10/15 and critical period (07/01 to 09/30).

Stream characterization event 1, date: 3/27/2013

Dry	Pools covering % of the meters assessed	<input checked="" type="radio"/> Flowing at 31 cfs (measured)
-----	---	---

Note: If sampling event for RWA, characterize the receiving stream upstream of the existing discharge point or downstream of the proposed discharge point.

Stream characterization event 2, date: 7/24/2013

Dry	Pools covering - % of the - meters assessed	<input checked="" type="radio"/> Flowing at 31 cfs (measured)
-----	---	---

Describe conditions which may have adversely affected stream during each sampling event (for example, recent rains, drought, construction): Severe drought

**EXAMPLE 2: ALM Summary Report and Site Map – page 2 of 3**

**Nekton sampling event 1:**

Minimum 15-minute (900 seconds) electrofishing:  Yes No  
 Minimum 6 seine hauls (or equivalent effort to sample 60 meters):  Yes No  
 Fish sampling conducted in all available habitat types:  Yes No  
 If no, please describe why:

**Benthic macroinvertebrate sampling event 1:**

Indicate method(s) used:  
 Rapid bioassessment (5-minute kicknet or snags): X  
 Quantitative (Surber, snags, or dredge):     

**Habitat assessment event 1:**

TCEQ habitat protocols:  Yes No

**Stream flow measurement event 1**

Instantaneous flow measurement:  Yes No  
 USGS gauge reading: Yes  No

**Nekton sampling event 2:**

Minimum 15-minute (900 seconds) electrofishing:  Yes No  
 Minimum 6 seine hauls (or equivalent effort to sample 60 meters):  Yes No  
 Fish sampling conducted in all available habitat types:  Yes No  
 If no, please describe why:

**Benthic macroinvertebrate sampling event 2:**

Indicate method(s) used:  
 Rapid bioassessment (5-minute kicknet or snags): X  
 Quantitative (Surber, snags, or dredge):     

**Habitat assessment event 2:**

TCEQ habitat protocols:  Yes No  
 If no, flow, wetted channel width, photographs, description of bank conditions relative to first event, and description of canopy cover conditions relative to first event must be provided in this packet:

**Stream flow measurement event 2**

Instantaneous flow measurement:  Yes No  
 USGS gauge reading: Yes  No

**Assessment Results (Optional)**

**Fish community index event 1:**

Exceptional  High Intermediate Limited

**Fish community index event 2:**

Exceptional  High Intermediate Limited

**Benthic macroinvertebrate community index event 1:**

Exceptional  High Intermediate Limited

**Benthic macroinvertebrate community index event 2:**

Exceptional  High Intermediate Limited


**Habitat index event 1:**

Exceptional  High Intermediate Limited

**Habitat index event 2:**

Exceptional  High Intermediate Limited

EXAMPLE 2: ALM Summary Report and Site Map – page 3 of 3





Example 3: Voucher Photos – page 1 of 2

San Saba River at San Saba CR 340

TCEQ ID 20662

*Aplodinotus grunniens*

fish voucher photos

03/27/2013



*Astyanax meicanus*



Example 3: Voucher Photos – page 2 of 2

San Saba River at San Saba CR 340  
TCEQ ID 20662

fish voucher photos  
03/27/2013

*Carpoides carpio*



*Cyprinella lutrensis*



**Example 4: Habitat Photos – page 1 of 2**

**San Saba River at San Saba CR 340  
TCEQ ID 20662**

**Habitat Transect Photos  
03/27/2013**



**Upstream View**



**Left Bank View**



**Right Bank View**

**Transect 1**



**Downstream View**

**Example 4: Habitat Photos – page 2 of 2**

**San Saba River at San Saba CR 340  
TCEQ ID 20662**

**Habitat Transect Photos  
03/27/2013**



**Upstream View**



**Left Bank View**



**Right Bank View**

**Transect 2**



**Downstream View**

Example 5: Habitat Worksheet – page 1 of 2

Stream Physical Characteristics Worksheet							
Observers:	Djurecka, Dcowan, Jwoods, CPetri, FMe		Date:	3/27/2013	Time:	11:00	
Weather Conditions:	Partly Cloudy, 45 deg F, N wind at 15 mph						
Stream:				Site ID:	20662	Segment:	
Location of site:	San Saba River at San Saba CR 340			Reach:	500 m		
Obs Stream Uses:	Recreation, Agriculture						
Stream Type:	perennial		intermittent with perennial pools				
Stream Bends:	4	Well Defined:	2	Mod Defined:	2	Poor Defined:	0
Aesthetics	wilderness	natural		common	offensive		
Channel Obstr/Mods:	0			Number of Riffles:			1
Channel Flow Status:	high	moderate		low	no flow		
Riparian Vegetation	Left	Right	Stream Flow:	31 cfs	Max Pool Depth:	3.5 m	
% Trees	15	8	Transect placement relative to a fixed point:				
% Shrubs	10	3					
% Grasses&Forbs	27	36					
% Cult. Fields	0	0					
% Other	48	53					
Notes:							
Site Map:							
<p>An aerial satellite photograph showing a stream reach. The stream flows from the bottom left towards the top right. Several red pins are placed along the stream, connected by thin red lines, indicating the locations of transect placements. The surrounding landscape is a mix of green vegetation and greyish-brown rocky or cleared areas. A road is visible on the right side of the stream.</p>							

Example 5: Habitat Worksheet – page 2 of 2

Habitat Transect Data						
Date	3/27/2013					
Site	San Saba River at San Saba CR 34f					
TCEQ ID	20662					
	Transect 1	Transect 2	Transect 3	Transect 4	Transect 5	Transect 6
Stream Type (Riffle, Run, Glide, or Pool)	RI	G	RU	P	P	P
Stream Width	23.8	12.4	24	57	57	50.5
Left Bank Slope	90	60	15	125	125	90
% Left Bank Erosion	15	25	40	75	80	80
Left Bank Width of Natural Buffer Vegetation	>20	>20	>20	>20	>20	>20
Right Bank Slope	75	25	3	35	90	25
% Right Bank Erosion	70	70	5	80	70	70
Right Bank Width of Natural Buffer Vegetation	>20	>20	>20	>20	>20	>20
% Tree Canopy	32.4	39.7	0.0	47.1	50.0	50.0
Dominant Substrate Type <small>(1=clay, 2=silt, 3=sand, 4=gravel, 5=cobble, 6=boulder, 7=bedrock, 8=other)</small>	5	2	3	2	7	2
Stream Depth at Point 1	0.10	0.02	0.03	0.28	0.10	0.50
Stream Depth at Point 2	0.03	0.18	0.25	1.00	1.28	1.45
Stream Depth at Point 3	0.04	0.36	0.43	0.90	1.90	2.60
Stream Depth at Point 4	0.00	0.55	0.22	0.70	1.94	3.22
Stream Depth at Point 5	0.12	0.75	0.53	0.72	1.88	3.50
Stream Depth at Point 6	0.15	0.80	0.22	0.88	2.00	3.44
Stream Depth at Point 7	0.23	0.76	0.16	0.93	2.00	3.38
Stream Depth at Point 8	0.13	0.72	0.18	1.12	1.90	3.30
Stream Depth at Point 9	0.14	0.45	0.20	1.35	1.94	3.20
Stream Depth at Point 10	0.07	0.31	0.15	1.03	1.63	2.01
Stream Depth at Point 11	0.03	0.03	0.12	0.30	0.30	0.65
% Substrate Gravel or Larger	98	30	5	40	50	0
Maximum Thalweg Depth	0.23	0.8	0.53	2	2	3.5
% Instream Cover	85	15	30	25	10	10
Macrophyte Abundance <small>1=Abundant, 2=Common, 3=Rare, 4=Absent</small>	2	2	1	1	4	3
Algae Abundance <small>1=Abundant, 2=Common, 3=Rare, 4=Absent</small>	2	3	3	3	3	3
Left Bank % Trees	20	10	0	20	25	15
Left Bank % Shrubs	40	0	15	0	0	5
Left Bank % Grasses, Forbs	20	60	45	20	5	10
Left Bank % Cult Fields	0	0	0	0	0	0
Left Bank % Other	20	30	40	60	70	70
Right Bank % Trees	10	10	0	10	5	10
Right Bank % Shrubs	20	0	0	0	0	0
Right Bank % Grasses, Forbs	20	30	80	20	30	35
Right Bank % Cult Fields	0	0	0	0	0	0
Right Bank % Other	50	60	20	70	65	55
Transect Latitude	31.19072	31.19003	31.18950	31.18908	31.18872	31.18794
Transect Longitude	-98.90272	-98.90322	-98.90381	-98.90467	-98.90558	-98.90600

# **Chapter 13 – Monitoring Type Codes**

Monitoring Type Codes are assigned by DM&A at the request of TCEQ Programs—CRP, SWQM, CWQMN, TMDL, WQ Standards, NPS. These codes are used to designate the bias and intent of sample collection.

Data reporting entities request new codes by submitting a [Submitting Entity/Collecting Entity/Monitoring Type/Tag Prefix Request and Review Checklist](#) to DM&A.

Submitting entities can obtain this form from multiple locations. For SWQMIS users, the forms are in the SWQMIS module named 'Forms'. Those with access to the TCEQ via the internet can locate the forms on the [DM&A Form page](#).

## **Choosing the Appropriate Monitoring Type Code**

Below is the guidance for choosing the appropriate codes. If assistance is needed, please contact your TCEQ Project Manager or the program area data manager.

### **Characters One and Two**

The first two characters of the Monitoring Type Code is used to convey information about bias in sampling to end data users, so the first two characters of the code are determined by any targeted sampling conditions.

<b>Code</b>	<b>Description</b>	<b>Use this code if your samples are:</b>
RT	Routine Monitoring	scheduled in advance without intentionally trying to target any certain environmental condition; Samples are collected regardless of the conditions encountered
BS	Biased Season	scheduled for a certain time of year because the sample means to capture the conditions characteristic of that time of year; samples are collected regardless of the flow condition encountered
BF	Biased Flow	not precisely scheduled in advance because they target a certain flow condition that must be present in order for the sample collection to occur
BE	Biased Event	not typically scheduled in advance; monitoring is reactive to an emergency condition
CD <sup>1</sup>	Continuous Data	LEADS data generated by the CWQMN— monitoring intent not characterized
CE <sup>1</sup>	Continuous Event	individual measurements from continuous monitoring targeted toward a specific event— code the summary statistics “BE”

<b>Code</b>	<b>Description</b>	<b>Use this code if your samples are:</b>
CF <sup>1</sup>	Continuous Flow	individual measurements from continuous monitoring targeted toward certain flow conditions—code the summary statistics “BF”
CS <sup>1</sup>	Continuous Season	individual measurements from continuous monitoring targeted toward a certain time of year—code the summary statistics “BS”
CT <sup>1</sup>	Continuous Routine	individual measurements from continuous monitoring not intentionally targeted toward any environmental condition—code the summary statistics “RT”

<sup>1</sup>Continuous monitoring samples include CWQMN, and the individual grab samples that are collected during continuous sonde deployments such as 24-hr DO monitoring.

### **Characters Three and Four**

The last two characters of the code are determined by the intent or objective of the monitoring activity.

<b>Code</b>	<b>Description</b>	<b>Use this code if your monitoring is:</b>
UA	Use Attainability Analysis	a structured scientific assessment of the factors affecting the attainment of uses of a water body
SI	Source Identification	monitoring intended to establish the origin of a recognized impairment or degradation of the water body the project is monitoring
RW	Receiving Water Assessment	a structured scientific water quality characterization of a water body that is or will be receiving run off or discharge from a permitted entity
LF	Load Contributions	intended to define or quantify the amount of loading of a certain parameter or parameters a water body is receiving
PD	Permit Development	related to permit actions not covered by another monitoring type code
SD	Standards Development	related to standards development and is not covered by another code
BA	BMP Effectiveness Monitoring	related to BMP effectiveness monitoring and is not covered by another code
TF	Model Calibration and Verification	related to calibrating or verifying an environmental model and is not covered by another code
WD	Watershed Characterization	solely intended to understand the basic physical, environmental, and human elements of the watershed



## Examples of Four Character Codes

RTSI	Sampling scheduled in advance and is not intentionally targeting any environmental condition. Rather than trying to establish a baseline at the site, the sampling is intended to identify the origin of a recognized impairment or degradation of the water body.
BFLF	Sampling occurs only if a certain flow regime is encountered. The ultimate goal of the sampling effort is to define or quantify the amount of loading of a certain parameter or parameters the water body is receiving.
BSSD	Sampling scheduled at a specific time of year. The data will be used in developing the TSWQS, and no other code is more specific to the intent of the sampling.

**Note that RT and BS can be used without a 3<sup>rd</sup> and 4<sup>th</sup> character, as long as the sampling is intended to establish baseline conditions of the monitoring site.**

## Quality Assurance Codes

These code are used to identify quality assurance sample events, and do not require the 3<sup>rd</sup> and 4<sup>th</sup> character codes.

Code	Description
CQ <sup>1</sup>	Continuous QA
EB	Equipment Blank
FB	Field Blank
FS	Field Split
TB	Trip Blank
QA	Quality Assurance

**<sup>1</sup>Continuous monitoring samples include CWQMN, and the individual grab samples that are collected during continuous sonde deployments such as 24-hr DO monitoring.**

## Retired Monitoring Type Codes

These codes are no longer in use, but are still associated with historical data.

AC	Arroyo Colorado Assessment—for Arroyo Colorado Shrimp Farm Project
AF	Biased flow monitoring targeted toward certain flow conditions (e.g. runoff event) and collected by an automated sampling device.
BN	Biological—not for use determination (collection consistent with TCEQ protocol, does not meet TCEQ vouchering requirement)
CM	Citizen monitoring
DI	Diel sampling—multiple field measurements conducted over a 24-hour period and/or summary 24-hour D.O. statistics
DL	303(d) List related monitoring—additional sampling to further characterize the extent and severity of 303(d) listed impairments
ER	Ecoregion study
EX	Experimental analytical samples—samples from test sites and equipment samples set to the lab for analysis.
FL	Flow monitoring study—flow monitoring to support permit actions
GR	TCEQ Data Management general review

IS	Intensive/systematic—sub-watershed monitoring on a cyclical basis
NA	DQO's not appropriate for 305(b) Assessment
NI	DQO's not appropriate for 305(b) 24 hour data
NP	Nonpoint source sampling—samples that characterize non-point source loading
NS	Non-surface water sampling
RG	Rio Grande Toxic Substance Study—for TCEQ Central Office RGTSS only
RS	Real-time continuous monitoring
SE	Special event—sampling done at fish kills, spills, flood events, etc.
SS	Special study—for monitoring scheduled as part of an approved special study
TI	24-hour sampling collected under a TMDL QAPP; multiple field measurements conducted over a 24-hour period and/or summary 24-hour D.O. statistics
TM	Targeted monitoring
TN	Sampling collected under a TMDL QAPP, but not appropriate for 305(b) assessment
TQ	Sampling collected under a TMDL QAPP and is appropriate for 305(b) assessment
TS	Targeted Monitoring Special Study—site specific monitoring to support permit actions
XN	SWQM acquired nonpoint source sampling
XR	SWQM acquired routine/baseline water sampling
XS	Data acquired by SWQM for special studies
XX	Type of sampling unknown—historical data

# **Chapter 14 – Request for Analysis Form**

A Request for Analysis Form (RFA) is used only by TCEQ field collectors to request laboratory analysis of samples. Additional information is provided below.

## **Life Cycle of an RFA**

1. Collector creates an RFA in SWQMIS.
2. Collector collects water, sediment and biological samples in the field.
3. Collector matches these samples with their associated RFAs.
4. Collector ships samples with their associated RFA to the lab for analysis.
5. Laboratory processes samples and RFAs.
6. Lab sends RFAs and Lab Reports to DM&A.
7. DM&A reviews RFAs and Lab Reports prior to validating data in SWQMIS.
8. DM&A validates data and sends the validated RFAs and Lab Reports to Regions.
9. Regions file and keep RFAs according to the retention schedule.

## **How Many RFAs are Needed?**

- 1 RFA for each media type—water, sediment, tissue are always submitted on separate RFAs
- 1 RFA for each of the following monitoring types;  
routine monitoring (RT)  
equipment blank (EB) for dissolved metals  
field blanks (FB) for both total metals and total Hg on single RFA

**Example:** ambient metals-in-water samples collected  
RFA for all metals in ambient water (dissolved, total, and total

- 1 Hg)
- 1 RFA for the equipment blank (for dissolved metals)  
RFA for the field blanks (both total metals and total Hg on single
- 1 RFA)

## **RFA Fields**

### ***Information Provided by Field Staff***

*The following RFA information is auto-generated by SWQMIS or filled in by the sample collector.*

#### **RFA Tag #**

Auto-generated by SWQMIS when an RFA is created

#### **Region**

Auto-populated by SWQMIS using region assigned to the RFA Generator's email address

#### **Generator's Email ID**

Auto-populated by SWQMIS using the login information of the user

**Lab**

Select the laboratory that will analyze the samples

**PCA**

Project Code entered by collector

**Station ID**

Enter the sample Station ID

**Segment ID**

Auto-populated by SWQMIS using the selected Station ID

**Collector**

Select collector's name

**Description**

Auto-populated by SWQMIS using the Station ID

**Submitting Entity**

Select the entity submitting the data to SWQMIS; default SE is "WC"(TCEQ)

**Collecting Entity**

Select the entity collecting the samples; default CE is "FO" (TCEQ Regional Office)

**Monitoring Type**

Select the monitoring type based on purpose, refer to DMRG Chapter 13

**Associated Samples – Tag ID**

Select or enter associated RFA Tag IDs for all sample types collected at the station (ambient and QC, if applicable)

**Associated Samples – PC**

Enter the program code for each Tag ID for ambient or QC samples

***Grab Sample -*****Date**

Enter the grab sample date

**End Time**

Enter the grab sample time

**End Depth**

Enter the grab sample depth

***Composite Sample –*****Start Date**

Enter the composite sample start date

**End Date**

Enter the composite sample end date

**Start Time**

Enter the composite sample start time

**Start Depth**

Enter the composite sample start depth

**End Depth**

Enter the composite sample end depth

**Composite Category**

Enter the composite category: T=Time; S=Space; B=Both; F=Flow Weight

T = Time (is not weighted)

S = Space (is not weighted)

B = Both (Time and Space)

F = Flow Weighted (Flow-Weighted Mean Concentrations)

NOTE: For the calculation of the FWMC, data on the concentration, sample time window and flow are required for each sample. The concentration in each sample is weighted by both the time and the flow that accompanied it. The FWMC represents the total load for the time period divided by the total discharge for the time period.

The equation for calculating the FWMC<sup>1</sup> is:

$$FWMC = \frac{\sum_{i=1}^n (c_i * t_i * q_i)}{\sum_{i=1}^n (t_i * q_i)}$$

where  $q_i$  = flow in the  $i^{\text{th}}$  sample

**Composite Type**

Enter the composite type (# of grabs)

**Lab Info –****Specific Conductance**

Enter the field specific conductance value

**Field pH**

Enter the field pH value

**No. containers**

Enter the number of containers accompanying this RFA

**Bacteria Bottle Lot #**

Enter the bacteria bottle lot number

**Hazards or Special Instructions**

Record any hazards or special instructions for the lab

The following RFA information is filled out by the laboratory receiving the samples.

**Information Provided by Laboratory Staff -****Lab #**

A unique Lab ID that identifies the RFA and associated samples when received by the laboratory.

***Received by Lab –***

**Initials**

Record initials of lab staff receiving the sample(s)

**Date**

Record the date that the samples were received by the lab

**Time**

Record the time that the samples were received by the lab

**Cooler Temp**

Record the cooler temperature

**pH checked**

Circle yes if the pH was checked and no if it was not

**Notes**

Lab staff records any notes regarding receipt information

**Chemicals in Water**

Circle only those tests requested

**Metals in Water**

Circle only those tests requested

**Sediment**

Circle only those tests requested

**Organics in Water**

Circle only those tests requested

**Tissue**

Circle only those tests requested; refer to [DMRG Appendix C](#)


**Additional Information**

[SWQM Procedures Volume 1](#)

## **Appendix A - Maps**

---


# TCEQ Regions



- TCEQ Regions
- 1 - Amarillo
  - 2 - Lubbock
  - 3 - Abilene
  - 4 - Dallas-Fort Worth
  - 5 - Tyler
  - 6 - El Paso
  - 7 - Midland
  - 8 - San Angelo
  - 9 - Waco
  - 10 - Beaumont
  - 11 - Austin
  - 12 - Houston
  - 13 - San Antonio
  - 14 - Corpus Christi
  - 15 - Harlingen
  - 16 - Laredo



## Level III Ecoregions of Texas




Adapted from Level III Ecological Regions of North America, Map (1987). Environmental Protection Agency/Jim Omernik.

# Ecoregions of Texas

- 23 Arizona/New Mexico Mountains**
- 23a Chihuahuan Desert Slopes
  - 23b Montane Woodlands
- 24 Chihuahuan Deserts**
- 24a Chihuahuan Basins and Playas
  - 24b Chihuahuan Desert Grasslands
  - 24c Low Mountains and Bajadas
  - 24d Chihuahuan Montane Woodlands
  - 24e Stockton Plateau
- 25 High Plains**
- 25b Rolling Sand Plains
  - 25c Canadian/Cimarron High Plains
  - 25i Llano Estacado
  - 25j Shinnery Sands
  - 25k Arid Llano Estacado


- 26 Southwestern Tablelands**
- 26a Canadian/Cimarron Breaks
  - 26b Flat Tablelands and Valleys
  - 26c Caprock Canyons, Badlands, and Breaks
  - 26d Semiarid Canadian Breaks
- 27 Central Great Plains**
- 27h Red Prairie
  - 27i Broken Red Plains
  - 27j Limestone Plains
- 29 Cross Timbers**
- 29b Eastern Cross Timbers
  - 29c Western Cross Timbers
  - 29d Grand Prairie
  - 29e Limestone Cut Plain
  - 29f Carbonate Cross Timbers

- 30 Edwards Plateau**
- 30a Edwards Plateau Woodland
  - 30b Llano Uplift
  - 30c Balcones Canyonlands
  - 30d Semiarid Edwards Plateau
- 31 Southern Texas Plains**
- 31a Northern Nueces Alluvial Plains
  - 31b Semiarid Edwards Bajada
  - 31c Texas-Tamaulipan Thornscrub
  - 31d Rio Grande Floodplain and Terraces



Griffith, G.E., Bryce, S.A., Omernik, J.M., Comstock, J.A., Rogers, A.C., Harrison, B., Hatch, S.L., and Bezanson, D., 2004, Ecoregions of Texas, U.S. Environmental Protection Agency, Corvallis, OR.

# Texas River and Coastal Basins



# **Appendix B - EPA Stream Station Types**

**Table 1 - EPA Level 1 Stream Station Type Codes and Definitions (one level 1 type code required)**

Type Code	Definition
STREAM	Station samples from a stream. A naturally occurring, freshwater, free-flowing, channeled body of surface water, with regular or seasonal flow, that empties into an ocean, lake, reservoir or another stream. Includes rivers.
CANAL	Station samples from a canal. An artificial, channeled waterway used for navigation, drainage, land irrigation, etc. Includes drainage ditches.
LAKE	Station samples from a lake. An inland body of water, naturally formed.
RESERV	Station samples from a reservoir. A man-made body of water formed by damming or obstructing a stream or river (many 'lakes' are actually reservoirs).
TDLSTR	Tidal streams, e.g., most rivers 'Below Tidal'.
SPRING	Station samples from a spring. A natural flow of groundwater from the earth, which feeds into a stream or body of water on the surface.
POND	Small ponds, i.e., stock tanks, reflecting pool. Not wastewater lagoons.
WELL	Station samples from a well. An artificial excavation from which groundwater is drawn or through which liquid waste is disposed by injection.
FWTLND	Station samples from a freshwater wetland. A tract of soft, wet land saturated and sometimes partially covered with freshwater (where the water table is at or near the surface of the land) or where the surface is covered by shallow freshwater due to seasonal flooding or tidal conditions. Includes swamps and freshwater marshes.
PIPE	Station samples at or within a man-made facility. Includes water supply, wastewater treatment and industrial sites, sewers.
OCEAN	Station samples from an ocean, the open sea.
ESTURY	Station samples from an estuary. That part of a river or stream or other body of water having un-impaired connection with the open sea, whose water is measurably diluted by freshwater derived from land drainage, lagoons, bays.
SWTLND	Station samples from a saltwater wetland. A tract of soft, wet land sometimes partially covered with salt, brackish, or estuarine waters, or the surface of the land is covered by shallow saltwater due to tidal conditions.

**Table 2 - EPA Level 2 Stream Station Type Codes and Definitions (one level 2 type code required)**

Type Code	Definition
AMBNT	Monitoring ambient conditions of the environment. Includes facility intakes pulling directly from an ambient source (for example, STREAM/AMBNT/MUN/INTAKE).
NONAMB	Monitoring at or within a man-made facility. Compliance monitoring falls into this category. Includes sites where facility discharge has directly influenced or impacted though not necessarily polluted the environment (for example, PIPE/NONAMB/OUTFL/NTRTMT).

**Table 3 - EPA Level 3 Stream Station Type Codes and Definitions (required if level 1 code is PIPE; otherwise optional)**

Type Code	Definition
MUN	Municipal (incorporated). Includes water supply or wastewater treatment facilities.
IND	Industrial facility.
CMBMI	Combined MUN and IND.
AGRI	Agricultural site. Includes raw crops, feedlots, grazing, and silviculture (forestry).
DOMEST	Domestic (residential) domicile or facility. Includes water supplies and on-lot septic systems for private dwellings.
DISPOS	Waste (solid or liquid) disposal site.
ABANDN	The site from which samples are gathered is abandoned.
NTRTMT	No pollution abatement has been performed.
PTRTMT	Some, but not all, of the intended pollution abatement has been performed.
TREATD	All of the intended pollution abatement has been performed.
CMBTRT	Combined treatment, where treatment status does not clearly fall into one of the categories defined above. Includes unknown treatment status.
SEWER	Monitoring within a sewer (See level 5 for further identification).
INPLNT	Inside a treatment facility. This type is used in conjunction with plant location co-defined within the STORET User Handbook.

**Table 4 - EPA Level 4 Stream Station Type Codes and Definitions (required if level 1 code is PIPE; otherwise optional)**

Type Code	Definition
INTAKE	Intake or influent.
OUTFL	Outfall, discharge or effluent.
CMBSRC	Combined source (INTAKE and OUTFL).

**Table 5 - EPA Level 5 Stream Station Type Codes and Definitions (required if level 1 is PIPE; otherwise optional)**

Type Code	Definition
BIO	Biological monitoring site (for BIOS Field Survey System).
FISH	Plant or animal matter sampling site.
HAZARD	Site of hazardous or toxic waste or substances.
MONITR	Source monitoring site, monitors a known problem or to detect a specific problem.
NET	Fixed site network station.
NONPN	Nonpoint source pollution. Includes eutrophication, acidification, thermal change, organic nutrients, sedimentation, and hydromodification.
T	Stormwater runoff.
RUNOFF	Sanitary sewer.
SANSWR	Stormwater sewer.
STMSWR	Water supply storage or treatment facility.

# **Appendix C – Fish Tissue Data Reporting Guidance**

---



**Notes:** TCEQ staff collecting fish tissue must submit separate RFAs for each species of fish collected. See [Chapter 14](#) for additional information on completing RFAs. Only TCEQ staff use the RFA form.

All tissue sampling is considered a special study and requires a quality assurance plan that outlines the purpose and type/number of samples required.

## **Tissue Samples—Recording Data on the RFA**

### **Metadata**

Using SWQMIS, the collector completes the metadata area on the upper front portion of the RFA. See [Chapter 14](#) for information on completing an RFA. Following sample collection, the collector completes the Composite Sample section of the RFA.

### **Composite Sample**

A fish tissue sample is always reported as a composite sample (e.g., time and space when electrofishing) even if only one fish is collected. Required fields for composite samples are

- Start Date
- Start Time
- Start Depth—measured, in meters, from the water surface and is the shallowest depth encountered while sampling
- End Date
- End Time
- End Depth—measured, in meters, from the water surface and is the deepest point encountered while sampling
- Composite Category—recorded as “B” for time and space
- Composite Type—equal to the number of individuals in the sample; also record the same number on the lower back portion of the RFA

### **Additional RFA Data Recording**

The collector also completes the area on the lower back portion of the RFA labeled Tissue. This area of the RFA has options for the tissue type or portion of the fish submitted to the laboratory (Parameter Code 74995). Circle either whole fish or fillet; and refer to a more extensive list of anatomical (tissue type) codes in the Data Management Reference Guide (DMRG), [Chapter 6](#). Fields are provided for three other criteria—species, EPA Species Code (Parameter Code 74990), and # of individuals (Parameter Code 81614). Refer to the DMRG, Chapter 6, Commonly Used Parameter Codes, for the various Texas species parameter codes. Record the number of individuals in the sample. This number must agree with the number recorded in Composite Type. Finally, circle the desired suite of analyses to be conducted on the sample. Options are metals, pesticides, organics, or semivolatile organics.

For information on tissue sample collection and target species see SWQM-V1, Chapter 7.

## **Tissue Samples—Reporting Required Data**

TCEQ data collectors with data entry access to SWQMIS report data from the RFA along with

information in the following tables unless otherwise instructed in a project specific QAPP. TCEQ data collectors report this data through the SWQMIS sample set and result data entry system just like other field data is reported to SWQMIS. Once the user is in the SWQMIS Sampling module, locate the sample event and input the Fish Tissue Metadata and Results. Select Sample-Other for the Quality Control Type, Observation for the Data Type, Tissue Sample Metadata for the Sampling Category, and Other should be the Sample Type. Remember to also select the Tissue Type and Species, and to make the correct data input for a Composite sample type.

If data management functions are being performed by a contracting entity, report the data using ASCII pipe-delimited file formats found in [Chapter 7](#) of the SWQM DMRG. This typically applies to CRP/TMDL/NPS contractors, SWQM contractors, or other state agencies such as the Texas Department of State Health Services (TDSHS) or the Texas Parks and Wildlife Department (TPWD) that do not have access to the SWQMIS manual data entry system.

See the tables below for guidance on entering tissue sample data.

**Metadata for Tissue Sample Set - Analytical Data (Manual Data Entry)**

Metadata Element	What to Enter
Quality Control Type	Sample-Other
Monitoring Type	As specified in QA document
Data Type	Analytical Result
Sampling Category	Metals-in-tissue, pesticides-in-tissue, semivolatiles-in-tissue, or volatile organics-in-tissue
Medium	Other
Sample Type	C (Composite)
Start, End, and Deepest Depth	Report values for all three depth fields in meters
Composite Category and Type	Report the category as "B" for both Time and Space, and Type represents the number of organisms sent to the laboratory
Tissue Type and Species	Select the tissue type and species from the system drop-down lists

**Metadata for Tissue Sample Set – Metadata (Manual Data Entry)**

Metadata Element	What to Enter
Quality Control Type	Sample-Other
Monitoring Type	As specified in QA Document
Data Type	Observation
Sampling Category	Tissue sample metadata

Medium	Other
Sample Type	C (Composite)
Start, End, and Deepest Depth	Report values for all three depth fields in meters
Composite Category and Type	Report the Category as B for both Time and Space, and Type represents the number of organisms sent to the laboratory
Tissue Type and Species	Select the tissue type and species from the system drop-down lists

### Common Fish Tissue Specimen Parameters

Parameter Code	What to Enter	Reference
5-Digit, Texas Species Code	Number of individuals	Sample collected, and DMRG, Chapter 6
74990	EPA Species Code	DMRG, Chapter 6
74995	Anatomical Part Code	DMRG, Chapter 6
81614	Number of individuals in tissue sample	Sample collected
81615	Number of species in tissue sample	Always use one species per tissue sample, value=1
00039	Length in millimeters (if one fish)	Sample collected
00019	Weight in grams (if one fish)	Sample collected
84100	Sex of sample	1=male, 2=female, 3=mixed, 4=unknown

### Tissue Samples - Completing the Fish Collection Reporting Form

The Fish Collection Reporting Form is used by TCEQ staff when reporting fish collection activities to SWQM-Central Office (SWQM-CO) staff. The Fish Collection Reporting Form is located in Chapter 7 of the SWQM-V1 (Figures 7.1 and 7.2). Fish tissue collection events conducted within each region are compiled and reported annually to SWQM-CO. SWQM-CO will tally and submit the information to TPWD to fulfill the scientific collection permit requirements. Refer to the Fish Collection Reporting Form for guidance on reporting data for the TPWD Permit Requirements. **Note:** Please do not attach this form to a SWQMIS Sample Event or Sample Set as a BLOB file.

# **Appendix D – Geographic Information Codes**

## Codes for SLOC Requests

The following codes are for use in SLOC Requests through the SWQMIS database and are values for fields listed in Chapter 3. If any entity or program submitting a SLOC Request finds that no appropriate code exists for its needs, please contact Cathy Anderson at [cathy.anderson@tceq.texas.gov](mailto:cathy.anderson@tceq.texas.gov) or (512) 239-1805.

For further reference on data standards, data sources, and other useful links, also consult the TCEQ Geographic Information Systems website at <http://www.tceq.texas.gov/gis/index>.

### *Horizontal Reference*

<b>Code</b>	<b>Definition</b>
FAC_CEN	Center of Facility
FAC_NW	Northwest Corner of Facility
FAC_NE	Northeast Corner of Facility
FAC_SW	Southwest Corner of Facility
FAC_SE	Southeast Corner of Facility
FAC_ENTR	Main Entrance of Facility
STRUC_CEN	Center of Structure/Building
STRUC_NW	Northwest Corner of Structure/Building
STRUC_NE	Northeast Corner of Structure/Building
STRUC_SW	Southwest Corner of Structure/Building
STRUC_SE	Southeast Corner of Structure/Building
STRUC_ENTR	Main Entrance of Structure/Building
OTHER	Other

### *Horizontal Datum*

<b>Code</b>	<b>Definition</b>
NAD83	North American Datum of 1983
NAD27	North American Datum of 1927
WGS84	World Geodetic System of 1984
UNKWN	Horizontal Datum Unknown

### *Horizontal Collection Method*

<b>Code</b>	<b>Definition</b>
GPS_DIFF	Global Positioning System (GPS) - Differential Correction
GPS_UNSPECIFIED	Global Positioning System (GPS) - Non- Differentially

INTERPOLATION-MAP	Corrected Map Interpolation - Digital
INTERPOLATION-PHOTO	Photo Interpolation - Digital
CENSUS BLOCK-1900-CENTROID	Census 1990 - Block Centroid
CENSUS-OTHER	Census Other
ADDMAT_INT	Address Matching - Intersection
ADDRESS MATCHING HOUSE NUMBER	Address Matching - House Number
ADDRESS MATCHING-OTHER	Address Matching - Other
ADDMAT_CL	Address Matching - Center Line
INTERPOLATION-SATELLITE	Interpolation Satellite Imagery
INTERPOLATION-SPOT	Interpolation Satellite Imagery - SPOT
UNKNOWN	Method Unknown

### *Horizontal Accuracy*

#### **Code**

DOQQ

TOPO

GOOGLE MAP

GIS

GPS UNIT

#### **Definition**

1-Meter DOQQ with an accuracy of 5 meters

Has an accuracy of 12 meters

Uses 1-Meter DOQQ's with an accuracy of 5 meters

Uses 1-Meter DOQQ's with an accuracy of 5 meters

The accuracy level reported by the GPS unit

### *Elevation Datum*

#### **Code**

NGVD\_88

NGVD\_29

UNKNOWN

#### **Definition**

North American Vertical Datum of 1988

North American Vertical Datum of 1929

Vertical Datum Unknown

### *Elevation Method*

#### **Code**

DEM\_10

DEM\_30

DEM\_60

DEM\_90

#### **Definition**

Digital Elevation Model - 10 Meter

Digital Elevation Model - 30 Meter

Digital Elevation Model - 60 Meter

Digital Elevation Model - 90 Meter

TOPO

Digital 7.5' United States Geological Survey (USGS)  
Topographic Map

SURVEY

Ground Survey

GPS\_SURV

Global Positioning System (GPS) - Survey Grade  
Receiver

# **Appendix E – Data Qualifiers**

---



Code	Definition	Description and Usage
A	Not Analyzed	This code has been used in the past in datasets where not all parameters in a standard suite were reported. This code is not currently in use.
AA	Value above AWRL	The value reported is above the minimum analytical sensitivity required by the program (documented in the SWQM QAPP).
AQ	Value above quantitation range	The analysis returned a value statistically unreliable based on the capability of the instrument.
B	Bactericidal Effect Indicated	Elements of the sample or preservative are known or have been observed to have an effect on certain or all bacteria present. This qualifier alerts data users that bacteria values may reflect this impact.
BK	Field Blank Precision Failure	The result from a Field Blank (field blank, instrument blank, trip blank, etc.) fell outside the project-specific acceptance limits, and possible cause(s) for the failure must be provided in the comments field.
BL	Blank did not meet SWQM QA criteria	If the blank sample associated with this measurement did not meet SWQM QA criteria, this qualifier marks the data point for exclusion from 305(b) assessment analysis.
BN	Biological specimen not vouchered	Biological specimen not vouchered.
BQ	Analyte detected below quantitation limits	The analyte was detected at a level statistically unreliable based on the capability of the instrument.
C	Chlorine Present	Chlorine present in the sample or during analysis may have affected this result.
CU	Value deemed unreasonable by collector	Collector deems value unreasonable for waterbody, although value not an outlier and parameter passed all QC.
D	Did Not Pass All Q.C. Criteria	This qualifier may aid in decisions regarding data usability, in combination with details that may be in the sample notes describing which criteria were not met.
DU	Duplicate Data	If duplicate data are accidentally loaded into SWQMIS, this qualifier is used to alert the user that certain data points may weight analysis.
E	Lab Error	This qualifier may be used if several errors apply or if a description of the specific error would not aid in data usability decisions.
ES	Estimated Value	A simple alert to the data user that this is not an analytically derived value.
F	No Preserved Sample	An unpreserved sample may still yield some useable data; this code is used to qualify the parameters within that sample that are negatively impacted by lack of preservatives.

Code	Definition	Description and Usage
G	No Sample Submitted	This code has been used in the past for samples where expected/scheduled analyses could not be performed. This code is not currently in use.
H	Hold Time Exceeded	This qualifier may aid in decisions regarding data usability, in combination with information about length of time exceedance that may be in the sample notes.
I	Interference	Interference occurred during analysis; this result is questionable. Any available details should be included in the sample notes.
IO	Incomplete & Unofficial	An alert to the data user that this value is associated with a sample missing required information such as sample depth or sample time. Any available details should be included in the sample notes.
J	All Samples Preserved	Analytes usually quantified from unpreserved samples may be reported even if all samples arrived at the lab preserved.
K	Statistically Unreliable	Collector or analyst review revealed this result to be unreliable or unreasonable. See also code OQ, which may be applicable.
L	Call Lab	This qualifier may be used if several errors apply or if the error requires more explanation than is practical to include in the sample notes. Information from the lab is necessary to make a decision about data usability for parameters with this qualifier.
M	Instrument Failure	Instrument failure occurred during analysis; this result is questionable. Any available details should be included in the sample notes.
ME	Method Not Appropriate for SWQM Assessment	This qualifier may indicate that the value was obtained using alternative or experimental methods. These methods are documented in their specific QAPP but not approved for SWQM 305(b)/303(d) assessment.
N	Container Leaking	A sample container arrived at the lab leaking. Effect on the sample and the resulting data is unknown or unquantifiable. Any available details should be included in the sample notes.
ND	Material Specifically Analyzed For But Not Detected	This qualifier is a value-added remark, usually used when a result value of "less than" the analytical limit is reported. It indicates that while the reported value is correct, the material was not detected at all.
NO	Data Not Collected Under Approved Agency QAPP	These data may be acquired from outside sources without the complete verification and validation against the SWQM QAPP. They may also be data associated with a TCEQ project collected outside its QAPP effective period.
O	Shipping Error	The sample was received with a deficiency incurred during shipping. It may indicate such circumstances as an open or damaged shipping container. See also code N, which may be applicable.

Code	Definition	Description and Usage
OQ	Outlier value deemed questionable by collector	Values outside the SWQMIS minimum/maximum screening levels for that parameter are examined by the data collector. Those that are reasonable for the conditions at the sample location (usually based on the professional expertise of the collector) are verified. Those that are not reasonable are qualified with this code to indicate that some unknown error may have occurred to impact the result.
OR	Results Based on Colony Count Outside Acceptable	Bacteria colony counts outside the proscribed range were used to derive this result; the result is questionable.
P	Total Does Not Warrant TCLP	This informative remark does not indicate that the result is questionable. It is simply a notation to alert the data user that a result value from a fraction analysis is not high enough to necessitate a Toxicity Characteristic Leaching Procedure. The result from fraction analysis is sufficient to make a determination of compliance or toxicity.
PE	Presumptive Evidence of Presence of Material	A simple alert to the data user that this may not be an analytically derived value. This qualifier may also be used to mark an analytical value when the presence of that parameter suggests that another material not specifically analyzed for may be present. Any available details should be included in the sample notes.
PV	Presence of Material Verified But Not Quantified	This code has been used in the past for samples where the analyte quantity was above the limit of detection but below the limit of quantitation. Values with this qualifier are not suitable for use in quantitative data analysis. This code is not currently in use.
Q	Quantity Not Sufficient	This code has been used in the past for samples where expected/scheduled analyses could not be performed due to insufficient sample volume. This code is not currently in use.
R	Improperly Collected Sample	This qualifier alerts the data user that the value is questionable due to a sample collection error. Any available details should be included in the sample notes.
RP	RPD outside accepted recovery limits	This qualifier may aid in decisions regarding data usability, in combination with details that may be in the sample notes describing the actual RPD value associated with the QC sample.
S	Container Broken in Shipment	This code has been used in the past for samples where expected/scheduled analyses could not be performed due to loss or contamination of the sample. This code is not currently in use.
SL	Field Split or Field Duplicate Precision Failure	This qualifier is used when precision between a sample and its Field Split or Field Duplicate exceed project-specific acceptance limits. The precision measurement, criteria, and possible cause(s) for the failure must be provided in the comments field.
SP	Split did not meet SWQM QA criteria	The split sample criteria documented in the SWQM QAPP were not met for this parameter. Any available details about which criteria were not met should be included in the sample notes.

Code	Definition	Description and Usage
SR	Spike recovery outside accepted recovery limits	This qualifier may aid in decisions regarding data usability, in combination with details that may be in the sample notes describing the actual spike recovery value associated with the QC sample.
T	Exceeded Preservation Temperature	The temperature of the sample was beyond the specified preservation limit at time of analysis.
U	Reported Values Less Than Detection Limit	The analysis returned a value statistically unreliable based on the capability of the instrument.
UR	Value deemed unreasonable by DM&A	Values clearly unreasonable but without sufficient documentation (or resources) to cite a more specific error may be flagged with this qualifier.

# References

---

- (1) Texas Commission on Environmental Quality. 2012. Surface Water Quality Monitoring Procedures, Volume 1: Physical and Chemical Monitoring Methods. Publication Number RG-415, August 2012, Austin TX.
- (2) Texas Commission on Environmental Quality. 2014. Surface Water Quality Monitoring Procedures, Volume 2: Methods for Collecting and Analyzing Biological Assemblage and Habitat Data. Publication Number RG-416, May 2014, Austin TX.