

**Texas State Soil and Water Conservation Board
State Nonpoint Source Grant Program**

Proctor Lake Watershed Characterization

TSSWCB Project # 23-51

Quality Assurance Project Plan

Texas State Soil and Water Conservation Board

Revision #0

Prepared by:

Texas A&M AgriLife Research
Texas Water Resources Institute

Effective Period: upon final approval through February 28, 2025

Questions concerning this quality assurance project plan should be directed to:

Duncan Kikoyo
TWRI Research Specialist
duncan.kikoyo@ag.tamu.edu
1001 Holleman Drive East, Suite 106
2118 TAMU
College Station, TX 77840-2118

This Page Left Blank Intentionally

Section A1: Approval Sheet

Quality Assurance Project Plan (QAPP) for the *Proctor Lake Watershed Characterization* project.

Texas State Soil and Water Conservation Board (TSSWCB)

Name: Dakota Massey

Title: TSSWCB Project Manager (PM)

Signature: _____ Date: _____

Name: Mitch Conine

Title: TSSWCB Quality Assurance Officer (QAO)

Signature: _____ Date: _____

Texas AgriLife Research – Texas Water Resources Institute (TWRI)

Name: Duncan Kikoyo

Title: TWRI Project Manager and Data Manager (DM)

Signature: _____ Date: _____

Name: Stephanie DeVilleneuve

Title: TWRI QAO

Signature: _____ Date: _____

Section A2: Table of Contents

Section:	Title	
Section A1:	Approval Sheet	3
Section A2:	Table of Contents.....	4
	List of Acronyms and Abbreviations	6
Section A3:	Distribution List.....	7
Section A4:	Project/Task Organization	8
	Figure A.4-1. Project Organization Chart	9
Section A5:	Problem Definition/Background.....	10
Section A6:	Project Goals and Task Description.....	11
	Table A6-1. Project Plan Milestones	12
	Figure A6-1. Segments and impairment status in the Proctor Lake watershed	13
	Figure A6-2. FDC for streamflow conditions at Guadalupe-Blanco River Authority (GBRA) monitoring station 17406 on Plum Creek, near Uhland, TX. The flow data at 17406 was obtained from the nearest USGS gage station 08172400, after adjusting for subwatershed aerial contribution during runoff events.	14
	Figure A6-3. LDC for <i>E. coli</i> at GBRA monitoring station 17406 on Plum Creek, near Uhland, TX. The flow data at 17406 was obtained from the nearest USGS gage station 08172400, after adjusting for subwatershed aerial contribution during runoff events.	15
Section A7:	Quality Objectives and Criteria for Data Quality	16
Section A8:	Special Training Requirements/Certification	17
Section A9:	Documentation and Records.....	18
	Table A9-1. Project Documents and Records.....	18
Section B1:	Sampling Process Design (Experimental Design)	20
Section B2:	Sampling Methods	20
Section B3:	Sample Handling and Custody	20
Section B4:	Analytical Methods.....	20
Section B5:	Quality Control	20
Section B6:	Instrument/Equipment Testing, Inspection and Maintenance	20
Section B7:	Instrument/Equipment Calibration and Frequency	20
Section B8:	Inspection/Acceptance of Supplies and Consumables.....	20
Section B9:	Data Acquisition Requirements (Non-direct Measurements).....	21

Table B9.1.	Monitoring Data Sources.....	21
Table B9.2.	Non-Direct Data Types and Data Sources for planned acquisition.....	23
Section B10:	Data Management.....	28
Table B10.1.	Hardware and Software used to Support Data Processing	28
Section C1:	Assessments and Response Actions	30
Table C1.1.	Assessments and Response Actions	30
Section C2:	Reports to Management.....	32
Section D1:	Data Review, Validation and Verification.....	33
Section D2:	Validation Methods	34
Section D3:	Reconciliation with User Requirements	35
References		36
Appendix A:	Corrective Action Report.....	38

List of Acronyms and Abbreviations

CAR	Corrective Action Report
CRP	Clean Rivers Program
DEM	Digital Elevation Model
DM	Data Manager
DMRG	Data Management Reference Guide
DQO	Data Quality Objectives
FDC	Flow Duration Curve
GBRA	Guadalupe-Blanco River Authority
GIS	Geographic Information System
LDC	Load Duration Curve
NHD	National Hydrography Dataset
NLCD	National Land Cover Database
NRCS	Natural Resource Conservation Service
OSSF	On-Site Sewage Facility
PM	Project Manager
NWS	National Weather Service
QA	Quality Assurance
QAO	Quality Assurance Officer
QAPP	Quality Assurance Project Plan
QC	Quality Control.
QPR	Quarterly Progress Report
SEG	Segment
SWQM	Surface Water Quality Monitoring
SWQMIS	Surface Water Quality Monitoring Information System
SSO	Sanitary Sewer Overflow
TCEQ	Texas Commission on Environmental Quality
TMDL	Total Maximum Daily Load
TNRIS	Texas Natural Resources Information System
TPWD	Texas Parks and Wildlife Department
TSSWCB	Texas State Soil and Water Conservation Board
TWDB	Texas Water Development Board
TWRI	Texas AgriLife Research, Texas Water Resources Institute
TXDOT	Texas Department of Transportation
USDA	United States Department of Agriculture
USEPA	United States Environmental Protection Agency
USGS	United States Geological Survey

Section A3: Distribution List

Organizations, and individuals within, which will receive copies of the approved QAPP, and any subsequent revisions include:

Texas State Soil and Water Conservation Board

1497 Country View Lane
Temple, TX 76504-8806

Name: Dakota Massey
Title: TSSWCB PM

Name: Mitch Conine
Title: TSSWCB QAO

Texas AgriLife Research - Texas Water Resources Institute

1001 Holleman Drive East, Suite 103
2118 TAMU
College Station, TX 77840-2118

Name: Duncan Kikoyo
Title: TWRI Project Manager/ Data Manager

Name: Stephanie DeVilleneuve
Title: TWRI QAO

Section A4: Project/Task Organization

The following is a list of individuals and organizations participating in the project with their specific roles and responsibilities:

TSSWCB –

Texas State Soil and Water Conservation Board, Temple, Texas. Provide state oversight and management of all project activities and ensure coordination of activities with related projects and TCEQ.

Dakota Massey, TSSWCB PM

Responsible for ensuring that the project delivers data of known quality, quantity, and type on schedule to achieve project objectives. Provides the primary point of contact between TSSWCB and TWRI. Tracks and reviews deliverables to ensure that tasks in the work plan are completed as specified. Reviews and approves QAPP and any amendments or revisions and ensures distribution of approved/revised QAPPs to TSSWCB participants. Notifies TSSWCB QAO of any project non-conformances or corrective actions reported or taken by TWRI.

Mitch Conine; TSSWCB QAO

Reviews and approves QAPP and any amendments or revisions. Responsible for verifying that the QAPP is followed by project participants. Monitors implementation of corrective actions. Coordinates or conducts audits of field and laboratory systems and procedures. Determines that the project meets the requirements for planning, quality assurance (QA), quality control (QC), and reporting under the TSSWCB Nonpoint Source Management Program.

TWRI – Texas Water Resources Institute, College Station, Texas. Responsible for general project oversight, coordination and administration, project reporting, acquisition of water quality data, data assessment, stakeholder facilitation, development of data quality objectives (DQOs) and a QAPP.

Duncan Kikoyo, TWRI PM & DM


The TWRI PM is responsible for ensuring that tasks and other requirements in the contract are executed on time and with the QA/QC requirements in the system as defined by the contract and in the project QAPP; assessing the quality of subcontractor/participant work; and submitting accurate and timely deliverables to the TSSWCB PM.

DM is responsible for acquisition, verification, and transfer of data to the TSSWCB PM. Oversees data management for the project and assumes responsibility for the correction of any data errors.

Stephanie DeVilleneuve, TWRI QAO

Responsible for determining that the QAPP meets the requirements for planning, QA, and QC. Responsible for maintaining the official, approved QAPP, as well as conducting quality assurance audits in conjunction with TSSWCB personnel.

Figure A.4-1. Project Organization Chart



Section A5: Problem Definition/Background

The *2022 Texas Integrated Report* and 303 (d) List (TCEQ 2022) identifies several stream segments in the Proctor Lake watershed as impaired and/or having concerns for use attainment and screening levels. Segments 1222A, 1222B, 1222C, 1222E, and 1223 are impaired for bacteria. Additionally, segment 1223 is impaired for elevated dissolved oxygen. Segments 1222 and 122F have concerns for elevated dissolved oxygen, segments 1222A and 1223 have concerns for chlorophyll-a, segments 1222D, 1222F and 1223B have concerns for bacteria, and segment 1223B has concerns for nitrate. Because of the impairments, the segments do not support their designated uses.

The segments drain 817,818 acres of land in Bell, Comanche, Coryell, Erath, Hamilton, McLennan, and Mills counties. According to the Brazos River Authority's 2022 Basin Highlights Report (BRA 2022), the watershed is largely rural with land use primarily rangeland and improved pastureland with areas of mixed forestland. According to the 2022 Texas Integrated Report, causes of impairments and concerns for use or screening levels are non-point sources such as animal feeding operations, and agriculture. Other causes are unknown.

As the most upstream segments of the Leon River, and the main source of water in Proctor Lake, impairments in this portion of the Leon River have far-reaching downstream impacts. The portion of the Leon River below Proctor Lake already has an approved watershed management plan. Implementing management measures in the upper portion of the Leon watershed would, in addition to addressing impairments in the upstream segments, lead to cumulative benefits downstream.

A key component of any environmental planning process is the characterization of the study area. Characterizing the sources and causes of impairments is a critical step in determining appropriate and effective methods and locations of management strategies aimed at restoring water quality.

Section A6: Project Goals and Task Description

The objectives of this project are to characterize the Proctor Lake watershed, by describing elements of the watershed having the greatest potential to impact water quality and/or quantity, and, to meet with key stakeholders in the watershed to discuss water quality impairments, convey options for addressing the impairments, and solicit feedback regarding local preferences for addressing the impairments.

The project shall consist of:

1. Project administration - administer, coordinate, and monitor all work performed under this project including technical and financial supervision, and preparation of status reports.
2. QAPP - describe general method and sources of acquired data and document data quality objectives (DQOs) and quality assurance/control (QA/QC) activities to ensure data of known and acceptable quality are generated through this project.
3. Public outreach, education, information – educate, identify, engage, and gain stakeholder support for the characterization of Proctor Lake watershed.
4. Watershed characterization - collect data and information to identify the causes of water quality impairments and issues in the watershed and to identify the sources of pollution contributing to water quality impairments and issues.

This QAPP covers activities in Task 4 (Watershed characterization) (Table A6.1) in the Proctor Lake watershed (Figure A6.1).

TWRI will collect data and information to identify causes of water quality impairments and issues in the watershed and identify sources of pollution contributing to water quality impairments and issues. This will involve (i) assembling existing data and information pertaining to water quality impairments and issues in the watershed, (ii) analyzing existing data and information and, to the extent possible, characterize water quality conditions, watershed conditions, and sources of pollution contributing to water quality impairments and issues, (iii) comparing qualitative streamflow estimation methods to determine the method best suited for estimating streamflow for ungaged segments, and (iv) submitting a watershed characterization report to TSSWCB.

Data aggregation and assessment will focus on compiling existing watershed data that allows pollutant sources to be identified and their potential influence to be quantified. Data gathered will include previously collected water quality data, streamflow records, wildlife densities and livestock estimates. If available, data regarding the number of septic systems and the extent of wastewater and stormwater infrastructure will be collected. Collectively, information will be assessed to provide a general description of watershed pollutant contributors. Geographic information systems (GIS) will be utilized significantly where appropriate to aid in identifying watershed areas where potential causes and sources of pollutant contributors exist. This platform will allow visualization of pollutant loadings in relation to potential source locations across the watershed.

Data analysis will be conducted to improve knowledge regarding existing instream water quality conditions and hydrological influences on overall pollutant loading. Water quality data

assessments will also be conducted using proven statistical methods to determine the presence of other trends or correlations in water quality and/or watershed characteristics.

Table A6-1. Project Plan Milestones

Task	Project Milestones -	Agency	Start Month	End Month
4	Watershed Characterization – Data Evaluation			
4.1	Assemble Existing Data and Information. TWRI will gather existing data and information pertaining to water quality impairments and issues in the watershed. This data and information will, to the extent possible support: <ul style="list-style-type: none"> • GIS analysis; • Calculation of LDCs; • Description of relevant watershed characteristics; and, • Identification of causes and sources of water quality impairments and issues 	TWRI	6	18
4.2	Analyze Existing Data and Information. TWRI will analyze the existing data and information and, to the extent possible, characterize water quality conditions, watershed conditions, and sources of pollution contributing to water quality impairments and issues. The analysis will: <ul style="list-style-type: none"> • Lead to an understanding of where and when water quality impairments and/or issues occur and what could be causing the impairments and issues; • Allow for data and information to be assembled into a data inventory for the watershed. The data and information will be presented in appropriate formats including graphs, tables, and maps. 	TWRI	6	18
4.3	Flow Estimation. TWRI will compare qualitative streamflow estimation methods to determine the method best suited for estimating streamflow. An analysis of the comparison will be included in the Watershed Characterization Report.	TWRI	6	18
4.4	Watershed Characterization – Data Collection Report. TWRI will develop a report summarizing information developed under Task 4 to characterize the watershed and identify causes and sources of pollution. The report will be submitted for approval to the TSSWCB project manager.	TWRI	18	24




Figure A6-1. Segments and impairment status in the Proctor Lake watershed

Model Description

LDCs

LDCs are a simple and effective methodology to obtain data-based Total Maximum Daily Loads (TMDLs) (Cleland, 2003; EPA, 2008). A duration curve is a graph that illustrates the percentage of time during which value of a given parameter is equaled or exceeded. For example, a flow duration curve (FDC) (Figure A6.2) typically uses observed mean daily streamflow records to calculate and depict the percentage of time (days) the flow values are equaled or exceeded.

An LDC (Figure A6.3), which is related to the FDC, shows the corresponding relationship between the contaminant loadings and stream flow conditions at the monitoring site. In this manner, it assists in determining patterns in pollution loading (point sources, nonpoint sources, erosion, etc.) depending on the streamflow conditions. Based on the observed patterns, specific restoration plans that target a particular kind of pollutant source can be implemented. For example, if the pollutant loads exceed the allowable loads (Figure A6.3) for low stream flow regimes, then the point sources, such as wastewater treatment plants, and direct deposition sources (wildlife, livestock) should be targeted for the restoration plans. Another main advantage of the LDC method is that it can also be used to evaluate the current impairment as some percentage of samples which exceed the standard, and therefore it allows for a more rapid development of TMDLs (EPA, 2008). Figures A6.2 and A6.3 are examples of a FDC and LDC from a project that focused on the Plum Creek watershed.




Figure A6-2. FDC for streamflow conditions at Guadalupe-Blanco River Authority (GBRA) monitoring station 17406 on Plum Creek, near Umland, TX. The flow data at 17406 was obtained from the nearest USGS gage station 08172400, after adjusting for subwatershed aerial contribution during runoff events.




Figure A6-3. LDC for *E. coli* at GBRA monitoring station 17406 on Plum Creek, near Umland, TX. The flow data at 17406 was obtained from the nearest USGS gage station 08172400, after adjusting for subwatershed aerial contribution during runoff events.

Section A7: Quality Objectives and Criteria for Data Quality

Personnel at TWRI will conduct a phased data assessment effort to identify pollutant sources and estimate needed bacteria load reductions by streamflow condition. The objectives of the water quality assessment for this project are as follows:

The objectives for this project are as follows:

- 1) Spatially characterize and rank sources of pollutants within the watershed. Divide the area into sub-watersheds and identify, quantify, and rank pollutant loads from various sources, i.e., wildlife, livestock, and other sources in the study area.

- 2) Develop LDCs that utilize historical streamflow records and historical *E. coli* data to develop the pollutant load allocation required for meeting water quality standards. Data acquired for the LDC development will be reviewed to ensure that data and monitoring types are appropriate for the LDC development. Comments and qualifier codes will also be reviewed to ensure the suitability of data for LDC development.

LDCs

This approach has been utilized in several TMDL projects as an initial screening-tool to evaluate the actual temporal load trends in streams (Cleland, 2003; Stiles, 2001). In cases of violations, it is necessary to determine the required load-reduction in that region near the monitoring station. Load-reductions should be calculated for all flow-regimes of the stream. In order to do this continuous monitoring data will be simulated using the actual monitoring data by regression methods. Uncertainty of the model will be estimated via residual error analysis. The straight line passing through residual error plot should have a slope of zero.

Section A8: Special Training Requirements/Certification

LDCs

All personnel involved in model calibration, validation, and development will have the appropriate education and training required to adequately perform their duties. No special certifications are required.

Section A9: Documentation and Records

The document and records that describe, specify, report, or certify activities, requirements, procedures, or results for this project are provided below.

LDC

All records, including modeler’s notebooks and electronic files, will be archived by TWRI for LDCs for at least five years. Electronic data on the project computers and the network server are backed up daily to the network drive and weekly to an external hard drive and the principal investigator’s computer. In the event of a catastrophic systems failure, the tapes can be used to restore the data in less than one day’s time. Data generated on the day of the failure may be lost but can be reproduced from raw data in most cases.

General Project Documentation

Quarterly progress reports (QPRs) disseminated to the individuals listed in section A3 will note activities conducted in connection with the project, items or areas identified as potential problems, and any variations or supplements to the QAPP. Final reports on the project will be developed.

Corrective action reports (CARs) will be utilized when necessary (Appendix A). CARs will be maintained in an accessible location for reference at TWRI and will be disseminated to the individuals listed in section A3. CARs resulting in any changes or variations from the QAPP will be made known to pertinent project personnel and documented in updates or amendments to the QAPP.

All electronic data are backed up routinely. A blank CAR is presented in Appendix A. The TSSWCB may elect to take possession of records at the conclusion of the specified retention period.

Table A9-1. Project Documents and Records

Document/Record	Location	Retention	Form
QAPP, amendments, and appendices	TWRI	5 years	Electronic
QAPP distribution documentation	TWRI	5 years	Electronic
Corrective Action Reports (CARs)	TWRI	5 years	Electronic
Progress reports, final reports, data	TWRI/TSSWCB	3 years	Paper/Electronic

Data Transfer between Entities

Data transfer between entities occurs via electronic means. The specific format of the data transferred depends on the specific data and includes ArcPro, MS Office, and PDF formats.

QAPP Revision and Amendments

Until the work described is completed, this QAPP shall be revised as necessary and reissued annually on the anniversary date or revised and reissued within 120 days of significant changes, whichever is sooner. The last approved versions of QAPPs shall remain in effect until revised

versions have been fully approved; the revision must be submitted to the TSSWCB for approval before the last approved version has expired. If the entire QAPP is current, valid, and accurately reflects the project goals and the organization's policy, the annual re-issuance may be done by a certification that the plan is current. This can be accomplished by submitting a cover letter stating the status of the QAPP and a copy of new, signed approval pages for the QAPP.

Amendments to the QAPP may be necessary to reflect changes in project organization, tasks, schedules, objectives, and methods; address deficiencies and non-conformances; improve operational efficiency; and/or accommodate unique or unanticipated circumstances. Requests or amendments are directed from the TWRI PM to the TSSWCB PM in writing. The changes are effective immediately upon approval by the TSSWCB PM and QAO, or their designees. Amendments to the QAPP and the reasons for the changes will be documented, and copies of the approved QAPP Expedited Amendment form will be distributed to all individuals on the QAPP distribution list by the TWRI QAO. Amendments shall be reviewed, approved, and incorporated into a revised QAPP during the annual revision process.

Section B1: Sampling Process Design (Experimental Design)

Elements B1 – B8 address various quality aspects of the design and procedures for collecting, handling, and analyzing new environmental data. Since this project uses existing data sources, these sections do not apply to this QAPP.

Section B2: Sampling Methods

Does not apply to this QAPP. See B1 for more information.

Section B3: Sample Handling and Custody

Does not apply to this QAPP. See B1 for more information.

Section B4: Analytical Methods

Does not apply to this QAPP. See B1 for more information.

Section B5: Quality Control

Does not apply to this QAPP. See B1 for more information.

Section B6: Instrument/Equipment Testing, Inspection and Maintenance

Does not apply to this QAPP. See B1 for more information.

Section B7: Instrument/Equipment Calibration and Frequency

Does not apply to this QAPP. See B1 for more information.

Section B8: Inspection/Acceptance of Supplies and Consumables

Does not apply to this QAPP. See B1 for more information.

Section B9: Data Acquisition Requirements (Non-direct Measurements)

Any non-direct measurements will comply with all requirements under this QAPP.

Water quality data available in TCEQ’s SWQMIS will be used as historical references for instream water quality and conditions. US Geologic Survey (USGS) flow data available in the watershed may also be useful for evaluating instream conditions. The collection and qualification of TCEQ and USGS data are addressed in the TCEQ Surface Water Quality Monitoring QAPP (https://www.tceq.texas.gov/waterquality/monitoring/swqm_guides.html). The collection and qualification of the Texas CRP data are addressed in their QAPPs (www.tceq.texas.gov/waterquality/clean-rivers/qa/index.html). Potential sources where data will be acquired from are included in Table B9.1. No limitations will be placed on these data as they have been vetted by the TCEQ SWQM Data Management and Assessment Team and were collected under a TCEQ approved QAPP.

Table B9.1. Monitoring Data Sources

Data Type	Monitoring Project/Program	Collecting Entity	Dates of Collection	QA Information	Data Use(s)
Monitoring Data	TCEQ SWQM Program	TCEQ	01/01/2000 - Current at stations historically monitored by TCEQ in Table A6.2	TCEQ SWQM QAPP; SWQMIS database	summary statistics, trend analysis
Flow Data	USGS Water Data for the Nation	USGS	For the period of record collected by the USGS at stations in Table A6.2	USGS QAPP; USGS database	Flow measurements

Other data that is compiled and published by other entities may also be used in preparing project reports. This may include long-term precipitation, census, ecoregion, land use and land cover, historic water quality and stream flow data. Sources of these data are the USGS, National Weather Service, US Census Bureau, USDA NRCS, TCEQ, and TPWD. Data collected by these entities are assumed to have been verified and validated according to the requirements of the respective programs. Data compilations created for this project will be visually screened for errors. Data will be cited in reports.

Geospatial data available from various local, regional, state, and federal organizations may be used for cartographic purposes. Maps developed for reports will be for illustrative purposes. Geospatial data utilized in maps of the study area may include land use, precipitation, soil type, ecoregion, TCEQ monitoring location, TCEQ permitted outfall, gage location, city/county/state boundary, stream hydrology, reservoir, drought, road, watershed, municipal separate storm sewer system, urbanized area, basin, railroad, recreational area, area landmark, aerial photography, and park information. The above data comes from the following reliable sources: USGS, TNRS, TCEQ, TXDOT, TSSWCB, TWDB, and US Census Bureau. Geospatial data from these sources are accepted for use in updating these project maps based on the reputability of these data sources and the fact that there are no known comparable sources for these data. Geospatial data will be cited in reports. Table B9.2 lists the type of measurement, data, units, source, QA documentation use and data range of each acquired data set where applicable.

LDCs

The LDCs will be created using currently existing water quality and flow data available from the TCEQ SWQMIS Database, USGS (where available) and data generated through this project.

All data used in the assessment procedures for this project are collected in accordance with approved quality assurance measures under TCEQ, Texas Water Development Board (TWBD), USDA, National Weather Service (NWS), or USGS.

Table B9.2. Non-Direct Data Types and Data Sources for planned acquisition

Type of Measurement or Analysis	Type of Data (time series, rate, constant, statistic, taxa, etc.)	Units	Source (Weblink when available)	Quality Assurance Documentation	Use	Date Range
Streamflow	Time series, daily streamflow	Average daily (cfs)	USGS http://waterdata.usgs.gov/txnwis/sw	Data noted as "Approved" (quality-assured data) or "Provisional" (of unverified accuracy and subject to revision). More recent "provisional" data may be used in the project after thorough review. "Approved" data have successfully undergone USGS quality assurance.	Flow and water quality analysis	All data available
Bacteria, conventional water quality, field, and flow parameters	Concentration/ quantity at various points in time	CFU or MPN/100mL for bacteria; µmhos/cm, mg/L, ppm as appropriate for conventional; cfs for flow	TCEQ SWQMIS https://www80.tceq.texas.gov/SwqmisPublic/index.htm	Data requested will include only data that met quality assurance/quality control (QA/QC) requirements as outlined under the SWQM Data Management Reference Guide.	Flow and water quality analysis	All data available
TCEQ SWQM Stations	Spatial data, location of active and historical SWQM stations	Shapefile – Points	TCEQ GIS Data Hub https://gis-tceq.opendata.arcgis.com/	Data Management Reference Guide (DMRG) for SWQM http://www.tceq.texas.gov/waterquality/data-management/dmrg_index.html	Map development	Various
TCEQ Segments and Assessment Units	Spatial data, official TCEQ Segments	Shapefile - Polylines	TCEQ GIS Data Hub https://gis-tceq.opendata.arcgis.com/	Non accessible. TCEQ data.	Map development	Various
County Boundaries, City Boundaries	Spatial data, StratMap Boundaries	Shapefile - Polygons	TNRIS Data Search & Download http://www.tnr.is.org/	Metadata available with download	Map development	N/A
Watershed topography	Spatial GIS data, Digital Elevation Models (DEMs)	Raster- 10-meter resolution	Hydroenforced DEM from the National Hydrography Dataset (NHD) Plus Version 2 https://nhdplus.com/NHDPlus/NHDPlusV2_data.php	NHDPlusV2 Documentation https://nhdplus.com/NHDPlusV2_documentation.php	Delineation of watershed and subwatershed boundaries for maps	N/A
Watershed Boundary Dataset	Spatial GIS data, GIS shapefiles	1:24,000 or better	https://gdg.sc.egov.usda.gov/	https://pubs.usgs.gov/tm/11/a3/pdf/tm11-a3_1ed.pdf	Subwatershed delineation	N/A

Type of Measurement or Analysis	Type of Data (time series, rate, constant, statistic, taxa, etc.)	Units	Source (Weblink when available)	Quality Assurance Documentation	Use	Date Range
Land Use/Land Cover	National Land Cover Data set – GIS raster data set	Raster – 30 m resolution	National Land Cover Database 2019 (NLCD2019) from MRLC Consortium Viewer: https://www.mrlc.gov/data/nlcd-2019-land-cover-conus	Jin, S., et al (2018). A New Generation of the United States National Land Cover Database: Requirements, Research Priorities, Design, and Implementation Strategies, ISPRS Journal of Photogrammetry and Remote Sensing, 146, pp.108-123. https://doi.org/10.1016/j.isprsjprs.2018.09.006	Map development	Based on Landsat imagery between 2001 and 2019
Land Use/Land Cover	Crop Data Layer – GIS raster dataset	Raster – 30 m resolution	Cropland Data Layer - National Download https://www.nass.usda.gov/Research_and_Science/Cropland/Release/index.php	CropScope and Cropland Data Layer – Metadata https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php	Map development	2008-2021
Land Use/Land Cover	Ecological mapping coverage	Raster – 10 m resolution	TPWD Ecological Mapping Systems https://tpwd.texas.gov/landwater/land/programs/landscape-ecology/ems/	TPWD Ecological Mapping Systems supporting documents https://tpwd.texas.gov/landwater/land/programs/landscape-ecology/ems/	Map development	2016 or most recent available
Soil Map Unit Boundaries and Properties	Spatial GIS data, Soils	Shapefile - polygons	USDA Natural Resources Conservation Service (NRCS) Geospatial Data Gateway http://datagateway.nrcs.usda.gov/	Metadata available with download	Map development	various
Sanitary Sewer Overflows (SSOs)	Individual events	Location and amount (gallons)	TCEQ Regions Excel database provided upon request by regional staff	Data entry based on reported occurrences, Level of QA unknown	Quantify reported SSOs	Most recent 7 years
Municipal & Industrial WWTF Permits	Individual permit location, limits, effluent types, and outfall locations	Tabular	TCEQ Central Registry https://www15.tceq.texas.gov/crpub/index.cfm?fuseaction=addnid.IdSearch	None accessible; TCEQ databases	Source analysis	Most recent 7 years
General permits involving regulation of stormwater	Regulated entities	N/A	TCEQ Central Registry https://www2.tceq.texas.gov/wq_dpa/index.cfm	None accessible; TCEQ databases	Source analysis	Most recent 7 years

Type of Measurement or Analysis	Type of Data (time series, rate, constant, statistic, taxa, etc.)	Units	Source (Weblink when available)	Quality Assurance Documentation	Use	Date Range
Water Rights Diversion Points	Spatial GIS and Tabular Data	N/A	TCEQ https://www.tceq.texas.gov/permitting/water_rights/wr-permitting/wrwud TCEQ - WRAP Input files and GIS files by River Basin https://www.tceq.texas.gov/permitting/water_rights/wr_technical-resources/wam.html/#GIS	None accessible; TCEQ databases	Understanding uses of surface water in the watershed	Most recent available
Waste Application Field Data	Spatial GIS or physical description	Currently Unknown	TCEQ Central Registry http://www15.tceq.texas.gov/crpub/ or TCEQ Public Drinking Water Section	None accessible; TCEQ databases	ID municipal and OSSF sludge application fields	Most recent available
Urbanized Areas	Spatial GIS	Geodatabases/ Shapefiles	TIGER Data Products Guide https://www.census.gov/programs-surveys/geography/guidance/tiger-data-products-guide.html	TIGER/Line Shapefiles and TIGER/Line Files Technical Documentation https://www.census.gov/programs-surveys/geography/technical-documentation/complete-technical-documentation.html	Map development; define regulated stormwater	2010 or most recent available
Population	Spatial GIS and tabular data	Geodatabases/ Shapefiles/ Tabular data	TIGER Data Products Guide https://www.census.gov/programs-surveys/geography/guidance/tiger-data-products-guide.html ; Tabular data from US Census Bureau, Data Explorer https://data.census.gov/	TIGER/Line Shapefiles and TIGER/Line Files Technical Documentation https://www.census.gov/programs-surveys/geography/technical-documentation/complete-technical-documentation.html ; Metadata available with download	Map and source development	2010 or most recent
Address locations	Spatial GIS, point data	Shapefile - points	StratMap Address Points https://tnris.org/stratmap/address-points/	None accessible; TNRRIS database.	Map and source development, OSSF estimations	Most recent available
Hydrography	Vector GIS data	Geodatabase – points, polylines, polygons	National Hydrography Data set (NHD)Pre-staged Subregions http://nhd.usgs.gov/data.html	NHD Program Documentation http://nhd.usgs.gov/program_documentation.html	Map development	N/A
Livestock population estimates	County-level livestock density	County level individual animals	USDA Census of Agriculture https://www.nass.usda.gov/Publications/AgCensus/2017/index.php	Regulations Guiding NASS http://www.agcensus.usda.gov/About_the_Census/Regulations_Guiding_NASS/index.php	Map and source development	2007- To date (when available)

Type of Measurement or Analysis	Type of Data (time series, rate, constant, statistic, taxa, etc.)	Units	Source (Weblink when available)	Quality Assurance Documentation	Use	Date Range
Deer	Wildlife planning areas, Wildlife density	Shapefiles, Density (animal per unit area)	Texas Parks & Wildlife Department GIS data, https://tpwd.texas.gov/gis/#data surveys and/or information from biologists	Metadata available with download/ supplied data	Source development	N/A
Cats and dogs	Pet density	number per household	American Veterinary Medical Association. U.S. pet ownership statistics https://www.avma.org/resources-tools/reports-statistics/us-pet-ownership-statistics#formulas	American Veterinary Medical Association 2022 Pet Ownership and Demographic Sourcebook https://ebusiness.avma.org/files/ProductDownloads/eco-pet-demographic-report-22-low-res.pdf	Source development	N/A
Feral hogs	Spatial feral animal density	Feral hog density (animals per unit area)	AgriLife Extension (2012). <i>Feral Hog Population Growth, Density and Harvest in Texas</i> . SP-472. College Station. https://wildpigs.nri.tamu.edu/media/1155/sp-472-feral-hog-population-growth-density-and-harvest-in-texas-edited.pdf literature values and stakeholder input	AgriLife Extension (2012). <i>Feral Hog Population Growth, Density and Harvest in Texas</i> . SP-472. College Station. https://wildpigs.nri.tamu.edu/media/1155/sp-472-feral-hog-population-growth-density-and-harvest-in-texas-edited.pdf	Source development	2012
Water and sewer service areas	Spatial GIS data	Shapefile - polygons	TCEQ GIS Regulatory/ Administrative Boundaries, Water & Sewer Certificates of Convenience and Necessity Service Areas, https://www.puc.texas.gov/industry/water/utilities/gis.aspx	None accessible; PUC databases	Map and source development	Present
Population projections	Tabular data, organized by region, includes Census 2010 data and population projections for 2020 - 2070	Counts	TWDB Water Planning, 2022 State Water Plan Projections Data, https://www.twdb.texas.gov/waterplanning/data/projections/2022/popproj.asp	Projection Methodology – Draft Population and Municipal Water Demands, https://www.twdb.texas.gov/waterplanning/data/projections/methodology/index.asp	Source development	2020 - 2070
Air temperature and precipitation	Daily time series and monthly and annual normal values	Air Temperature (°C or °F), Precipitation (mm or inches)	National Oceanic and Atmospheric Administration (NOAA) National Climatic Data Center (NCDC) http://www.ncdc.noaa.gov/cdo-web/	NOAA Information Quality Guidelines, http://www.cio.noaa.gov/services_programs/info_quality.html	Summarize past and current weather conditions for reports	1972 – to date

Type of Measurement or Analysis	Type of Data (time series, rate, constant, statistic, taxa, etc.)	Units	Source (Weblink when available)	Quality Assurance Documentation	Use	Date Range
Average annual air temperature and precipitation	Spatial GIS data	Raster	PRISM Climate Group, 30 year NORMALS http://www.prism.oregonstate.edu/	PRISM Climate Group, Documentation FGDC Metadata http://prism.oregonstate.edu/documents/PRISM_datasets.pdf	Map development, weather/ climate analysis	1981 - 2020
Permit files	Hardcopy applications, compliance investigation reports, maps, reports	N/A	TCEQ Central Records	None available	Regulated stormwater area calculations, discharge locations and routes, map development	Various

Section B10: Data Management

Personnel

Duncan Kikoyo is the TWRI PM and will provide overall project management for TWRI. He is responsible for ensuring that the data are managed according to the data management plan and QAPP. Duncan Kikoyo is also the TWRI DM and is responsible for oversight of all acquired data and confirming that all data were appropriately obtained and documented. She is responsible for overseeing all required data control checks on the data.

Stephanie DeVilleneuve is the QAO responsible for ensuring that project data are scientifically valid, legally defensible, of known precision, accuracy, integrity, meet the data quality objectives of the project, and are reportable to TSSWCB.

TWRI project staff and students work with the TWRI DM to acquire data and perform analysis.

Systems Design

TWRI uses laptop and desktop personal computers. The computers run Windows 10 operating system or newer. Software includes Microsoft® Word, Microsoft® Excel, Microsoft® Access, and Program R Statistical Software. All GIS analysis will be performed using ArcGIS Pro or newer.

TWRI utilizes Microsoft Teams, OneDrive, and SharePoint for enterprise file services. The enterprise file system utilizes the Microsoft Cloud to ensure secure data storage of critical operational and project files, automated and distributed data backup that meets AgriLife system policies, and automated file versioning. Microsoft Cloud services utilize multiple geographic redundancies that ensure 99.99% data availability in the event of data loss. Any information deleted is also recoverable within 93 days of deletion. File versioning is enabled to automatically save the previous 25 versions of a file so they can be rolled back in the event of file corruption or unintended changes. Microsoft Enterprise Cloud services are described in detail at: <https://docs.microsoft.com/en-us/office365/Enterprise/office-365-data-resiliency-overview>.

Table B10.1. Hardware and Software used to Support Data Processing

Equipment & software name	Type	Specification	Use
Dell/HP PC Computers	Hardware	Intel Core Processor, 8 GB Ram or more, Windows 10 Enterprise	Support data gathering, data analysis, and report generation.
Microsoft Teams and OneDrive	Software	Enterprise managed software	Project file management and data backup.
ArcGIS Pro or higher	Software	Window interface	Development of maps and spatial analyses
Program R 3.5 or higher and R-Studio	Software	Window interface	Statistical analysis and figure development.
Microsoft Office 2013 and 2016 Software (Excel, Word, PowerPoint)	Software	Windows platform	Data preparation, report writing, presentations.

Data Migration/Transfer/Conversion

Data is processed using Microsoft Excel, Microsoft Access, ArcGIS Pro, and/or Program R. The TWRI DM is responsible for the oversight of the transfer of electronic data files from the Internet to the project directory, which is located on the TWRI Intranet. The various types of data to be downloaded from the Internet are included in Table B9.2. GIS data (e.g., shapefiles, raster datasets, DEMs, etc.) will be downloaded into a GIS project directory. All files created from GIS analyses will be stored in the GIS project directory.

Databases on the Internet are stored in a variety of formats. Some data or files required for the project can be downloaded from the Internet into text or Excel files, where they can be manipulated to create text files or other types of data files that can be used directly in a meta-analysis. Data is downloaded into Excel, R and R-Studio for data management, calculations, and statistical tests prior to being moved into Excel workbooks.

Backup/Disaster Recovery

TWRI utilizes Microsoft Teams, OneDrive, and SharePoint for enterprise file services. The enterprise file system utilizes the Microsoft Cloud to ensure secure data storage of critical operational and project files, automated and distributed data backup that meets AgriLife system policies, and automated file versioning. Microsoft Cloud services utilize multiple geographic redundancies that ensure 99.99% data availability in the event of data loss. Any information deleted is also recoverable within 93 days of deletion. File versioning is enabled to automatically save the previous 25 versions of a file so they can be rolled back in the event of file corruption or unintended changes. Microsoft Enterprise Cloud services are described in detail at: <https://docs.microsoft.com/en-us/office365/Enterprise/office-365-data-resiliency-overview>.

Archives and Data Retention

Complete original data sets are archived on permanent paper and electronic media and retained on-site by TWRI for a retention period specified in section A9.

Information Dissemination

Project updates will be provided to the TSSWCB PM in progress reports and the information will be made available at stakeholder meetings as appropriate. Data collected through this project will be synthesized into a project final report delivered to TSSWCB at the end of the project. No environmental data collected will be collected as part of the project.

Section C1: Assessments and Response Actions

The following table presents types of assessments and response actions applicable to the QAPP.

Table C1.1. Assessments and Response Actions

Assessment Activity	Approximate Schedule	Responsible Party	Scope	Response Requirements
Status Monitoring Oversight, etc.	Continuous	TWRI	Monitor project status and records to ensure requirements are being fulfilled. Monitoring & review performance & data quality	Report to TSSWCB in QPR.
Technical systems audit	As needed	TSSWCB	Assess compliance with QAPP; review facility and data management as they relate to the project	45 days to respond to TSSWCB with corrective actions

In-house review of data quality and staff performance to assure that work is being performed in compliance with the QAPP will be conducted by all entities as needed. If review shows that the work is not being performed according to standards, immediate corrective action will be implemented. CARs will be submitted to TSSWCB and documented in the project QPRs.

The TSSWCB QAO (or designee) will conduct an audit of technical systems activities for this project as needed. Each entity will have the responsibility for initiating and implementing response actions associated with findings identified during the on-site audit. Once the response actions have been implemented, the TSSWCB QAO (or designee) may perform a follow-up audit to verify and document that the response actions were implemented effectively. Records of audit findings and corrective actions are maintained by the TSSWCB PM and TWRI QAO. Corrective action documentation will be submitted to the TSSWCB PM with the progress report. If audit findings and corrective actions cannot be resolved, then the authority and responsibility for terminating work is specified in agreements or contracts between participating organizations.

Corrective Action Process for Deficiencies

Deficiencies are any deviation from the QAPP, and procedures referenced herein. It is the responsibility of the TWRI PM, in consultation with the TWRI QAO, to ensure that the actions and resolutions to the problems are documented and that records are maintained in accordance with this QAPP. In addition, these actions and resolutions may need to be conveyed to the TSSWCB PM in writing by completion of a CAR (Appendix A) within 30 days of the occurrence (or its discovery).

Corrective Action

Corrective Action Reports (CARs) should:

- Identify the problem, nonconformity, or undesirable situation.
- Identify immediate remedial actions if possible.
- Identify the underlying cause(s) of the problem.

- Identify whether the problem is likely to recur or occur in other areas.
- Evaluate the need for Corrective Action
- Use problem-solving techniques to verify causes, determine solutions, and develop an action plan.
- Identify personnel responsible for action.
- Establish timelines and provide a schedule.
- Document the corrective action.
- Evaluate the need for qualification or exclusion of data.

The status of CARs will be included with quarterly progress reports. In addition, significant conditions (i.e., situations which, if uncorrected, could have a serious effect on safety or on the validity or integrity of data) will be reported to the TSSWCB immediately.

The TWRI PM is responsible for implementing and tracking corrective actions. Records of audit findings and corrective actions are maintained by the TWRI PM. Audit reports and corrective action documentation will be submitted to the TSSWCB with the Progress Report.

Section C2: Reports to Management

Quarterly progress reports developed by the TWRI PM will note activities conducted in connection with the project, items or areas identified as potential problems, and any variations or supplements to the QAPP. CAR forms will be utilized when necessary (Appendix A). CARs will be maintained in an accessible location for reference by all project personnel and at TWRI and disseminated to individuals listed in section A3. CARs that result in any changes or variations from the QAPP will be made known to pertinent project personnel and documented in an update or amendment to the QAPP.

If the procedures and guidelines established in this QAPP are not successful, corrective action is required to ensure that conditions adverse to quality data are identified promptly and corrected as soon as possible. Corrective actions include identification of root causes of problems and successful correction of identified problems. CARs will be filled out to document the problems and the remedial action taken. Copies of CARs will be included with the project's quarterly reports. These reports will discuss any problems encountered and solutions made. These reports are the responsibility of the QAO and the PM and will be disseminated to individuals listed in section A3.

The final report for this project will include information describing water quality impairments/issues in the watershed, and elements of the watershed having the greatest potential to impact water quality and/or quantity. Items in this report will include a brief description of methodologies utilized and implications of the findings.

Section D1: Data Review, Validation and Verification

For the purposes of this document, data verification is a systematic process for evaluating performance and compliance of a set of data to ascertain its completeness, correctness, and consistency using the methods and criteria defined in the QAPP. Validation means those processes taken independently of the data-generation processes to evaluate the technical usability of the verified data with respect to the planned objectives or intention of the project. Additionally, validation can provide a level of overall confidence in the reporting of the data based on the methods used.

Data collected by the TCEQ, the USGS, and the Texas CRP partners have been reviewed, verified, and validated according to the requirements of the respective programs prior to their use in this project. The sources of GIS data for the project, e.g., TCEQ, National Hydrography Dataset, National Land Cover Database, NRCS, and U.S. Census Bureau and others, undergo review, verification, and validation of the shapefiles and other spatial resources by their respective programs before the data and information are publicly available and prior to use in this project. Non-geospatial data include SSOs, livestock from the agricultural census, and regulated dischargers and are reviewed for consistency to identify potential errors prior to use.

Section D2: Validation Methods

Data compilations created for this project will be visually screened for errors. Water quality and streamflow data collected by USGS and Texas CRP partners are verified and validated according to requirements of the respective programs prior to their use in this project. Data compilations created for this project will be visually screened for errors by TWRI Staff. To verify the correctness of FDCs/LDCs, the TWRI Staff will ensure that the methods for the development of FDCs/LDCs (EPA, 2008) are followed and will verify that data formatting and inputting were done correctly and that outputs were produced error free and appear to be reasonable based on current knowledge.

All other data for this portion of the project (e.g., land use, urban areas, population projections, DEMs, stream layers, and population projections) as provided in Table B9.1 and B9.2 have been collected and made publicly accessible by authoritative sources such as the USGS, USDA, EPA, and U.S. Census Bureau. Data from these sources are considered verified and validated by the agencies providing the data. Regardless, data compilations created for this project will be visually screened for errors. Errors detected by project staff will be reported to the TWRI PM and, if necessary, to the TSSWCB PM for resolution. Issues which can be readily corrected, e.g., removal of outlier data, will be documented and the data either removed or corrected prior to further analysis.

The TWRI PM and QAO are responsible for ensuring that project data used for LDCs are scientifically valid, legally defensible, of known precision, accuracy, integrity, meet the data quality objectives of the project, and are reportable to TSSWCB. The TWRI QAO and PM may designate other staff familiar with specific types of data to perform this evaluation. Any suspected errors or anomalous data must be addressed before data validation can be completed.

Section D3: Reconciliation with User Requirements

LDCs

The LDC framework utilized for this project will be used to evaluate bacteria loading in relation to flow regimes in the Proctor Lake watershed. This approach will aid in determining pollutant load allocations throughout the watershed.

The LDC results will be described in detail in the watershed characterization report and used for educational purposes as appropriate and will aid in making informed decisions about future action to address pollutant loading issues across the watershed. The limitations of LDCs produced will also be described in the report and conveyed to audiences when discussed.

GIS Inventory

GIS inventory and maps developed for this project will be used for informational purposes only and will not be used exclusively to make any management decisions. Instead, these maps will aid the user by allowing them to visualize watershed features and influences within the watershed that could contribute to the overall bacteria and nutrient loadings. The limitations of maps produced will be described in the project deliverables and conveyed to audiences when discussed. Potential limitations may include accuracy and precision of the land use data and planning documents.

References

- BRA 2022. Brazos River Basin Summary Report 2022 us.
<https://brazos.org/Portals/0/Documents/CRP/Brazos-River-Basin-Summary-Report-2022.pdf>
Change in Watershed Hydrology and Water Quality. EPA/600/R-08/065. May 2008.
- Cleland, B. 2003. TMDL Development from the “bottom up” – Part III: Duration Curves and Wet-Weather Assessments.
<https://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.566.9879&rep=rep1&type=pdf>.
- TCEQ 2022. 2022 Texas Integrated Report of Surface Water Quality for Clean Water Act Sections 305(b) and 303(d).
<https://www.tceq.texas.gov/waterquality/assessment/22twqi/22txir>
- USEPA. 2008. “Development of Duration-Curve Based Methods for Quantifying Variability and Change in Watershed Hydrology and Water Quality.” EPA/600/R-08/065.
<http://www.epa.gov/nrmrl/pubs/600r08065/600r08065.pdf>.

This Page Left Blank Intentional

Appendix A: Corrective Action Report

SOP-QA-001

CAR #: _____

Date: _____

Area/Location: _____

Reported by: _____

Activity: _____

State the nature of the problem, nonconformance or out-of-control situation:

Possible causes:

Recommended Corrective Actions:

CAR routed to: _____

Received by: _____

Corrective Actions taken:

Has problem been corrected?

YES

NO

Immediate Supervisor: _____

Program Manager: _____

TWRI Quality Assurance Officer: _____

TSSWCB Quality Assurance Officer: _____